

NATIONAL PUBLIC HEALTH LANGUAGE

Version 1.2: June 2007

Version 1 of the National Public Health Language (NPHL) was created by the integration of two complete vocabularies, i.e. the Health Development Agency (HDA) Thesaurus and the Public Health Tagging System (PHITS); and augmented by the selective addition of terms from two other vocabularies, i.e. the Department of Health (DH) taxonomy and the Government Category List (GCL).

The basis of the NPHL is given by the HDA thesaurus terms, within a framework of a new 'top level' structure based on terms taken from the DH taxonomy and PHITS. Detailed lower-level structure is drawn from the HDA thesaurus for the most part, and from PHITS for some aspects. The HDA thesaurus and PHITS are now fully merged into a single vocabulary.

Note: Since the release of Version 1, the HDA has merged into the National Institute for Health and Clinical Excellence (NICE) and the GCL has been superseded by the Integrated Public Sector Vocabulary (IPSV).

The NPHL is a living language and Version 1.2 includes a number of updates managed and agreed by the NPHL & Metadata Working Group (Formally the NPHL Steering Group).

For further information on how to use this language and the thesaurus, and how to feed back comments or join our user group, go to <http://www.nphl.nhs.uk>

The following abbreviations are used in the Language:

UF: USE FOR
BT: BROADER TERM
NT: NARROWER TERM
RT: RELATED TERM
SN: SCOPE NOTE

A&E

USE: EMERGENCY MEDICAL CARE

ABORTION

UF: Induced abortion
Pregnancy termination
Termination of pregnancy
BT: FAMILY PLANNING
RT: UNWANTED PREGNANCY

ABUSE

BT: SOCIAL ISSUES
NT: CHILD ABUSE
DOMESTIC VIOLENCE
PARTNER ABUSE
SEXUAL ABUSE

Academic qualifications

USE: QUALIFICATIONS

ACCESS

BT: SOCIAL FACTORS
NT: ACCESS TO INFORMATION
ACCESS TO SERVICES
DISABILITY ACCESS

ACCESS TO INFORMATION

BT: ACCESS

ACCESS TO SERVICES

BT: ACCESS
QUALITY
RT: SERVICE UTILISATION

Accident and emergency

SN: was PHITS level 3 term
USE: EMERGENCY MEDICAL CARE

ACCIDENT PREVENTION

BT: PREVENTION
RT: ACCIDENTS

ACCIDENTS

BT: CAUSES OF HARM
NT: FALLS
HOME ACCIDENTS
TRAFFIC ACCIDENTS
WATER ACCIDENTS
RT: ACCIDENT PREVENTION
BURNS
FRACTURES
POISONING
SAFETY

Acquired immunodeficiency syndrome

USE: AIDS

ACTION RESEARCH

SN: Research (usually qualitative) which informs the development of an intervention through the course of the programme.

UF: Participatory research

BT: RESEARCH METHODS

RT: EVALUATION

ACTIVITIES

BT: INDIVIDUAL BEHAVIOUR

NT: ARTS

LEISURE ACTIVITIES

TRAVELLING

RT: PHYSICAL ACTIVITY

ACTIVITY DATA

UF: Activity spaces

Hospital episode statistics

BT: DATA

Activity spaces

USE: ACTIVITY DATA

ACUPUNCTURE

BT: COMPLEMENTARY MEDICINE

ADDICTION

UF: Drug and alcohol addiction

BT: PSYCHOSOCIAL FACTORS

Administrative changes

USE: ORGANISATIONAL CHANGE

Adolescence

USE: PUBERTY

Adolescent

SN: was PHITS level 3 term

USE: YOUNG PEOPLE

Adolescents

USE: YOUNG PEOPLE

ADOPTION

BT: FAMILIES

ADULT EDUCATION

BT: EDUCATIONAL SYSTEMS

RT: LIFELONG LEARNING

Adult work

USE: SOCIAL WORK

Adulthood

USE: ADULTS

ADULTS

UF: Adulthood
Working age adult
BT: AGE GROUPS
NT: MIDDLE AGED PEOPLE
OLDER PEOPLE
VERY OLD PEOPLE
YOUNG ADULTS

ADVERTISING

UF: Publicity
BT: MASS COMMUNICATION

ADVICE

BT: COMMUNICATION
NT: PATIENT ADVICE

Advisors (counsellors)

USE: COUNSELLORS

ADVOCACY

UF: Patient advocates
BT: COMMUNICATION
NT: SELF ADVOCACY
RT: COMPLAINTS
EMPOWERMENT
PATIENTS' RIGHTS

AETIOLOGY

UF: Causality
BT: RESEARCH

AFFLUENCE

BT: SOCIOECONOMIC STATUS
RT: INCOME

Africans

USE: BLACK PEOPLE

AFTER SCHOOL CLUBS

BT: CLUBS
RT: OUT OF SCHOOL ACTIVITIES

AFTERCARE

SN: 1. Instructions given to patients on what to do after medical treatment. 2. The care of a patient by health professionals after medical treatment
BT: HEALTH SERVICES
RT: HOSPITAL DISCHARGE
MEDICAL TREATMENT
REHABILITATION

Age

SN: was PHITS level 2 term
USE: AGE GROUPS

AGE GROUPS

UF: Age
BT: GROUPS
NT: ADULTS
CHILDREN
NEONATES
YOUNG PEOPLE

Aged

USE: OLDER PEOPLE
VERY OLD PEOPLE

Aged people

USE: OLDER PEOPLE

AGEING

UF: Gerontology
BT: PHYSIOLOGY
RT: GERIATRICS
OLDER PEOPLE
VERY OLD PEOPLE

AGEING POPULATIONS

BT: DEMOGRAPHY
RT: OLDER PEOPLE
VERY OLD PEOPLE

Agoraphobia

USE: PHOBIC DISORDERS

AGRICULTURAL INDUSTRY

UF: Farms
BT: INDUSTRY
RT: CATERING INDUSTRY
FOOD AND DRINK INDUSTRY
GENETIC MODIFICATION

AGRICULTURAL POLLUTION

BT: POLLUTION
RT: PESTICIDES
SOIL CONTAMINATION
WATER POLLUTION

AIDS

UF: Acquired immunodeficiency syndrome
BT: IMMUNODEFICIENCY
RT: HIV INFECTION
PEOPLE WITH HIV OR AIDS

AIR

BT: NATURAL ENVIRONMENT
RT: AIR QUALITY
CLIMATE CHANGE
OZONE
SUN

Air Force

USE: ARMED FORCES

Air pollution

USE: AIR QUALITY

AIR QUALITY

UF: Air pollution

Atmospheric pollution

BT: POLLUTION

NT: INDOOR AIR POLLUTION

OUTDOOR AIR POLLUTION

RT: AIR

CLIMATE CHANGE

ENVIRONMENTAL TOBACCO SMOKE

AIR TRANSPORT

UF: Aviation

BT: TRANSPORT

RT: RAIL TRANSPORT

ALCOHOL

UF: Alcoholic beverages

BT: BEVERAGES

NT: ALCOPOPS

BEER

CIDER

SPIRITS

WINE

RT: ALCOHOL MISUSE

BINGE DRINKING

INTOXICATION

ALCOHOL CONSUMPTION

UF: Alcohol use

Drinking (alcohol)

Drinking habits

BT: CAUSES OF HARM

INDIVIDUAL BEHAVIOUR

NT: ALCOHOL MISUSE

ALCOHOL-RELATED HARM

ALCOHOL COUNSELLING

BT: COUNSELLING

Alcohol dependency

USE: ALCOHOL MISUSE

ALCOHOL EDUCATION

BT: HEALTH EDUCATION

ALCOHOL MISUSE

UF: Alcohol dependency

BT: ALCOHOL CONSUMPTION

NT: BINGE DRINKING

INTOXICATION
RT: ALCOHOL
ALCOHOL-RELATED HARM
REHABILITATION

ALCOHOL POLICIES
BT: HEALTH POLICY
RT: DRUG POLICIES
WORKPLACE HEALTH PROMOTION

Alcohol use
USE: ALCOHOL CONSUMPTION

Alcoholic beverages
USE: ALCOHOL

Alcoholic soft drinks
USE: ALCOPOPS

ALCOHOL-RELATED HARM
BT: ALCOHOL CONSUMPTION
NT: FOETAL ALCOHOL SYNDROME
RT: ALCOHOL MISUSE

ALCOPOPS
UF: Alcoholic soft drinks
BT: ALCOHOL
RT: SPIRITS

Alimentary system
USE: DIGESTIVE SYSTEM

ALL CAUSES OF MORBIDITY AND MORTALITY
SN: was PHITS level 2 term
BT: DEATH, DISEASE AND DISABILITY

ALLERGIES
UF: Atropic hypersensitivity
Hypersensitivity
BT: DEATH, DISEASE AND DISABILITY
IMMUNE DISORDERS
NT: CONTACT ALLERGY
FOOD ALLERGY
RHINITIS

ALLIED HEALTH PROFESSIONALS
UF: PAMS
Professions Allied to Medicine
BT: HEALTH PROFESSIONALS
HEALTHCARE AND HEALTH SERVICES

Alternative medicine
USE: COMPLEMENTARY MEDICINE

ALZHEIMER'S DISEASE
BT: DEMENTIA

AMBULANCE SERVICES

SN: was PHITS level 3 term
UF: Hospital ambulance services
BT: EMERGENCY SERVICES

AMBULATORY SERVICES

SN: was PHITS level 3 term
BT: SECONDARY AND TERTIARY SERVICES

AMPHETAMINES

BT: STIMULANTS
NT: ECSTASY

ANABOLIC STEROIDS

UF: Steroids
BT: STIMULANTS
RT: WEIGHT TRAINING

ANAEMIA

UF: Anemia
BT: BLOOD AND IMMUNE DISORDERS
NT: SICKLE CELL ANAEMIA
THALASSAEMIA

ANAL SEX

BT: SEXUAL PRACTICES

ANALGESICS

SN: A compound capable of producing analgesia, ie one that relieves pain without producing anesthesia or loss of consciousness.
UF: Anti pyretics
BT: DRUGS
NT: ASPIRIN
HEROIN
METHADONE

ANALYSIS

UF: Analytic methods
BT: METHODS
NT: DATA ANALYSIS
RT: RESEARCH

Analytic methods

USE: ANALYSIS

ANATOMY

BT: SCIENCES
RT: PHYSIOLOGY
POSTURE

Anemia

USE: ANAEMIA

ANOREXIA NERVOSA

BT: EATING DISORDERS
RT: BULIMIA NERVOSA
SELF ESTEEM

ANTENATAL CARE

SN: Care of mother and foetus before birth
UF: Pre natal care
BT: CARE
RT: ANTENATAL EDUCATION
CHILDBIRTH
MIDWIVES
PRE CONCEPTION
PREGNANCY

Antenatal classes

USE: ANTENATAL EDUCATION

ANTENATAL EDUCATION

UF: Antenatal classes
BT: HEALTH EDUCATION
RT: ANTENATAL CARE

ANTENATAL EXERCISES

BT: EXERCISES

ANTHROPOLOGY

UF: Medical anthropology
BT: BEHAVIOURAL SCIENCES

Anti pyretics

USE: ANALGESICS

ANTIOXIDANTS

BT: NUTRITION COMPONENTS

ANTISOCIAL BEHAVIOUR

UF: Juvenile delinquency
BT: BEHAVIOUR
SOCIAL ISSUES
NT: CRIME
VANDALISM

APATHY

UF: Indifference
BT: BEHAVIOUR
RT: HEALTH BEHAVIOUR
MOTIVATION

Aphasia

SN: Impaired or absent comprehension or communication
by, speech, writing or signs due to an acquired
lesion of the dominant cerebral hemisphere
USE: COMMUNICATION DISORDERS

Apparatus

USE: EQUIPMENT

Appetite disorders
USE: EATING DISORDERS

Appliances
USE: EQUIPMENT

Appraisal
USE: EVALUATION

AREA BASED CLASSIFICATION
BT: AREAS

AREA BASED INITIATIVES
BT: AREAS
GOVERNMENT INITIATIVES
NT: EDUCATION ACTION ZONES

AREAS
SN: Any geographical area; a two-dimensional part of a map
was PHITS level 2 heading
BT: PLACES
NT: AREA BASED CLASSIFICATION
AREA BASED INITIATIVES
CENSUS DISTRICTS
CENSUS ED/OA
CENSUS WARD LEVEL
CLINICAL NETWORKS
CONSTITUENCIES
COUNTIES
COUNTRIES
ELECTORAL REGIONS
GEOGRAPHICAL FEATURES
GOVERNMENT OFFICES
GP PRACTICE AREAS
HEALTH AUTHORITIES
HOSPITALS
HSC REGIONS
LOCAL AUTHORITY AREAS
NATURE RESERVES
NEIGHBOURHOODS
NUTS1
NUTS2
NUTS3
NUTS4
NUTS5
ONS AREA CLASSIFICATIONS
PARISHES
POST CODE DISTRICTS
POST CODE SECTORS
PRIMARY CARE ORGANISATIONS
RURAL AREAS
SITES OF SPECIAL SCIENTIFIC INTEREST
SOCIAL SERVICE DISTRICTS
STANDARD REGIONS

STRATEGIC HEALTH AUTHORITIES
TRAINING ENTERPRISE COUNCILS
TRAVEL TO WORK AREAS
UNITARY AUTHORITIES
URBAN AREAS
WARDS
WHO REGIONS

ARMED FORCES

UF: Air Force
Armed services
Army
Defence forces
Military forces
Military personnel
Military services
Navy

BT: PUBLIC SERVICES

Armed services

USE: ARMED FORCES

Army

USE: ARMED FORCES

ART

BT: ARTS
RT: THERAPY

ARTHRITIS

BT: MUSCULOSKELETAL DISORDERS
RT: RHEUMATIC DISORDERS

Artificial insemination

USE: ASSISTED CONCEPTION

ARTS

BT: ACTIVITIES
NT: ART
DANCE
DRAMA
MUSIC
THEATRE
RT: THERAPY

ASBESTOS

BT: POLLUTANTS

Asian British people

USE: ASIAN PEOPLE

ASIAN PEOPLE

SN: Includes Asian British people, Indian, Pakistani, Bangladeshi people, and all other Asian backgrounds except Chinese. Derived from National Statistics (2003) Ethnic group statistics: a guide for the collection and

classification of ethnicity data.
UF: Asian British people
Asians
Bangladeshi people
Bangladeshis
British Asians
Indian people
Indians
Pakistani people
Pakistanis
BT: ETHNIC GROUPS

Asians
USE: ASIAN PEOPLE

ASPIRIN
BT: ANALGESICS

ASSAULT
BT: CAUSES OF HARM

ASSERTIVENESS
UF: Assertiveness training
BT: BEHAVIOUR
RT: EMPOWERMENT

Assertiveness training
USE: ASSERTIVENESS

Assessment
USE: EVALUATION

Assessment (social work)
USE: NEEDS ASSESSMENT

ASSISTED CONCEPTION
UF: Artificial insemination
In vitro fertilization
IVF
BT: CONCEPTION
FERTILITY
RT: FERTILITY TESTS
MULTIPLE BIRTHS

Associations
USE: ORGANISATIONS

ASTHMA
BT: RESPIRATORY DISORDERS
RT: BRONCHITIS
VEHICLE RELATED AIR POLLUTION

ASYLUM SEEKERS
UF: Refugees and asylum seekers
BT: VULNERABLE GROUPS
RT: REFUGEES

Atmospheric pollution
USE: AIR QUALITY

Atropic hypersensitivity
USE: ALLERGIES

ATTITUDES
BT: PERSONALITY

Attitudinal change
USE: BEHAVIOUR

AUTISM
BT: COMMUNICATION DISORDERS

Aviation
USE: AIR TRANSPORT

Awareness
USE: KNOWLEDGE

Babies
USE: INFANTS

Baby battering
USE: CHILD ABUSE

Baby sitting
USE: CHILDMINDING

BACK PAIN
UF: Backache
BT: MUSCULOSKELETAL DISORDERS
RT: LIFTING

Backache
USE: BACK PAIN

Backwardness
USE: LEARNING DISABILITIES

Bangladeshi people
USE: ASIAN PEOPLE

Bangladeshis
USE: ASIAN PEOPLE

BARBITURATES
BT: DEPRESSANTS
RT: BENZODIAZEPINES

BEER
BT: ALCOHOL

BEHAVIOUR

UF: Attitudinal change
Conduct
Human behaviour
BT: PSYCHOLOGY
NT: ANTISOCIAL BEHAVIOUR
APATHY
ASSERTIVENESS
BEHAVIOURAL CHANGE
DRIVING BEHAVIOUR
HABITUAL BEHAVIOUR
HEALTH BEHAVIOUR
HYPERACTIVITY
INHIBITION
MOTIVATION
SELF CONTROL
SELF HARM
SEXUAL BEHAVIOUR
TOLERANCE
TYPE A BEHAVIOUR
TYPE B BEHAVIOUR

BEHAVIOURAL CHANGE
UF: Change
Change (Behavioural)
BT: BEHAVIOUR
RT: HEALTH BEHAVIOUR MAINTENANCE
ORGANISATIONAL CHANGE

Behavioural psychology
USE: PSYCHOLOGY

BEHAVIOURAL SCIENCES
SN: Pertaining to or characterising behaviour
BT: SCIENCES
NT: ANTHROPOLOGY
PSYCHOLOGY
SOCIOLOGY
RT: EDUCATION

BELIEFS
BT: PEOPLE AND POPULATIONS
NT: HEALTH BELIEFS
RELIGION
RT: CULTURE
MORALITY

Benchmarking
USE: MEASUREMENT

Benzene
USE: VEHICLE RELATED AIR POLLUTION

BENZODIAZEPINES
UF: Minor tranquillisers
BT: DEPRESSANTS
NT: TRANQUILLIZERS

RT: BARBITURATES

Bereaved people

USE: BEREAVEMENT

BEREAVEMENT

UF: Bereaved people

BT: PSYCHOSOCIAL FACTORS

RT: MORTALITY

BEREAVEMENT COUNSELLING

UF: Bereavement support

Grief work

BT: COUNSELLING

Bereavement support

USE: BEREAVEMENT COUNSELLING

Best Practice

USE: GOOD PRACTICE

BEVERAGES

UF: Drinks

BT: FOOD AND NUTRITION

NT: ALCOHOL

RT: FOOD

BINGE DRINKING

BT: ALCOHOL MISUSE

RT: ALCOHOL

INTOXICATION

Bioengineering

USE: BIOTECHNOLOGY

BIOLOGICAL COMPOSITION

SN: was PHITS level 2 term

BT: DETERMINANTS OF HEALTH

NT: BLOOD PRESSURE

BONE DENSITY

GENETICS

OBESITY

RT: BODY MEASUREMENTS

Biomedical equipment

USE: MEDICAL EQUIPMENT

Biomedical research

USE: MEDICAL RESEARCH

BIOMEDICAL SCIENCE

BT: SCIENCE AND TECHNOLOGY

NT: ORGAN SYSTEMS

Bionomics

USE: ECOLOGY

BIORHYTHMS
BT: PHYSIOLOGY

BIOTECHNOLOGY
SN: The industrial use of biological processes
UF: Bioengineering
BT: SCIENCES
NT: GENETIC MODIFICATION

BIOTERRORISM
BT: TERRORISM

Birth
USE: CHILDBIRTH

Birth control
USE: FAMILY PLANNING

BIRTH RATE
BT: DEMOGRAPHY

Bisexual men
USE: BISEXUALS

Bisexual people
USE: BISEXUALS

Bisexual women
USE: BISEXUALS

BISEXUALS
UF: Bisexual men
Bisexual people
Bisexual women
BT: SEXUALITY

Black British
USE: BLACK PEOPLE

BLACK PEOPLE
SN: Includes Black British, Caribbean people, Black Africans and people of any other Black background. Derived from National Statistics (2003) Ethnic group statistics: a guide for the collection and classification of ethnicity data.
UF: Africans
Black British
Blacks
British people (Black)
Caribbeans
BT: ETHNIC GROUPS

Black smoke
USE: VEHICLE RELATED AIR POLLUTION

Blacks

USE: BLACK PEOPLE

BLADDER CANCER

UF: Bladder neoplasms

BT: CANCER

Bladder neoplasms

USE: BLADDER CANCER

BLIND PEOPLE

BT: PEOPLE WITH VISUAL DISABILITIES

BLINDNESS

BT: EYE DISORDERS

BLOOD AND IMMUNE DISORDERS

BT: DEATH, DISEASE AND DISABILITY

NT: ANAEMIA

RT: HAEMATOLOGICAL CANCER

HIV INFECTION

LEUKAEMIA

Blood circulatory system

USE: CARDIOVASCULAR SYSTEM

BLOOD PRESSURE

BT: BIOLOGICAL COMPOSITION

RT: HYPERTENSION

HYPOTENSION

Blood pressure (high)

USE: HYPERTENSION

Blood pressure (low)

USE: HYPOTENSION

BLOOD TRANSFUSIONS

BT: MEDICAL TREATMENT

BLOODBORNE TRANSMISSION

BT: TRANSMISSION

BMI

USE: BODY MASS INDEX

BODY IMAGE

BT: SELF ESTEEM

RT: EATING DISORDERS

OVERWEIGHT

Body language

USE: NONVERBAL COMMUNICATION

BODY MASS INDEX

UF: BMI

BT: BODY MEASUREMENTS

RT: OVERWEIGHT

BODY MEASUREMENTS

BT: PHYSIOLOGY

NT: BODY MASS INDEX
WEIGHT

RT: BIOLOGICAL COMPOSITION
WEIGHT MEASUREMENT

BODY PIERCING

BT: INDIVIDUAL BEHAVIOUR

BONE DENSITY

BT: BIOLOGICAL COMPOSITION

Bone disorders

USE: MUSCULOSKELETAL DISORDERS

BOTTLE FEEDING

BT: INFANT NUTRITION

RT: BREASTFEEDING
WEANING

BOUNDARY DATA

BT: LINES

Bowel cancer

USE: INTESTINAL CANCER

BOYS

SN: Children and adolescents aged up to 18 years

UF: Males (boys)

BT: CHILDREN

RT: GIRLS

PRE SCHOOL CHILDREN

YOUNG PEOPLE

Brain injuries

USE: HEAD INJURIES

BRAIN TUMOURS

BT: CANCER

BREAKFAST CLUBS

BT: CLUBS

OUT OF SCHOOL ACTIVITIES

BREAST CANCER

UF: Breast neoplasms

BT: BREAST DISEASES

CANCER

RT: MASTECTOMY

BREAST DISEASES

BT: DEATH, DISEASE AND DISABILITY

NT: BREAST CANCER

MASTITIS

Breast neoplasms

USE: BREAST CANCER

BREASTFEEDING

BT: INDIVIDUAL BEHAVIOUR

INFANT NUTRITION

RT: BOTTLE FEEDING

MASTITIS

WEANING

British Asians

USE: ASIAN PEOPLE

British people (Black)

USE: BLACK PEOPLE

British people (Chinese)

USE: CHINESE PEOPLE

British people (Mixed Race)

USE: MIXED RACE PEOPLE

British people (White)

USE: WHITE PEOPLE

BRONCHIAL CANCER

UF: Bronchial neoplasms

BT: CANCER

Bronchial neoplasms

USE: BRONCHIAL CANCER

BRONCHITIS

BT: RESPIRATORY DISORDERS

RT: ASTHMA

EMPHYSEMA

BUDGET

BT: FINANCE

BUILDINGS, CONSTRUCTIONS AND POINTS

UF: Settings

BT: SETTINGS AND PLACES

NT: CANTEENS

CUSTODIAL CENTRES

LEISURE FACILITIES

PLAYGROUNDS

PRISONS

PUBS

SHELTERED ACCOMMODATION

WORKPLACE

RT: POINTS

BUILT ENVIRONMENT

BT: ENVIRONMENT
NT: DISABILITY ACCESS
INSULATION
PUBLIC PLACES
SICK BUILDING SYNDROME
VENTILATION
WAITING AREAS

BULIMIA NERVOSA

BT: EATING DISORDERS
RT: ANOREXIA NERVOSA
SELF ESTEEM

BURNS

UF: Scalds
BT: INJURIES
RT: ACCIDENTS
FIRE SAFETY
FIREWORKS

BUSINESSES

UF: Companies
BT: ECONOMICS, FINANCE AND INDUSTRY
NT: SMALL and MEDIUM SIZED ENTERPRISES (SMEs)
SMALL BUSINESSES

Caesarian section

USE: CHILDBIRTH

Cafes

USE: RESTAURANTS

CAFFEINE

BT: STIMULANTS

CALCIUM

BT: MINERALS

CALDICOTT

SN: was PHITS level 3 term
BT: UK HEALTH POLICIES

CALORIES

BT: NUTRITION
RT: DIETING
FOOD
WEIGHT

CAMPAIGNS

BT: COMMUNICATION
NT: MASS MEDIA CAMPAIGNS

CANCER

UF: Cancers
Carcinoma
Neoplasms

Tumours

BT: DEATH, DISEASE AND DISABILITY

NT: BLADDER CANCER

BRAIN TUMOURS

BREAST CANCER

BRONCHIAL CANCER

CERVICAL CANCER

HAEMATOLOGICAL CANCER

HODGKIN'S DISEASE

INTESTINAL CANCER

LEUKAEMIA

LIVER CANCER

LUNG CANCER

OESOPHAGEAL CANCER

ORAL CANCER

OVARIAN CANCER

PANCREATIC CANCER

PROSTATE CANCER

SKIN CANCER

STOMACH CANCER

TESTICULAR CANCER

THROAT CANCER

THYROID CANCER

RT: CHEMOTHERAPY

Cancer of the cervix

USE: CERVICAL CANCER

Cancers

USE: CANCER

CANNABIS

UF: Hashish

Marihuana

Marijuana

Resin

BT: HALLUCINOGENS

CANTEENS

BT: BUILDINGS, CONSTRUCTIONS AND POINTS

RT: CATERING

RESTAURANTS

CAPACITY BUILDING

SN: Assisting locally based groups to participate in the social and economic regeneration of their community by developing the skills of individuals, strengthening networks and improving structures and processes

BT: COMMUNITIES

RT: COMMUNITY DEVELOPMENT
REGENERATION

CARBOHYDRATES

UF: Saccharides

BT: NUTRITION COMPONENTS

NT: COMPLEX CARBOHYDRATES
STARCH
SUGARS

CARBON MONOXIDE
BT: OUTDOOR AIR POLLUTION
POLLUTANTS
RT: OZONE
TOBACCO SMOKE
VEHICLE RELATED AIR POLLUTION

Carcinoma
USE: CANCER

Cardiac failure
USE: HEART FAILURE

CARDIOVASCULAR DISEASES
BT: CIRCULATORY DISEASES
NT: CORONARY HEART DISEASES

CARDIOVASCULAR SYSTEM
UF: Blood circulatory system
Circulatory system
BT: ORGAN SYSTEMS
RT: CORONARY HEART DISEASES

CARE
BT: HEALTHCARE AND HEALTH SERVICES
NT: ANTENATAL CARE
CHILD CARE
CHILDMINDING
DAY CARE
HOME CARE
MUTUAL AID
PALLIATIVE CARE
POSTNATAL CARE
REHABILITATION
RESIDENTIAL CARE
SELF CARE
TERMINAL CARE
RT: CARERS
CHILDREN IN CARE

Care in the community
USE: COMMUNITY MENTAL HEALTH SERVICES

CARE WORKERS
BT: OCCUPATIONAL GROUPS
RT: SOCIAL WORKERS

CAREER DEVELOPMENT
UF: Occupational development
BT: EDUCATION, EMPLOYMENT AND SKILLS
RT: PROFESSIONAL EDUCATION AND DEVELOPMENT

Carer involvement
USE: CARERS

CARERS
UF: Carer involvement
Informal carers
BT: GROUPS
RT: CARE
DISABILITY CARE

Caribbeans
USE: BLACK PEOPLE

Caring at home
USE: HOME CARE

CASE CONTROL STUDIES
BT: RESEARCH METHODS

CASE STUDIES
SN: Examples of studies. Usually part of qualitative
research, often in policy
BT: RESEARCH METHODS
RT: COHORT STUDIES
COMPARATIVE STUDIES

CASUAL EMPLOYMENT
BT: EMPLOYMENT
RT: FULL TIME EMPLOYMENT
PART TIME EMPLOYMENT
SHIFT WORKING
UNEMPLOYMENT

Casualty (A&E)
USE: EMERGENCY MEDICAL CARE

CATARACTS
UF: Lens opacities
BT: EYE DISORDERS

CATERING
BT: FOOD PREPARATION
RT: CANTEENS

CATERING INDUSTRY
BT: INDUSTRY
NT: HOTEL AND RESTAURANT INDUSTRY
RT: AGRICULTURAL INDUSTRY
FOOD AND DRINK INDUSTRY
FOOD PREPARATION
LEISURE INDUSTRY

CATHOLICISM
BT: CHRISTIANITY

Causality

SN: The relation of cause and effect
USE: AETIOLOGY

CAUSES OF HARM

BT: ENVIRONMENTAL DETERMINANTS

NT: ACCIDENTS

ALCOHOL CONSUMPTION

ASSAULT

CRIME

EMERGENCIES

FIREWORKS

MALNUTRITION

OBESITY

POISONING

POISONOUS SUBSTANCES

POLLUTANTS

SMOKING

SUBSTANCE MISUSE

SUNBEDS

SUNBURN

TERRORISM

TOBACCO

VIOLENCE

CENSUS DISTRICTS

SN: 1991 census

BT: AREAS

CENSUS ED/OA

BT: AREAS

CENSUS WARD LEVEL

SN: 1991 census

BT: AREAS

CENTRAL GOVERNMENT

UF: National government

BT: GOVERNMENT

RT: LOCAL GOVERNMENT

REGIONAL GOVERNMENT

Central government policy

USE: GOVERNMENT POLICY

CENTRAL NERVOUS SYSTEM

UF: CNS

BT: ORGAN SYSTEMS

NT: SENSORY FUNCTIONS

Centres (clinics)

USE: CLINICS

CEREAL PRODUCTS

BT: FOOD

CEREBRAL PALSY

UF: Little's disease
Spastic spinal paralysis
BT: NEUROLOGICAL DISEASES AND DISORDERS

CERVICAL CANCER

UF: Cancer of the cervix
Cervical neoplasms
Cervix neoplasms
BT: CANCER

Cervical neoplasms
USE: CERVICAL CANCER

Cervix neoplasms
USE: CERVICAL CANCER

Change
USE: BEHAVIOURAL CHANGE
ORGANISATIONAL CHANGE

Change (Behavioural)
USE: BEHAVIOURAL CHANGE

Change (organisational)
USE: ORGANISATIONAL CHANGE

Character
USE: PERSONALITY

Charitable trusts
USE: CHARITIES

CHARITIES

UF: Charitable trusts
BT: ECONOMICS, FINANCE AND INDUSTRY
RT: NON PROFIT ORGANISATIONS
VOLUNTARY ORGANISATIONS

CHD
USE: CORONARY HEART DISEASES

CHEMICALS

BT: ENVIRONMENT
RT: POLLUTANTS

Chemists
USE: PHARMACIES

CHEMOTHERAPY

BT: MEDICAL TREATMENT
RT: CANCER

CHICKENPOX

UF: Varicella
BT: COMMUNICABLE DISEASES
RT: IMMUNISATION

CHILD ABUSE

UF: Baby battering
BT: ABUSE
NT: CHILD SEXUAL ABUSE
RT: DOMESTIC VIOLENCE

Child birth

USE: CHILDBIRTH

CHILD CARE

BT: CARE
NT: LOOKED AFTER CHILDREN
RT: CHILD WELFARE

CHILD DEVELOPMENT

BT: DEVELOPMENT
RT: DEVELOPMENTAL DISORDERS
DEVELOPMENTAL SCREENING

Child guidance services

USE: COMMUNITY MENTAL HEALTH SERVICES

CHILD HEALTH

UF: Childrens health
BT: HEALTH
NT: CHILD WELFARE
RT: CHILD HEALTH SERVICES
CHILDREN

CHILD HEALTH SERVICES

UF: Childrens health services
Childrens services (medical)
Health services for children
BT: HEALTH SERVICES
RT: CHILD HEALTH

CHILD NUTRITION

BT: NUTRITION
RT: INFANT NUTRITION
WEANING

CHILD POVERTY

BT: POVERTY
RT: CHILDREN

CHILD SEXUAL ABUSE

BT: CHILD ABUSE
SEXUAL ABUSE
RT: INCEST
PAEDOPHILES

CHILD WELFARE

UF: Welfare of children
BT: CHILD HEALTH
RT: CHILD CARE

CHILDBIRTH

UF: Birth
Caesarian section
Child birth
Labour (pregnancy)
Parturition
Pregnancy and childbirth
BT: PHYSICAL DEVELOPMENT
NT: MULTIPLE BIRTHS
PREMATURE BIRTH
RT: ANTENATAL CARE
LOW BIRTH WEIGHT
MATERNITY SERVICES
PREGNANCY

CHILDMINDING

UF: Baby sitting
BT: CARE
RT: LOOKED AFTER CHILDREN

CHILDREN

SN: Ages 2-11 years.
was "child" PHITS level 3 term
UF: Minors
Vulnerable road users
BT: AGE GROUPS
NT: BOYS
GIRLS
INFANTS
LOOKED AFTER CHILDREN
PRE SCHOOL CHILDREN
RT: CHILD HEALTH
CHILD POVERTY
YOUNG PEOPLE

CHILDREN IN CARE

BT: VULNERABLE GROUPS
RT: CARE

Childrens health

USE: CHILD HEALTH

Childrens health services

USE: CHILD HEALTH SERVICES

Childrens hospitals

USE: HOSPITALS

Childrens play

USE: PLAY

Childrens services (medical)

USE: CHILD HEALTH SERVICES

Chill

USE: HYPOTHERMIA

Chinese British

USE: CHINESE PEOPLE

CHINESE PEOPLE

SN: Includes ethnic groups not specified elsewhere - see ETHNIC GROUPS. Derived from National Statistics (2003) Ethnic group statistics: a guide for the collection and classification of ethnicity data.

UF: British people (Chinese)
Chinese British

BT: ETHNIC GROUPS

Chiropody

USE: FOOT HEALTH

CHIROPRACTIC

BT: COMPLEMENTARY MEDICINE
RT: OSTEOPATHY

CHLAMYDIA

BT: SEXUALLY TRANSMITTED INFECTIONS

CHOLESTEROL

SN: A pearly, fatlike substance. It is transported through the body by both HDLs and LDLs

UF: Cholesterol and lipids
BT: LIPIDS

RT: HIGH DENSITY LIPOPROTEINS
LOW DENSITY LIPOPROTEINS

Cholesterol and lipids

SN: was PHITS level 3 term

USE: CHOLESTEROL
LIPIDS

CHRISTIANITY

UF: Christians

BT: RELIGION

NT: CATHOLICISM
PROTESTANTISM

Christians

USE: CHRISTIANITY

CHROMOSOMAL DISORDERS

BT: DEATH, DISEASE AND DISABILITY

NT: DOWNS SYNDROME

CHRONIC AIRWAYS DISEASES

SN: was PHITS level 3 term

BT: RESPIRATORY DISORDERS

CHRONIC DISEASE

UF: Chronic Illness

Long term illness
BT: DEATH, DISEASE AND DISABILITY
RT: LONG TERM CONDITIONS

Chronic Illness
USE: CHRONIC DISEASE

CIDER
BT: ALCOHOL

Cigarette smoking
USE: SMOKING

CIRCULATORY DISEASES
SN: was PHITS level 2 term
BT: DEATH, DISEASE AND DISABILITY
NT: CARDIOVASCULAR DISEASES
HEART FAILURE
HYPERTENSION
HYPOTENSION
MYOCARDIAL INFARCTION
STROKE AND TIA
THROMBOSIS

Circulatory system
USE: CARDIOVASCULAR SYSTEM

CIRCUMCISION
SN: Use for male circumcision. For female
circumcision use genital mutilation
UF: Male circumcision
BT: SURGERY

CITIES
BT: URBAN AREAS
NT: INNER CITIES

CJD
USE: CREUTZFELDT JAKOB DISEASE

Class mobility
USE: SOCIAL MOBILITY

Client assessment
USE: NEEDS ASSESSMENT

Client empowerment
USE: EMPOWERMENT

CLIENTS
UF: Social service users
Social work clients
Social worker clients
BT: GROUPS
RT: CONSUMERS

CLIMATE

BT: NATURAL ENVIRONMENT
NT: CLIMATE CHANGE
RT: WEATHER

CLIMATE CHANGE

UF: Global warming
Greenhouse effect
BT: CLIMATE
RT: AIR
AIR QUALITY
OZONE
SUN

CLINICAL AUDIT

BT: METHODS
PERFORMANCE MONITORING

CLINICAL GOVERNANCE

SN: An initiative to assure and improve clinical standards at a local level throughout the NHS.
BT: MANAGEMENT
RT: GOVERNANCE
QUALITY STANDARDS

Clinical hygiene

USE: HYGIENE

CLINICAL NETWORKS

BT: AREAS

Clinical research

USE: MEDICAL RESEARCH

CLINICAL TRIALS

UF: Drug testing
Drug trials
Medical trials
BT: RESEARCH METHODS
RT: RANDOMISED CONTROLLED TRIALS

CLINICS

UF: Centres (clinics)
BT: PRIMARY CARE SERVICES
NT: GUM CLINICS
RT: GENERAL PRACTICE
HEALTH CENTRES

CLUBS

BT: GROUPS
NT: AFTER SCHOOL CLUBS
BREAKFAST CLUBS
RT: LEISURE ACTIVITIES
LEISURE FACILITIES

CLUSTERS

BT: POINTS

CNS

USE: CENTRAL NERVOUS SYSTEM

COCAINE

BT: STIMULANTS

NT: CRACK

CODING SYSTEMS

BT: INFORMATION SYSTEMS

Cognition

USE: COGNITIVE FUNCTIONS

COGNITIVE FUNCTIONS

UF: Cognition

Cognitive processes

BT: ORGAN SYSTEMS

Cognitive processes

USE: COGNITIVE FUNCTIONS

COHABITATION

UF: Common law marriage

Living together

BT: PERSONAL RELATIONSHIPS

RT: MARRIAGE

SINGLE PEOPLE

COHORT STUDIES

SN: Follows a group of people over a length of time as opposed to a cross sectional survey which is a snapshot in time. E.g. Whitehall Study of civil servants, Physical Activity Account Evaluation, British Household Panel survey

UF: Longitudinal research

Prospective studies

BT: RESEARCH METHODS

SURVEYS

RT: CASE STUDIES

COMPARATIVE STUDIES

CROSS SECTIONAL SURVEYS

COLLEGES

UF: Colleges of higher education, Sixth Form colleges.

Higher education

BT: EDUCATIONAL SETTINGS

Colleges of higher education, Sixth Form colleges.

USE: COLLEGES

COLORECTAL CANCER

BT: INTESTINAL CANCER

COMMISSIONING

SN: The process through which needs and priorities are assessed and appropriate services purchased and evaluated.

BT: MANAGEMENT

RT: PROVIDERS
PURCHASERS

Common law marriage

USE: COHABITATION

COMMUNAL ESTABLISHMENTS

BT: POINTS

COMMUNICABLE DISEASES

SN: Communicable diseases are used by bacteria and viruses, which can be passed between people either directly, through coughs and sneezes, or indirectly through food and water or from insect's bites. (Department of Health Press Release 1999/0106)

UF: Contagious diseases

Infectious diseases

BT: DEATH, DISEASE AND DISABILITY

NT: CHICKENPOX

COMMUNICABLE DISEASES, BACTERIAL

COMMUNICABLE DISEASES, COMMUNITY

COMMUNICABLE DISEASES, DERMATOLOGICAL

HIV INFECTION

MEASLES

MUMPS

POLIO

RUBELLA

TUBERCULOSIS

RT: IMMUNISATION

INFECTION CONTROL

NOTIFIABLE DISEASES

SEXUALLY TRANSMITTED INFECTIONS

COMMUNICABLE DISEASES, BACTERIAL

BT: COMMUNICABLE DISEASES

COMMUNICABLE DISEASES, COMMUNITY

SN: refers to a disease in a community

UF: Community diseases

BT: COMMUNICABLE DISEASES

COMMUNICABLE DISEASES, DERMATOLOGICAL

SN: was PHITS level 3 term

BT: COMMUNICABLE DISEASES

COMMUNICATION

BT: COMMUNICATION AND KNOWLEDGE

NT: ADVICE

ADVOCACY

CAMPAIGNS

DISCUSSION

LANGUAGE
LOBBYING
MARKETING
MASS COMMUNICATION
NONVERBAL COMMUNICATION
PR

COMMUNICATION AND KNOWLEDGE

SN: covers all aspects of the retrieval and communication of information, including promotion and marketing, and use and dissemination of health knowledge

NT: COMMUNICATION
INFORMATION
KNOWLEDGE

COMMUNICATION DISORDERS

SN: Not being able to communicate or convey information about yourself, e.g. using language, gesture, pictures, facial expressions etc.

UF: Aphasia
BT: DEATH, DISEASE AND DISABILITY
NT: AUTISM
LANGUAGE DISORDERS
RT: LEARNING DISABILITIES

Communication skills

USE: INTERPERSONAL SKILLS

COMMUNITIES

BT: PEOPLE AND POPULATIONS
SOCIETY
NT: CAPACITY BUILDING
COMMUNITY DEVELOPMENT
COMMUNITY PARTICIPATION
LOCAL COMMUNITIES
RURAL COMMUNITIES
SOCIAL CAPITAL
SOCIAL SUPPORT
URBAN COMMUNITIES

COMMUNITY ACTION

SN: Collective efforts by communities, which are directed towards increasing community control over their environment.

BT: COMMUNITY DEVELOPMENT
RT: COMMUNITY PARTICIPATION

Community analysis

USE: NEEDS ASSESSMENT

COMMUNITY CAFES

BT: COMMUNITY PROJECTS

COMMUNITY CARE

SN: was PHITS level 3 'community'

UF: Non institutional care
Non resident care
BT: SECONDARY AND TERTIARY SERVICES
RT: COMMUNITY NURSING
HOME CARE

COMMUNITY DEVELOPMENT

SN: was PHITS level 3, 'community development'
BT: COMMUNITIES
POPULATION BASED AND PREVENTIVE SERVICES
NT: COMMUNITY ACTION
RT: CAPACITY BUILDING
COMMUNITY DEVELOPMENT WORKERS
COMMUNITY PARTICIPATION
HEALTHY LIVING CENTRES

COMMUNITY DEVELOPMENT WORKERS

BT: OCCUPATIONAL GROUPS
RT: COMMUNITY DEVELOPMENT

Community diseases

USE: COMMUNICABLE DISEASES, COMMUNITY

Community equipment

USE: DISABILITY EQUIPMENT

COMMUNITY GROWING SCHEMES

BT: COMMUNITY PROJECTS
RT: FOOD SUPPLY

COMMUNITY HEALTH

SN: Community health is what a community does to help
itself or what is part of the structure of the
community - not the services provided to it.
BT: HEALTH
RT: HEALTHY LIVING CENTRES
SOCIAL CAPITAL

COMMUNITY HEALTH PROJECTS

BT: COMMUNITY PROJECTS

Community information

USE: COMMUNITY INFORMATION AND ADVICE SERVICES

COMMUNITY INFORMATION AND ADVICE SERVICES

UF: Community information
BT: HEALTH SERVICES
INFORMATION
NT: HEALTH INFORMATION SERVICES
RT: LIBRARY AND INFORMATION CENTRES

Community involvement

USE: COMMUNITY PARTICIPATION

COMMUNITY MENTAL HEALTH SERVICES

UF: Care in the community

Child guidance services
Community mental healthcare
BT: MENTAL HEALTH SERVICES

Community mental healthcare
USE: COMMUNITY MENTAL HEALTH SERVICES

COMMUNITY NURSING
BT: NURSING
PRIMARY CARE SERVICES
RT: COMMUNITY CARE
HEALTH VISITORS

COMMUNITY PARTICIPATION
UF: Community involvement
BT: COMMUNITIES
RT: COMMUNITY ACTION
COMMUNITY DEVELOPMENT

COMMUNITY PROJECTS
SN: For health related community projects use
COMMUNITY HEALTH PROJECTS.
BT: PROJECTS
NT: COMMUNITY CAFES
COMMUNITY GROWING SCHEMES
COMMUNITY HEALTH PROJECTS
RT: FOOD COOPERATIVES

COMMUNITY SOCIAL WORK
BT: SOCIAL WORK

Companies
USE: BUSINESSES

COMPARATIVE STUDIES
BT: RESEARCH METHODS
RT: CASE STUDIES
COHORT STUDIES

Competence (professional)
USE: PROFESSIONAL COMPETENCE

COMPLAINTS
UF: Grievances
BT: PATIENTS' RIGHTS
RT: ADVOCACY
EMPOWERMENT

COMPLEMENTARY MEDICINE
SN: Alternative therapies or treatments given in place of
orthodox medical care, eg healing, acupuncture.

Includes complementary medicine and treatments used
alongside orthodox medical treatment". e.g. shiatsu,
osteopathy
UF: Alternative medicine

Complementary treatments
Fringe medicine
Herbalism
Unorthodox medicine
BT: HEALTH SERVICES
NT: ACUPUNCTURE
CHIROPRACTIC
HOMEOPATHY
HYPNOTHERAPY
OSTEOPATHY
RT: MEDICAL TREATMENT
MEDICINE

Complementary treatments
USE: COMPLEMENTARY MEDICINE

COMPLEX CARBOHYDRATES
BT: CARBOHYDRATES
RT: STARCH
SUGARS

COMPULSIVE BEHAVIOUR
BT: NEUROTIC DISORDERS

COMPUTER NETWORKS
UF: LANS
Local area networks
Wide area networks
BT: INFORMATION TECHNOLOGY
NT: INTERNET

COMPUTERS
BT: TECHNOLOGY
RT: INFORMATION TECHNOLOGY

CONCEPTION
BT: FERTILITY
NT: ASSISTED CONCEPTION
RT: FERTILITY TESTS
PRE CONCEPTION
PREGNANCY

CONDOM DISTRIBUTION
BT: CONDOMS

CONDOM USE
BT: CONDOMS

CONDOMS
BT: CONTRACEPTION
NT: CONDOM DISTRIBUTION
CONDOM USE
RT: FEMALE CONDOMS

Conduct
USE: BEHAVIOUR

CONFERENCES

UF: Congresses

Symposia

BT: INFORMATION DISSEMINATION AND EXCHANGE

NT: WORKSHOPS

RT: EXHIBITIONS

Confidential communication

USE: CONFIDENTIALITY

CONFIDENTIALITY

UF: Confidential communication

Privacy

Right to confidentiality

BT: ETHICS

RT: HEALTH ETHICS

Congresses

USE: CONFERENCES

CONSTITUENCIES

SN: parliamentary constituencies 1997-2001

BT: AREAS

Consumer empowerment

USE: EMPOWERMENT

CONSUMER INFORMATION

BT: INFORMATION

RT: PATIENT INFORMATION

PUBLIC INFORMATION

CONSUMERS

UF: Customers

Recipients

Service users

BT: GROUPS

RT: CLIENTS

GENERAL PUBLIC

PATIENTS

CONTACT ALLERGY

BT: ALLERGIES

RT: FOOD ALLERGY

CONTACT TRACING

UF: Partner notification

BT: HEALTH SERVICES

RT: NOTIFIABLE DISEASES

Contagious diseases

USE: COMMUNICABLE DISEASES

Continuing professional development

USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

CONTRACEPTION

BT: FAMILY PLANNING
NT: CONDOMS
EMERGENCY CONTRACEPTION
FEMALE CONDOMS
ORAL CONTRACEPTION
RT: MICROBICIDES

Contraceptive pills

USE: ORAL CONTRACEPTION

CONTROL GROUPS

BT: RESEARCH METHODS
RT: RESEARCH GROUPS

Convenience food

USE: FAST FOOD

COOKING

BT: FOOD PREPARATION

Cooleys anaemia

USE: THALASSAEMIA

COOPERATION

BT: MANAGEMENT
RT: NETWORKS
ORGANISATIONS

CORONARY HEART DISEASES

UF: CHD
BT: CARDIOVASCULAR DISEASES
RT: CARDIOVASCULAR SYSTEM
TYPE A BEHAVIOUR
TYPE B BEHAVIOUR

Correspondence courses

USE: DISTANCE LEARNING

Cost assessments

USE: COST EFFECTIVENESS

COST BENEFIT ANALYSIS

UF: Cost utility analysis
BT: COSTING

COST EFFECTIVENESS

UF: Cost assessments
Value for money
BT: ECONOMICS
EFFECTIVENESS
RT: COSTING

Cost utility analysis

USE: COST BENEFIT ANALYSIS

COSTING

SN: Process of identifying and allocating costs.
BT: ECONOMICS
METHODS
NT: COST BENEFIT ANALYSIS
PRICING
RT: COST EFFECTIVENESS
COSTS

COSTS

UF: Economic costs
Financial costs
BT: ECONOMICS
RT: COSTING

Cot death

USE: SUDDEN INFANT DEATH SYNDROME

COUNSELLING

UF: Guidance
BT: HEALTH SERVICES
NT: ALCOHOL COUNSELLING
BEREAVEMENT COUNSELLING
DRUGS COUNSELLING
SCHOOL COUNSELLING
SEXUAL COUNSELLING
SMOKING CESSATION COUNSELLING
RT: COUNSELLORS

COUNSELLORS

UF: Advisors (counsellors)
BT: HEALTH PROFESSIONALS
RT: COUNSELLING

COUNTIES

SN: 1998 county boundaries
BT: AREAS

COUNTRIES

SN: countries as at 1998
BT: AREAS

Country areas

USE: RURAL AREAS

Country of birth

USE: ETHNIC GROUPS

Couples

USE: PARTNERS

CRACK

BT: COCAINE

CREUTZFELDT JAKOB DISEASE

UF: CJD
Jakob Creutzfeldt syndrome
Spastic pseudo sclerosis
BT: NEUROLOGICAL DISEASES AND DISORDERS

CRIME

BT: ANTISOCIAL BEHAVIOUR
CAUSES OF HARM
SOCIAL ISSUES
NT: CRIME PREVENTION
CRIME REDUCTION

CRIME PREVENTION

UF: Crime prevention and control
Prevention of crime
BT: CRIME

Crime prevention and control

USE: CRIME PREVENTION

CRIME REDUCTION

BT: CRIME

CROSS SECTIONAL SURVEYS

SN: Takes a snapshot in time as opposed to a cohort study which follows people over time. E.g. Health Survey for England, tracking studies, HEMS
BT: SURVEYS
RT: COHORT STUDIES

CULTURAL IDENTITY

BT: PEOPLE AND POPULATIONS
NT: ETHNICITY
LANGUAGE
RELIGION
RT: CULTURE

CULTURE

BT: SOCIETY
RT: BELIEFS
CULTURAL IDENTITY
RELIGION

CUSTODIAL CENTRES

BT: BUILDINGS, CONSTRUCTIONS AND POINTS
RT: OFFENDERS
PAROLE WORK
PRISONS

Customers

USE: CONSUMERS

CYCLING

BT: PHYSICAL ACTIVITY

CYCLISTS

UF: Vulnerable road users
BT: VULNERABLE GROUPS

Dairy products
USE: MILK PRODUCTS

DANCE
BT: ARTS
RT: DANCING
THERAPY

DANCING
BT: PHYSICAL ACTIVITY
RT: DANCE

DATA
BT: INFORMATION
NT: ACTIVITY DATA
DEMOGRAPHIC DATA
SOCIAL DATA
STATISTICAL DATA

Data acquisition
USE: DATA COLLECTION

DATA ANALYSIS
BT: ANALYSIS

DATA COLLECTION
UF: Data acquisition
Information gathering
BT: RESEARCH METHODS

Data Exchange
USE: INFORMATION DISSEMINATION AND EXCHANGE

Data sources
USE: INFORMATION SOURCES

DATABASES
BT: INFORMATION

DAY CARE
SN: Medical day care.
UF: Day services
Daycase
BT: CARE
SECONDARY AND TERTIARY SERVICES
RT: OUTPATIENT CARE

Day services
USE: DAY CARE

Daycase
USE: DAY CARE

DEAF BLINDNESS

BT: EAR DISORDERS
EYE DISORDERS

DEAFNESS

BT: EAR DISORDERS
RT: PEOPLE WITH HEARING DISABILITIES

Death

USE: MORTALITY

DEATH, DISEASE AND DISABILITY

SN: Covers all the results of health determinants,
including death, diseases, disorders, disabilities
and injuries

NT: ALL CAUSES OF MORBIDITY AND MORTALITY

ALLERGIES
BLOOD AND IMMUNE DISORDERS
BREAST DISEASES
CANCER
CHROMOSOMAL DISORDERS
CHRONIC DISEASE
CIRCULATORY DISEASES
COMMUNICABLE DISEASES
COMMUNICATION DISORDERS
DEVELOPMENTAL DISORDERS
DIGESTIVE TRACT DISEASES
DISABILITIES
EAR DISORDERS
ENDOCRINE DISORDERS
EYE DISORDERS
GENITOURINARY DISEASES
GYNAECOLOGICAL DISORDERS
INJURIES
KIDNEY DISEASES
LIVER DISORDERS
LONG TERM CONDITIONS
LYMPHATIC SYSTEM DISORDERS
MENTAL AND BEHAVIOURAL DISORDERS
MORTALITY
MUSCULOSKELETAL DISORDERS
NEUROLOGICAL DISEASES AND DISORDERS
NOTIFIABLE DISEASES
OCCUPATIONAL DISEASES
ORAL HEALTH DISORDERS
OTHER DISORDERS
PREGNANCY AND CHILDBIRTH DISORDERS
RESPIRATORY DISORDERS
SKIN DISORDERS
THYROID DISORDERS
TROPICAL DISEASES
ZONOSSES

DECISION MAKING

UF: Decision taking
BT: MANAGEMENT AND POLICY

RT: MANAGEMENT
PATIENT CHOICE

Decision taking
USE: DECISION MAKING

DEEP VEIN THROMBOSIS
UF: DVT
Venous thrombosis
BT: THROMBOSIS

Defence forces
USE: ARMED FORCES

Delinquents
USE: OFFENDERS

DELPHI METHOD
SN: Used in policy research or needs assessment type
activities to gain consensus on a particular
policy question
BT: RESEARCH METHODS

DEMENTIA
BT: MENTAL AND BEHAVIOURAL DISORDERS
NT: ALZHEIMER'S DISEASE
RT: OLDER PEOPLE
PEOPLE WITH DEMENTIA

DEMOGRAPHIC DATA
UF: Population data
BT: DATA

DEMOGRAPHY
SN: The study of populations - uses quantitative
methods. e.g. births, deaths, migration patterns.
UF: Population studies
BT: RESEARCH METHODS
NT: AGEING POPULATIONS
BIRTH RATE
LIFE EXPECTANCY
POPULATION SIZE AND DENSITY
POPULATION STRUCTURE
RT: HEALTH STATUS
HEALTHY LIFE EXPECTANCY

Dental care
USE: DENTAL HEALTH CARE

DENTAL HEALTH
BT: ORAL HEALTH

DENTAL HEALTH CARE
UF: Dental care
BT: PRIMARY CARE SERVICES

DENTISTS

BT: HEALTH PROFESSIONALS
RT: PRIMARY CARE SERVICES

DEPRESSANTS

SN: A drug which slows down the action of the brain
and body systems
BT: DRUGS
NT: BARBITURATES
BENZODIAZEPINES

DEPRESSION

SN: A temporary mental state or chronic mental
disorder characterised by feelings of sadness,
loneliness, despair, low self-esteem and self
reproach (Stedman's Concise Medical and Allied
Health Dictionary)
BT: MENTAL AND BEHAVIOURAL DISORDERS
NT: POSTNATAL DEPRESSION

Deprivation

USE: POVERTY

Deprivation and poverty

SN: was PHITS level 3 term
USE: POVERTY

DEPRIVED AREAS

BT: SOCIAL CONDITIONS
RT: POVERTY

Dermatitis

USE: SKIN DISORDERS

DESIGN

BT: MATERIAL DEVELOPMENT

Determinants

USE: DETERMINANTS OF HEALTH

DETERMINANTS OF HEALTH

SN: covers all factors - biological/genetic,
environmental, social, economic, educational and
occupational, as well as those associated with
individual behaviour - affecting health
UF: Determinants
NT: BIOLOGICAL COMPOSITION
ECONOMICS, FINANCE AND INDUSTRY
EDUCATION, EMPLOYMENT AND SKILLS
ENVIRONMENTAL DETERMINANTS
FOOD AND NUTRITION
INDIVIDUAL BEHAVIOUR
PSYCHOLOGICAL DETERMINANTS
SOCIAL DETERMINANTS

DETOXIFICATION

UF: Detoxification therapy
BT: MEDICAL TREATMENT

Detoxification therapy
USE: DETOXIFICATION

DEVELOPING COUNTRIES
UF: Third World countries
BT: GEOGRAPHY

DEVELOPMENT
BT: MANAGEMENT
NT: CHILD DEVELOPMENT
PERSONAL DEVELOPMENT
REGIONAL DEVELOPMENT
SERVICE DEVELOPMENT

DEVELOPMENTAL DISORDERS
SN: When an infant or young child does not achieve the
neuromuscular, mental or social skills that are
normal for that age
BT: DEATH, DISEASE AND DISABILITY
RT: CHILD DEVELOPMENT
DEVELOPMENTAL SCREENING
PHYSICAL DEVELOPMENT

Developmental retardation
USE: LEARNING DISABILITIES

DEVELOPMENTAL SCREENING
SN: Screening for neuromuscular, mental or social
skills in infants or young children
BT: SCREENING
RT: CHILD DEVELOPMENT
DEVELOPMENTAL DISORDERS

Devices
USE: EQUIPMENT

DH OR NHS LOCAL POLICY
SN: was PHITS level 3 term
BT: LOCAL POLICY
RT: NHS

DH OR NHS NATIONAL POLICY
SN: was PHITS level 3 term
BT: NATIONAL POLICY
RT: NHS

DH OR NHS REGIONAL POLICY
SN: was PHITS level 3 term
BT: REGIONAL POLICY
RT: NHS

DIABETES
UF: Diabetes mellitus

BT: ENDOCRINE DISORDERS

Diabetes mellitus

USE: DIABETES

DIAGNOSIS

SN: The determination of the nature of a disease
(Stedman's concise medical and allied health
dictionary)

BT: METHODS

RT: TESTING

Diagnosis (social work)

USE: NEEDS ASSESSMENT

Diamorphine

USE: HEROIN

Diet and nutrition

SN: was PHITS level 3 term

USE: FOOD AND NUTRITION

Dietary fats

USE: LIPIDS

DIETARY SUPPLEMENTS

BT: FOOD AND NUTRITION

NT: VITAMIN SUPPLEMENTS

RT: DIETS

DIETING

BT: EATING HABITS

RT: CALORIES

WEIGHT

DIETS

BT: EATING HABITS

NT: SPECIAL DIETS

RT: DIETARY SUPPLEMENTS

VITAMIN DEFICIENCY

DIGESTIVE SYSTEM

UF: Alimentary system

BT: ORGAN SYSTEMS

DIGESTIVE TRACT DISEASES

BT: DEATH, DISEASE AND DISABILITY

NT: FAECAL INCONTINENCE

IRRITABLE BOWEL SYNDROME

RT: INTESTINAL CANCER

OESOPHAGEAL CANCER

STOMACH CANCER

Directives

USE: REGULATIONS

DISABILITIES

UF: Disability
Disablement
Handicap
Handicaps

BT: DEATH, DISEASE AND DISABILITY

NT: LEARNING DISABILITIES

PHYSICAL DISABILITIES

RT: PEOPLE WITH DISABILITIES

Disability

USE: DISABILITIES

DISABILITY ACCESS

BT: ACCESS

BUILT ENVIRONMENT

DISABILITY CARE

BT: SOCIAL WORK

RT: CARERS

DISABILITY EQUIPMENT

UF: Community equipment

BT: EQUIPMENT

DISABILITY HOUSING

BT: HOUSING

DISABILITY MEASURES

SN: was PHITS level 3 term

BT: HEALTH STATUS

Disablement

USE: DISABILITIES

DISADVANTAGED GROUPS

BT: GROUPS

NT: HARD TO REACH GROUPS

VULNERABLE GROUPS

RT: SOCIAL EXCLUSION

SOCIOECONOMIC STATUS

Disaster planning

USE: EMERGENCY PLANNING

Disaster plans

USE: EMERGENCY PLANS

Disaster prevention

USE: EMERGENCY PLANNING

Disasters

USE: EMERGENCIES

DISCRIMINATION

BT: SOCIAL FACTORS

NT: HOMOPHOBIA
RACISM
RT: EQUAL OPPORTUNITIES

DISCUSSION

UF: Group discussion
BT: COMMUNICATION
NT: DISCUSSION TECHNIQUES

Discussion groups

USE: FOCUS GROUPS

DISCUSSION TECHNIQUES

BT: DISCUSSION

Disorders

SN: Use specific terms from MORBIDITY, MORTALITY, DISEASES,
DISABILITIES hierarchy

Dispensaries

USE: PHARMACIES

Displaced people

USE: REFUGEES

DISTANCE LEARNING

UF: Correspondence courses
BT: TEACHING METHODS
RT: OPEN LEARNING

Distilled alcohols

USE: SPIRITS

DISTRICT NURSES

UF: District nursing
BT: NURSES

District nursing

USE: DISTRICT NURSES

DOCTOR PATIENT RELATIONSHIPS

BT: INTERPERSONAL RELATIONSHIPS
RT: GENERAL PRACTITIONERS
MEDICAL STAFF
PATIENT PARTICIPATION
PATIENTS

Doctors

USE: MEDICAL STAFF

Documentation systems

USE: INFORMATION SYSTEMS

Domestic accidents

USE: HOME ACCIDENTS

DOMESTIC VIOLENCE

UF: Family violence
Home violence
Marital violence
Physical abuse
Violence in the home
BT: ABUSE
VIOLENCE
RT: CHILD ABUSE
SEXUAL VIOLENCE
WOMEN'S REFUGES

Domiciliary care

USE: HOME CARE

DOMICILIARY SERVICES

SN: was PHITS level 3 term
BT: SECONDARY AND TERTIARY SERVICES
RT: HOME CARE
RESIDENTIAL CARE

DONORS

BT: GROUPS
RT: TRANSPLANTATION

DOWNS SYNDROME

BT: CHROMOSOMAL DISORDERS

DRAMA

BT: ARTS
RT: THEATRE
THERAPY

Drinking (alcohol)

USE: ALCOHOL CONSUMPTION

Drinking habits

USE: ALCOHOL CONSUMPTION

Drinks

USE: BEVERAGES

DRIVING BEHAVIOUR

BT: BEHAVIOUR
RT: ROAD SAFETY
ROAD SAFETY EDUCATION

Drug abuse

USE: DRUGS MISUSE

Drug addicts

USE: DRUG USERS

Drug and alcohol addiction

USE: ADDICTION

Drug dependency
USE: DRUGS MISUSE

DRUG POLICIES
BT: HEALTH POLICY
RT: ALCOHOL POLICIES
WORKPLACE HEALTH PROMOTION

Drug prescribing
USE: PRESCRIBING

Drug testing
USE: CLINICAL TRIALS

Drug trials
USE: CLINICAL TRIALS

DRUG USERS
UF: Drug addicts
BT: VULNERABLE GROUPS
NT: INJECTING DRUG USERS
RT: DRUGS MISUSE
SUBSTANCE MISUSERS

DRUGS
UF: Medications
Pharmaceutical products
Pharmaceuticals
BT: MEDICINES
NT: ANALGESICS
DEPRESSANTS
RT: SUBSTANCE MISUSE

DRUGS COUNSELLING
BT: COUNSELLING

DRUGS EDUCATION
BT: HEALTH EDUCATION

DRUGS MISUSE
SN: Using drugs in a socially unacceptable or harmful
way
UF: Drug abuse
Drug dependency
BT: SUBSTANCE MISUSE
NT: NEEDLE USE
RT: DRUG USERS
NEEDLE EXCHANGE

Drunkenness
USE: INTOXICATION

DVT
USE: DEEP VEIN THROMBOSIS

DYSLEXIA

UF: Reading disability
BT: LANGUAGE DISORDERS

E mail

USE: EMAIL

EAR DISORDERS

UF: Hearing disorders
BT: DEATH, DISEASE AND DISABILITY
NT: DEAF BLINDNESS
DEAFNESS

EATING DISORDERS

UF: Appetite disorders
BT: MENTAL AND BEHAVIOURAL DISORDERS
NT: ANOREXIA NERVOSA
BULIMIA NERVOSA
RT: BODY IMAGE
EATING HABITS
OVERWEIGHT
SELF ESTEEM

EATING HABITS

UF: Nutrition behaviour
BT: INDIVIDUAL BEHAVIOUR
NT: DIETING
DIETS
HEALTHY EATING
RT: EATING DISORDERS
FOOD AND NUTRITION
NUTRITION

ECOLOGY

UF: Bionomics
Environmental biology
BT: SCIENCES
RT: ENVIRONMENT

Economic appraisal

USE: ECONOMIC EVALUATION

Economic costs

USE: COSTS

ECONOMIC DEVELOPMENT

BT: ECONOMICS, FINANCE AND INDUSTRY
NT: REGIONAL DEVELOPMENT
RURAL DEVELOPMENT
SUSTAINABLE DEVELOPMENT

ECONOMIC EVALUATION

UF: Economic appraisal
BT: EVALUATION

ECONOMIC FACTORS

BT: SOCIOECONOMIC FACTORS

ECONOMIC INDICATORS
BT: INDICATORS

Economic policies
USE: ECONOMIC POLICY

ECONOMIC POLICY
UF: Economic policies
BT: POLICY
NT: EMPLOYMENT POLICY
RT: ECONOMICS
SOCIAL POLICY

ECONOMIC SYSTEMS
BT: ECONOMICS, FINANCE AND INDUSTRY
NT: PRIVATE SECTOR
PUBLIC SECTOR
VOLUNTARY SECTOR

ECONOMICS
BT: ECONOMICS, FINANCE AND INDUSTRY
NT: COST EFFECTIVENESS
COSTING
COSTS
FINANCE
HEALTH ECONOMICS
TAXATION
RT: ECONOMIC POLICY

ECONOMICS, FINANCE AND INDUSTRY
BT: DETERMINANTS OF HEALTH
NT: BUSINESSES
CHARITIES
ECONOMIC DEVELOPMENT
ECONOMIC SYSTEMS
ECONOMICS
HEALTH INSURANCE
INDUSTRY

ECSTASY
UF: MDMA
BT: AMPHETAMINES

ECZEMA
BT: SKIN DISORDERS

EDUCATION
BT: EDUCATION, EMPLOYMENT AND SKILLS
NT: EDUCATIONAL SETTINGS
EDUCATIONAL SYSTEMS
KEY STAGES
LIFELONG LEARNING
NATIONAL CURRICULUM
PERSONAL AND SOCIAL EDUCATION
PHYSICAL EDUCATION

QUALIFICATIONS
SAFETY EDUCATION
SCHOOL EXCLUSIONS
TEACHING MATERIALS
TRAINING
RT: BEHAVIOURAL SCIENCES
EDUCATION PROFESSIONALS

EDUCATION ACTION ZONES
BT: AREA BASED INITIATIVES

EDUCATION PROFESSIONALS
BT: OCCUPATIONAL GROUPS
NT: TEACHERS
TRAINERS
RT: EDUCATION

EDUCATION, EMPLOYMENT AND SKILLS
BT: DETERMINANTS OF HEALTH
NT: CAREER DEVELOPMENT
EDUCATION
EMPLOYMENT
SKILLS
UNEMPLOYMENT
VOLUNTARY WORK

Educational qualifications
USE: QUALIFICATIONS

Educational requirements
USE: QUALIFICATION REQUIREMENTS

EDUCATIONAL SETTINGS
BT: EDUCATION
NT: COLLEGES
PRE SCHOOL SETTINGS
SCHOOLS
UNIVERSITIES
RT: LOCAL EDUCATION AUTHORITIES
SPECIAL EDUCATION

EDUCATIONAL STANDARDS
BT: STANDARDS
RT: NATIONAL CURRICULUM

EDUCATIONAL SYSTEMS
UF: Multicultural education
BT: EDUCATION
NT: ADULT EDUCATION
OPEN LEARNING
PROFESSIONAL EDUCATION AND DEVELOPMENT
SPECIAL EDUCATION
RT: TEACHING METHODS

EFFECTIVENESS
SN: Whether a goal has been achieved

BT: EVALUATION
NT: COST EFFECTIVENESS
RT: PERFORMANCE MONITORING

EGGS

BT: FOOD

Elderly people

USE: OLDER PEOPLE

ELECTIVE SERVICES

SN: was PHITS level 3 term

BT: SECONDARY AND TERTIARY SERVICES

ELECTORAL REGIONS

SN: 1998 definition

BT: AREAS

ELECTROMAGNETIC RADIATION

BT: RADIATION

RT: RADON

ULTRAVIOLET RADIATION

Electronic mail

USE: EMAIL

Electronic mail service

USE: EMAIL

EMAIL

UF: E mail

Electronic mail

Electronic mail service

BT: INTERNET

EMERGENCIES

UF: Disasters

Environmental disasters

Major incidents

BT: CAUSES OF HARM

RT: EMERGENCY PLANNING

EMERGENCY PLANS

RISK MANAGEMENT

TERRORISM

EMERGENCY CONTRACEPTION

UF: Morning after pill

BT: CONTRACEPTION

ORAL CONTRACEPTION

EMERGENCY MEDICAL CARE

UF: A&E

Accident and emergency

Casualty (A&E)

BT: MEDICAL TREATMENT

NT: FIRST AID

RT: GENERAL AND ACUTE SERVICES, ACCIDENT AND EMERGENCY
UNPLANNED SERVICES

EMERGENCY PLANNING

UF: Disaster planning
Disaster prevention
Major incident planning
Major incidents planning
BT: PLANNING
RISK MANAGEMENT
RT: EMERGENCIES
EMERGENCY PLANS

EMERGENCY PLANS

UF: Disaster plans
Major incidents plans
BT: MANAGEMENT
RT: EMERGENCIES
EMERGENCY PLANNING

EMERGENCY SERVICES

BT: SECONDARY AND TERTIARY SERVICES
NT: AMBULANCE SERVICES
FIRE SERVICES

Emigration

USE: MIGRATION

Emotional states

USE: EMOTIONS

EMOTIONS

UF: Emotional states
Feelings
Moods
BT: PERSONALITY

EMPHYSEMA

BT: RESPIRATORY DISORDERS
RT: BRONCHITIS

Employed people

USE: EMPLOYEES

EMPLOYEES

UF: Employed people
Workers
BT: OCCUPATIONAL GROUPS
RT: EMPLOYERS

EMPLOYERS

BT: OCCUPATIONAL GROUPS
RT: EMPLOYEES

EMPLOYMENT

UF: Jobs

Work

BT: EDUCATION, EMPLOYMENT AND SKILLS

NT: CASUAL EMPLOYMENT

EMPLOYMENT TERMS

EMPLOYMENT TRENDS

FULL TIME EMPLOYMENT

JOB DESCRIPTIONS

JOB EVALUATIONS

PART TIME EMPLOYMENT

REDUNDANCY

RETIREMENT

SELF EMPLOYMENT

SHIFT WORKING

RT: UNEMPLOYMENT

EMPLOYMENT LEGISLATION

BT: LEGISLATION

RT: EMPLOYMENT POLICY

EMPLOYMENT POLICY

BT: ECONOMIC POLICY

POLICY

RT: EMPLOYMENT LEGISLATION

EMPLOYMENT TERMS

BT: EMPLOYMENT

NT: SALARIES

RT: WORK ENVIRONMENT

EMPLOYMENT TRENDS

BT: EMPLOYMENT

EMPOWERMENT

UF: Client empowerment

Consumer empowerment

BT: SOCIAL FACTORS

NT: PATIENT CHOICE

PATIENTS' CHARTERS

PATIENTS' RIGHTS

RT: ADVOCACY

ASSERTIVENESS

COMPLAINTS

INFORMED CONSENT

PATIENT PARTICIPATION

ENDOCRINE DISORDERS

SN: was PHITS level 2 term

BT: DEATH, DISEASE AND DISABILITY

NT: DIABETES

Endocrinological substances

USE: HORMONES

ENVIRONMENT

UF: Environmental conditions

BT: ENVIRONMENTAL DETERMINANTS

NT: BUILT ENVIRONMENT
CHEMICALS
FLUORIDATION
GEOLOGY AND TOPOGRAPHY
HOUSING
HYGIENE
LAND USE AND FERTILITY
LIVING CONDITIONS
NATURAL ENVIRONMENT
NUCLEAR ENERGY
OZONE
POLLUTION
REGENERATION
WASTE
WATER
RT: ECOLOGY
ENVIRONMENTAL IMPACT ASSESSMENT
IMPACT ASSESSMENT

Environmental biology
USE: ECOLOGY

Environmental conditions
USE: ENVIRONMENT

ENVIRONMENTAL DETERMINANTS
BT: DETERMINANTS OF HEALTH
NT: CAUSES OF HARM
ENVIRONMENT
RISK FACTORS
SAFETY
TRANSPORT
WORK ENVIRONMENT

Environmental disasters
USE: EMERGENCIES

ENVIRONMENTAL HEALTH
BT: POPULATION BASED AND PREVENTIVE SERVICES
PUBLIC HEALTH
RT: ENVIRONMENTAL HEALTH OFFICERS
ENVIRONMENTAL POLICY
FOOD POISONING
HYGIENE

ENVIRONMENTAL HEALTH OFFICERS
BT: HEALTH PROFESSIONALS
RT: ENVIRONMENTAL HEALTH
LOCAL GOVERNMENT

ENVIRONMENTAL IMPACT ASSESSMENT
BT: IMPACT ASSESSMENT
RT: ENVIRONMENT
HEALTH IMPACT ASSESSMENT

ENVIRONMENTAL POLICY

SN: was PHITS level 3 term
BT: UK HEALTH POLICIES
RT: ENVIRONMENTAL HEALTH

Environmental pollution
USE: POLLUTION

ENVIRONMENTAL TOBACCO SMOKE
UF: ETS
BT: SMOKING
RT: AIR QUALITY
PASSIVE SMOKING

Epidemic parotitis
USE: MUMPS

EPIDEMIOLOGICAL MEASURES
BT: PUBLIC HEALTH METHODS, THEORY AND RESEARCH
NT: MORBIDITY
MORTALITY
SURVIVAL RATE
RT: METHODS

EPIDEMIOLOGY
SN: The study of the distribution and causes of disease. It would use a number of quantitative study designs – cross sectional, case control, RCTs, cohort studies, routine statistics
BT: RESEARCH
NT: INCIDENCE
PREVALENCE

EPILEPSY
BT: NEUROLOGICAL DISEASES AND DISORDERS

EQUAL OPPORTUNITIES
UF: Equal opportunity
BT: LEGISLATION
RT: DISCRIMINATION
HUMAN RIGHTS

Equal opportunity
USE: EQUAL OPPORTUNITIES

EQUIPMENT
SN: covers all equipment and materials
UF: Apparatus
Appliances
Devices
NT: DISABILITY EQUIPMENT
MEDICAL EQUIPMENT
SAFETY EQUIPMENT
TELECOMMUNICATIONS

ERGONOMICS
UF: Human engineering

Human factor engineering
BT: SCIENCES
NT: POSTURE
WRULDS

ERRORS

SN: meaning errors in health care
BT: QUALITY

ETHICS

BT: SOCIAL FACTORS
NT: CONFIDENTIALITY
HEALTH ETHICS
INFORMED CONSENT
RT: MORALITY
SOCIAL ISSUES

ETHNIC GROUPS

SN: Ethnic groups not specified as narrow terms are included in CHINESE PEOPLE. Groups are derived from National Statistics (2003) Ethnic group statistics: a guide for the collection and classification of ethnicity data.
UF: Country of birth
Minority ethnic groups
Racial groups
BT: GROUPS
NT: ASIAN PEOPLE
BLACK PEOPLE
CHINESE PEOPLE
MIXED RACE PEOPLE
WHITE PEOPLE

ETHNICITY

BT: CULTURAL IDENTITY
RT: RACE

ETS

USE: ENVIRONMENTAL TOBACCO SMOKE

EUROPEAN ORGANISATIONS

BT: INTERNATIONAL ORGANISATIONS

EUROPEAN UNION

BT: GEOGRAPHY

EUTHANASIA

UF: Mercy killing
BT: SOCIAL ISSUES
RT: MORTALITY

EVALUATION

SN: Assesses an activity against values and goals in such a way that results can contribute to future decision making or policy i.e. whether an intervention achieves its objectives. Sometimes looked at in terms of outcome. E.g. what

happened/how it happened. (uses a range of methods from quantitative to qualitative)

UF: Appraisal

Assessment

Evaluation report

BT: RESEARCH METHODS

NT: ECONOMIC EVALUATION

EFFECTIVENESS

MONITORING

POLICY EVALUATION

SERVICE EVALUATION

RT: ACTION RESEARCH

PERFORMANCE MONITORING

Evaluation report

USE: EVALUATION

EVIDENCE BASED HEALTH CARE

SN: Evidence-based health care extends the application of the principles of evidence-based medicine to all professions associated with health care, including purchasing and management. (Centre for Evidence-Based Medicine)

BT: HEALTH SERVICES

EVIDENCE BASED MEDICINE

SN: The conscientious, explicit and judicious use of current best evidence in making decisions about the care of individual patients. The practice of evidence-based medicine means integrating individual clinical expertise with the best available external clinical evidence from systematic research. (Centre for Evidence-Based Medicine)

BT: MEDICINE

EVIDENCE BASED PRACTICE

SN: Implementation. Practices and projects that are developed should be based on evaluation research.

UF: Evidence into practice

BT: HEALTH SERVICES

RT: PROFESSIONAL PRACTICE

Evidence into practice

USE: EVIDENCE BASED PRACTICE

EXCLUDED PEOPLE

SN: was 'Waiting', PHITS level 3 term

BT: VULNERABLE GROUPS

RT: SOCIAL EXCLUSION

Executives

USE: MANAGERS

Exercise

USE: PHYSICAL ACTIVITY

EXERCISE REFERRAL SCHEMES

BT: PHYSICAL ACTIVITY
RT: EXERCISES

EXERCISES

BT: PHYSICAL ACTIVITY
NT: ANTENATAL EXERCISES
RT: EXERCISE REFERRAL SCHEMES
RELAXATION

EXHIBITIONS

BT: INFORMATION DISSEMINATION AND EXCHANGE
NT: WORKSHOPS
RT: CONFERENCES

EXPECTANT PARENTS

BT: PARENTS
NT: PREGNANT WOMEN
RT: PREGNANCY

EXPENDITURE

BT: FINANCE

EXPERIENTIAL LEARNING

BT: TEACHING METHODS

Extended families

USE: FAMILIES

EYE CARE

SN: Eye tests etc.
BT: HEALTH SERVICES
RT: EYE DISORDERS
OPHTHALMIC SERVICES

EYE DISORDERS

UF: Sight disorders
Vision disorders
BT: DEATH, DISEASE AND DISABILITY
NT: BLINDNESS
CATARACTS
DEAF BLINDNESS
RT: EYE CARE

FAECAL INCONTINENCE

BT: DIGESTIVE TRACT DISEASES

Faith

USE: RELIGION

FALLS

BT: ACCIDENTS
RT: HOME ACCIDENTS

FAMILIES

SN: was "family" PHITS level 2 term
UF: Extended families
Family relations
BT: PERSONAL RELATIONSHIPS
NT: ADOPTION
PARENTS
PARTNERS
SINGLE PARENT FAMILIES
RT: HOUSEHOLDS

Family care
USE: FAMILY SUPPORT

Family care workers
USE: FAMILY SUPPORT

Family doctors
USE: GENERAL PRACTITIONERS

FAMILY PLANNING
UF: Birth control
Family planning (medical aspects)
Family planning (social aspects)
BT: HEALTH SERVICES
POPULATION BASED AND PREVENTIVE SERVICES
NT: ABORTION
CONTRACEPTION
STERILISATION

Family planning (medical aspects)
USE: FAMILY PLANNING

Family planning (social aspects)
USE: FAMILY PLANNING

Family relations
USE: FAMILIES

FAMILY SUPPORT
UF: Family care
Family care workers
BT: SOCIAL WORK

Family violence
USE: DOMESTIC VIOLENCE

FARMERS MARKETS
BT: FOOD SUPPLY

Farms
USE: AGRICULTURAL INDUSTRY

FAST FOOD
UF: Convenience food
BT: FOOD

FATHERS
BT: PARENTS

FATIGUE
BT: PHYSIOLOGY

Fats
USE: LIPIDS

Feelings
USE: EMOTIONS

FEMALE
BT: GENDER
RT: WOMEN

Female circumcision
USE: GENITAL MUTILATION

FEMALE CONDOMS
UF: Femidoms
BT: CONTRACEPTION
RT: CONDOMS

Females (girls)
USE: GIRLS

Femidoms
USE: FEMALE CONDOMS

FEMINISM
UF: Womens liberation movement
Womens movement
BT: SOCIAL ISSUES

FERTILITY
UF: Infertility
BT: PHYSIOLOGY
NT: ASSISTED CONCEPTION
CONCEPTION
PRE CONCEPTION

FERTILITY TESTS
BT: TESTING
RT: ASSISTED CONCEPTION
CONCEPTION
PRE CONCEPTION

FIBRE
BT: NUTRITION COMPONENTS

FINANCE
UF: Financial economics
BT: ECONOMICS
NT: BUDGET
EXPENDITURE

FUNDING
INCOME
PENSIONS

FINANCIAL AUDIT
BT: PERFORMANCE MONITORING

Financial costs
USE: COSTS

Financial economics
USE: FINANCE

Fire precautions
USE: FIRE SAFETY

Fire prevention
USE: FIRE SAFETY

FIRE SAFETY
UF: Fire precautions
Fire prevention
BT: SAFETY
RT: BURNS

FIRE SERVICES
BT: EMERGENCY SERVICES

FIREWORKS
BT: CAUSES OF HARM
RT: BURNS

FIRST AID
BT: EMERGENCY MEDICAL CARE
RT: SELF CARE

FISH
BT: FOOD

FITNESS
BT: HEALTH
HEALTH STATUS
RT: PHYSICAL ACTIVITY

Fitness to practice
USE: PROFESSIONAL COMPETENCE

Flu
USE: INFLUENZA

FLUORIDATION
BT: ENVIRONMENT
RT: ORAL HEALTH

FOCUS GROUP METHODOLOGY
SN: A researcher facilitates a discussion group

(roughly 8 people) about an issue/topic. (Often used when pre-testing health promotion materials)
BT: RESEARCH METHODS

FOCUS GROUPS

UF: Discussion groups
BT: GROUPS
RT: RESEARCH METHODS

FOETAL ALCOHOL SYNDROME

BT: ALCOHOL-RELATED HARM
RT: PREGNANCY
PREGNANCY AND CHILDBIRTH DISORDERS

Folates

USE: FOLIC ACID

FOLIC ACID

UF: Folates
Vitamin B10
Vitamin B11
RT: PRE CONCEPTION
SPINA BIFIDA

FOOD

UF: Food products
Foods
BT: FOOD AND NUTRITION
NT: CEREAL PRODUCTS
EGGS
FAST FOOD
FISH
FOOD ADDITIVES
FRUIT
MEAT
MILK PRODUCTS
NUTS
POULTRY
PULSES
VEGETABLES
RT: BEVERAGES
CALORIES
NUTRITION COMPONENTS

FOOD ACCESS

BT: FOOD AND NUTRITION
RT: FOOD SUPPLY

FOOD ADDITIVES

BT: FOOD

FOOD ALLERGY

BT: ALLERGIES
RT: CONTACT ALLERGY

FOOD AND DRINK INDUSTRY

UF: Food industry
BT: INDUSTRY
RT: AGRICULTURAL INDUSTRY
CATERING INDUSTRY
HOTEL AND RESTAURANT INDUSTRY

FOOD AND NUTRITION

UF: Diet and nutrition
BT: DETERMINANTS OF HEALTH
NT: BEVERAGES
DIETARY SUPPLEMENTS
FOOD
FOOD ACCESS
FOOD PREPARATION
FOOD PRODUCTION AND QUALITY
FOOD STANDARDS
FOOD SUPPLY
NUTRITION
RT: EATING HABITS

FOOD COOPERATIVES

BT: FOOD SUPPLY
RT: COMMUNITY PROJECTS

FOOD HYGIENE

BT: FOOD SAFETY
HYGIENE
RT: FOOD POISONING
FOOD PREPARATION

Food industry

USE: FOOD AND DRINK INDUSTRY

FOOD LABELLING

BT: FOOD REGULATIONS

FOOD POISONING

BT: NUTRITION
RT: ENVIRONMENTAL HEALTH
FOOD HYGIENE
FOOD SAFETY

FOOD POVERTY

BT: POVERTY
RT: NUTRITIONAL DEFICIENCY

FOOD PREPARATION

BT: FOOD AND NUTRITION
INDIVIDUAL BEHAVIOUR
NT: CATERING
COOKING
RT: CATERING INDUSTRY
FOOD HYGIENE
FOOD PRODUCTION AND QUALITY
HOTEL AND RESTAURANT INDUSTRY

FOOD PRODUCTION AND QUALITY
BT: FOOD AND NUTRITION
RT: FOOD PREPARATION
FOOD SUPPLY

Food products
USE: FOOD

FOOD REGULATIONS
BT: NUTRITION
NT: FOOD LABELLING
RT: REGULATIONS

FOOD SAFETY
BT: SAFETY
NT: FOOD HYGIENE
RT: FOOD POISONING
FOOD STANDARDS

FOOD STANDARDS
BT: FOOD AND NUTRITION
RT: FOOD SAFETY

FOOD SUPPLY
BT: FOOD AND NUTRITION
NT: FARMERS MARKETS
FOOD COOPERATIVES
SCHOOL MEALS
RT: COMMUNITY GROWING SCHEMES
FOOD ACCESS
FOOD PRODUCTION AND QUALITY

Foods
USE: FOOD

FOOT HEALTH
UF: Chiropody
Podiatry
BT: HEALTH

Formulation of policy
USE: POLICY FORMULATION

FRACTURES
BT: MUSCULOSKELETAL DISORDERS
NT: HIP FRACTURES
RT: ACCIDENTS
INJURIES

FRAMES OF REFERENCE
BT: MANAGEMENT AND POLICY
NT: GOOD PRACTICE
GUIDELINES
PROTOCOLS
STANDARDS
RT: FRAMEWORKS

FRAMEWORKS

BT: MANAGEMENT AND POLICY
NT: NATIONAL SERVICE FRAMEWORKS
PERFORMANCE & ASSESSMENT FRAMEWORKS
RT: FRAMES OF REFERENCE

Fringe medicine

USE: COMPLEMENTARY MEDICINE

FRUIT

BT: FOOD

FUEL POVERTY

SN: Poor housing conditions that result in an
inability to retain heat because of poor heating
systems
BT: POVERTY
RT: HYPOTHERMIA
INSULATION
LIVING CONDITIONS

FULL POSTCODES

SN: Refers to UK postcodes (ZIP codes) as identifiers
of place
BT: POINTS

FULL TIME EMPLOYMENT

BT: EMPLOYMENT
RT: CASUAL EMPLOYMENT
PART TIME EMPLOYMENT
SHIFT WORKING
UNEMPLOYMENT

Fund raising

USE: FUNDING

FUNDING

UF: Fund raising
Funds
BT: FINANCE

Funds

USE: FUNDING

GAMES

BT: PHYSICAL ACTIVITY
RT: PLAY
PLAYGROUNDS

GAY MEN

UF: Homosexuals
MSM
BT: SEXUALITY

GENDER

UF: Sex
BT: PEOPLE AND POPULATIONS
NT: FEMALE
MALE

GENERAL AND ACUTE SERVICES, ACCIDENT AND EMERGENCY

SN: was PHITS level 3 term
BT: SECONDARY AND TERTIARY SERVICES
RT: EMERGENCY MEDICAL CARE

GENERAL AND ACUTE SERVICES, MEDICINE

SN: was PHITS level 3 term
BT: SECONDARY AND TERTIARY SERVICES
RT: MEDICAL TREATMENT

GENERAL AND ACUTE SERVICES, SURGERY

SN: was PHITS level 3 term
BT: SECONDARY AND TERTIARY SERVICES
RT: SURGERY

GENERAL MEDICAL

SN: was PHITS level 3 term
BT: PRIMARY CARE SERVICES
RT: MEDICAL TREATMENT

General medical practitioners

USE: GENERAL PRACTITIONERS

General medical services

USE: GENERAL PRACTICE

GENERAL PRACTICE

SN: Use to describe services etc provided by a general practice
UF: General medical services
GMS
GP
GP practice
BT: POINTS
PRIMARY CARE SERVICES
NT: HEALTH PROMOTION UNITS
RT: CLINICS
GENERAL PRACTITIONERS
GP PRACTICE AREAS
HEALTH CENTRES

GENERAL PRACTITIONERS

SN: Use to describe the attitudes, behaviour and knowledge of general practitioners
UF: Family doctors
General medical practitioners
GPs
BT: MEDICAL STAFF
RT: DOCTOR PATIENT RELATIONSHIPS
GENERAL PRACTICE

GENERAL PUBLIC

UF: Public (general public)

BT: GROUPS

RT: CONSUMERS

GENETIC MODIFICATION

SN: A technique where individual genes can be copied and transferred to another living organism to alter its genetic make up and thus incorporate or delete specific characteristics into or from the organism.

BT: BIOTECHNOLOGY

RT: AGRICULTURAL INDUSTRY

GENETICS

ORGANIC NUTRITION

GENETICS

UF: Heredity

Human genetics

Human heredity

BT: BIOLOGICAL COMPOSITION

SCIENCES

RT: GENETIC MODIFICATION

GENITAL DISEASES

BT: GENITOURINARY DISEASES

RT: SEXUALLY TRANSMITTED INFECTIONS

GENITAL HERPES

BT: HERPES

RT: HERPES SIMPLEX

SEXUALLY TRANSMITTED INFECTIONS

GENITAL MUTILATION

UF: Female circumcision

BT: GYNAECOLOGICAL DISORDERS

GENITAL WARTS

BT: SEXUALLY TRANSMITTED INFECTIONS

Genitourinary clinics

USE: GUM CLINICS

GENITOURINARY DISEASES

SN: was PHITS level 2 term

BT: DEATH, DISEASE AND DISABILITY

NT: GENITAL DISEASES

HERPES

SEXUALLY TRANSMITTED INFECTIONS

URINARY TRACT DISEASES

GEOGRAPHICAL FEATURES

BT: AREAS

RT: GEOGRAPHY

GEOGRAPHICAL INFORMATION SYSTEMS

BT: INFORMATION SYSTEMS

GEOGRAPHY

BT: SETTINGS AND PLACES
NT: DEVELOPING COUNTRIES
EUROPEAN UNION
INTERNATIONAL ISSUES
NATIONAL
REGIONAL VARIATIONS
RURAL AREAS
SUPRANATIONAL ISSUES
URBAN AREAS
RT: GEOGRAPHICAL FEATURES
GEOLOGY AND TOPOGRAPHY
LINES

GEOLOGY AND TOPOGRAPHY

BT: ENVIRONMENT
RT: GEOGRAPHY

GERIATRICS

SN: "The branch of medicine concerned with the medical problems and care of the aged." (Stedman's concise medical and allied health dictionary)
BT: MEDICINE
RT: AGEING
OLDER PEOPLE
VERY OLD PEOPLE

German measles

USE: RUBELLA

Gerontology

USE: AGEING

GIRLS

SN: Children and adolescents aged up to 18 years
UF: Females (girls)
BT: CHILDREN
RT: BOYS
PRE SCHOOL CHILDREN
YOUNG PEOPLE

Global issues

USE: INTERNATIONAL ISSUES
SUPRANATIONAL ISSUES

Global warming

USE: CLIMATE CHANGE

Glue sniffing

USE: SOLVENT ABUSE

GLUTEN

BT: PROTEINS

GMS

USE: GENERAL PRACTICE

GONORRHOEA

BT: SEXUALLY TRANSMITTED INFECTIONS

GOOD PRACTICE

UF: Best Practice

BT: FRAMES OF REFERENCE

RT: QUALITY STANDARDS

GOVERNANCE

SN: was PHITS level 3 term

BT: QUALITY

RT: CLINICAL GOVERNANCE

GOVERNMENT

BT: GOVERNMENT AND LAW

NT: CENTRAL GOVERNMENT

LOCAL GOVERNMENT

REGIONAL GOVERNMENT

GOVERNMENT AND LAW

BT: HEALTH SERVICES AND THEIR MANAGEMENT

NT: GOVERNMENT

LAW

POLITICS

PUBLIC SERVICES

GOVERNMENT INITIATIVES

BT: GOVERNMENT POLICY

NT: AREA BASED INITIATIVES

GOVERNMENT OFFICES

SN: Government office for the regions 1998 boundaries

BT: AREAS

GOVERNMENT POLICY

UF: Central government policy

BT: POLICY

NT: GOVERNMENT INITIATIVES

NATIONAL SERVICE FRAMEWORKS

RT: HEALTH POLICY

SOCIAL POLICY

GP

USE: GENERAL PRACTICE

GP practice

SN: was PHITS level 3 term

USE: GENERAL PRACTICE

GP PRACTICE AREAS

SN: was 'GP practice' PHITS level 3 term

BT: AREAS

RT: GENERAL PRACTICE

GPs

USE: GENERAL PRACTITIONERS

Greenhouse effect

USE: CLIMATE CHANGE

GRID REFERENCES

SN: A map reference as an indicator of place

BT: POINTS

Grief work

USE: BEREAVEMENT COUNSELLING

Grievances

USE: COMPLAINTS

Group discussion

USE: DISCUSSION

GROUP EDUCATION

BT: TEACHING METHODS

NT: ROLE PLAY

RT: PEER EDUCATION

TEAMWORK

GROUPS

UF: Social groups

BT: PEOPLE AND POPULATIONS

NT: AGE GROUPS

CARERS

CLIENTS

CLUBS

CONSUMERS

DISADVANTAGED GROUPS

DONORS

ETHNIC GROUPS

FOCUS GROUPS

GENERAL PUBLIC

MEN

OCCUPATIONAL GROUPS

PATIENTS

PEER GROUPS

PEOPLE WITH DISABILITIES

PEOPLE WITH HIV OR AIDS

PRESSURE GROUPS

RELIGIOUS GROUPS

SELF HELP GROUPS

SMALL GROUP WORK

WOMEN

GROWTH

BT: PHYSICAL DEVELOPMENT

GROWTH DISORDERS

BT: MUSCULOSKELETAL DISORDERS

Guidance

USE: COUNSELLING

GUIDELINES

BT: FRAMES OF REFERENCE

GUM CLINICS

UF: Genitourinary clinics

STD clinics

BT: CLINICS

GYNAECOLOGICAL DISORDERS

BT: DEATH, DISEASE AND DISABILITY

NT: GENITAL MUTILATION

RT: OVARIAN CANCER

GYNAECOLOGISTS

BT: GYNAECOLOGY

GYNAECOLOGY

BT: MEDICINE

NT: GYNAECOLOGISTS

GYPSIES AND TRAVELLERS

UF: Irish travellers

Travellers

Travelling communities

BT: VULNERABLE GROUPS

Habits

USE: HABITUAL BEHAVIOUR

HABITUAL BEHAVIOUR

UF: Habits

BT: BEHAVIOUR

RT: HEALTH BEHAVIOUR

MOTIVATION

HAEMATOLOGICAL CANCER

SN: was PHITS level 3 term

BT: CANCER

RT: BLOOD AND IMMUNE DISORDERS

HALLUCINOGENS

UF: Psychedelic agents

BT: SUBSTANCE MISUSE

NT: CANNABIS

LSD

Handicap

USE: DISABILITIES

Handicaps

USE: DISABILITIES

HARD TO REACH GROUPS

SN: People who do not have access to services because of lifestyle or social exclusion.

BT: DISADVANTAGED GROUPS

RT: OUTREACH WORK

HARM REDUCTION

BT: HEALTH SERVICES

RT: HEALTH PROMOTION

NEEDLE EXCHANGE

PREVENTION

Hashish

USE: CANNABIS

HDLs

USE: HIGH DENSITY LIPOPROTEINS

HEAD INJURIES

UF: Brain injuries

BT: INJURIES

HEALTH

UF: Personal health

BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION

NT: CHILD HEALTH

COMMUNITY HEALTH

FITNESS

FOOT HEALTH

HEALTH STATUS

HOLISTIC APPROACH

MEN'S HEALTH

MENTAL HEALTH

OCCUPATIONAL HEALTH AND SAFETY

ORAL HEALTH

SEXUAL HEALTH

WOMEN'S HEALTH

RT: IMPACT ASSESSMENT

Health and safety

USE: OCCUPATIONAL HEALTH AND SAFETY

Health at work

USE: OCCUPATIONAL HEALTH AND SAFETY

HEALTH AUTHORITIES

SN: Health Authority areas as at 1998

BT: AREAS

HEALTH BEHAVIOUR

SN: 'Any activity undertaken by an individual, regardless of actual or perceived health status, for the purpose of promoting, protecting or maintaining health, whether or not such behaviour is objectively effective towards that end.'

(Health promotion glossary, 1998)

UF: Health related behaviour
BT: BEHAVIOUR
NT: HEALTH BEHAVIOUR MAINTENANCE
RT: APATHY
HABITUAL BEHAVIOUR
LIFESTYLE

HEALTH BEHAVIOUR MAINTENANCE
BT: HEALTH BEHAVIOUR
RT: BEHAVIOURAL CHANGE

HEALTH BELIEF MODELS
BT: MODELS
RT: HEALTH BELIEFS
HEALTH PROMOTION MODELS

HEALTH BELIEFS
BT: BELIEFS
PSYCHOLOGICAL DETERMINANTS
RT: HEALTH BELIEF MODELS

Health care industry
USE: HEALTH SERVICES

HEALTH CENTRES
UF: Medical centres
BT: PRIMARY CARE SERVICES
RT: CLINICS
GENERAL PRACTICE
HEALTHY LIVING CENTRES

HEALTH DEVELOPMENT
SN: was PHITS level 3 term
BT: UK HEALTH POLICIES
RT: HEALTH PROMOTION

Health Development Agency
USE: NICE

Health development and promotion
SN: was PHITS level 3 term
USE: HEALTH PROMOTION

HEALTH ECONOMICS
UF: Health service economics
Medical economics
BT: ECONOMICS
NT: PRIVATE FINANCE INITIATIVES

HEALTH EDUCATION
SN: 'Health education comprises consciously constructed opportunities for learning involving some form of communication designed to improve health literacy, including improving knowledge, and developing life skills which are conducive to individual and community health.' (Health

promotion glossary, 1998)
BT: HEALTH PROMOTION
NT: ALCOHOL EDUCATION
ANTENATAL EDUCATION
DRUGS EDUCATION
NUTRITION EDUCATION
PATIENT EDUCATION
SEX EDUCATION
RT: LIFESKILLS

Health education professionals
USE: HEALTH PROMOTION PROFESSIONALS

Health education units
USE: HEALTH PROMOTION UNITS

HEALTH EQUITY AUDIT
BT: METHODS

HEALTH ETHICS
UF: Medical ethics
BT: ETHICS
RT: CONFIDENTIALITY

HEALTH GAIN
SN: Health gain is a way to express improved health outcomes. It can be used to reflect the relative advantage of one form of health intervention over another in producing the greatest health gain (Health promotion glossary, 1998)
BT: HEALTH OUTCOMES

HEALTH IMPACT ASSESSMENT
UF: HIA
BT: IMPACT ASSESSMENT
RT: ENVIRONMENTAL IMPACT ASSESSMENT

Health improvement
USE: HEALTH PROMOTION

HEALTH INDICATORS
BT: INDICATORS
NT: SOCIAL INDICATORS
RT: HEALTH OUTCOMES
HEALTH TARGETS

HEALTH INEQUALITIES
UF: Inequalities in health
BT: HEALTH POLICY
INEQUALITIES
RT: SOCIAL INEQUALITIES

HEALTH INFORMATION SERVICES
BT: COMMUNITY INFORMATION AND ADVICE SERVICES
NT: HEALTH SHOPS
HELPLINES

HEALTH INSURANCE

UF: Insurance

Medical insurance

Patient insurance schemes

BT: ECONOMICS, FINANCE AND INDUSTRY

RT: PRIVATE HEALTH CARE

HEALTH INTERVENTIONS

UF: Interventions

BT: HEALTH SERVICES

NT: HEALTH OUTCOMES

RT: HEALTH PROMOTION

HEALTH LEGISLATION

UF: Legislation (health)

BT: LEGISLATION

Health needs assessment

USE: NEEDS ASSESSMENT

HEALTH OUTCOMES

SN: 'A change in the health status of an individual, group or population which is attributable to a planned intervention or series of interventions, regardless of whether such an intervention was intended to change health status.' (Health promotion glossary, 1998)

BT: HEALTH INTERVENTIONS

NT: HEALTH GAIN

RT: HEALTH INDICATORS

HEALTH PLANNING

UF: Health service planning

BT: HEALTH POLICY

PLANNING

RT: SOCIAL PLANNING

Health policies

USE: HEALTH POLICY

HEALTH POLICY

SN: 'A formal statement or procedure within institutions (notably government) which defines priorities and the parameters for action in response to health needs, available resources and other political pressures.' (Health promotion glossary, 1998)

UF: Health policies

Health service policy

BT: POLICY

NT: ALCOHOL POLICIES

DRUG POLICIES

HEALTH INEQUALITIES

HEALTH PLANNING

INTERNATIONAL POLICY

LOCAL POLICY
NATIONAL POLICY
REGIONAL POLICY
SMOKING POLICIES
TASK FORCES
TOBACCO CONTROL POLICIES
UK HEALTH POLICIES
RT: GOVERNMENT POLICY
SOCIAL POLICY

HEALTH PROFESSIONALS

UF: Health service professional staff
BT: OCCUPATIONAL GROUPS
NT: ALLIED HEALTH PROFESSIONALS
COUNSELLORS
DENTISTS
ENVIRONMENTAL HEALTH OFFICERS
HEALTH PROMOTION PROFESSIONALS
HEALTH VISITORS
MEDICAL STAFF
NURSES
PHARMACISTS
PSYCHIATRISTS
PSYCHOLOGISTS
PUBLIC HEALTH WORKERS

HEALTH PROMOTION

SN: 'Health promotion is the process of enabling people to increase control over, and to improve their health.'
(Health promotion glossary, 1998)
UF: Health development and promotion
Health improvement
BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION
NT: HEALTH EDUCATION
HEALTH PROMOTION MODELS
HEALTH PROMOTION UNITS
HEALTH TARGETS
HEALTHY LIVING CENTRES
MENTAL HEALTH PROMOTION
ORAL HEALTH PROMOTION
SCHOOL HEALTH PROMOTION
SEXUAL HEALTH PROMOTION
WORKPLACE HEALTH PROMOTION
RT: HARM REDUCTION
HEALTH DEVELOPMENT
HEALTH INTERVENTIONS
PREVENTION

HEALTH PROMOTION MODELS

BT: HEALTH PROMOTION
MODELS
RT: HEALTH BELIEF MODELS

HEALTH PROMOTION PROFESSIONALS

UF: Health education professionals
BT: HEALTH PROFESSIONALS

RT: HEALTH PROMOTION UNITS

HEALTH PROMOTION UNITS

UF: Health education units

BT: GENERAL PRACTICE

HEALTH PROMOTION

RT: HEALTH PROMOTION PROFESSIONALS

HEALTH PROTECTION

SN: was PHITS level 3 term

BT: POPULATION BASED AND PREVENTIVE SERVICES

UK HEALTH POLICIES

HEALTH REGIONS

BT: MANAGEMENT

PLACES

RT: NUTS

NUTS1

NUTS2

NUTS3

NUTS4

NUTS5

Health related behaviour

USE: HEALTH BEHAVIOUR

Health screening

USE: SCREENING

Health service economics

USE: HEALTH ECONOMICS

Health service planning

USE: HEALTH PLANNING

Health service policy

USE: HEALTH POLICY

Health service professional staff

USE: HEALTH PROFESSIONALS

Health service trusts

USE: NHS TRUSTS

HEALTH SERVICES

UF: Health care industry

Medical services

BT: HEALTHCARE AND HEALTH SERVICES

NT: AFTERCARE

CHILD HEALTH SERVICES

COMMUNITY INFORMATION AND ADVICE SERVICES

COMPLEMENTARY MEDICINE

CONTACT TRACING

COUNSELLING

EVIDENCE BASED HEALTH CARE

EVIDENCE BASED PRACTICE

EYE CARE
FAMILY PLANNING
HARM REDUCTION
HEALTH INTERVENTIONS
HOSPITALS
INFECTION CONTROL
MENTAL HEALTH SERVICES
NHS
PRIMARY CARE SERVICES
PRIVATE HEALTH CARE
SCHOOL HEALTH SERVICES
SCREENING
RT: PUBLIC HEALTH ORGANISATIONS
PUBLIC SERVICES
SECONDARY AND TERTIARY SERVICES
SERVICES

HEALTH SERVICES AND THEIR MANAGEMENT

SN: covers all aspects of the provision and management of healthcare services, including the political and legislative background, and policy issues

NT: GOVERNMENT AND LAW
HEALTHCARE AND HEALTH SERVICES
MANAGEMENT AND POLICY
SERVICES

Health services for children

USE: CHILD HEALTH SERVICES

HEALTH SHOPS

BT: HEALTH INFORMATION SERVICES

HEALTH STATUS

SN: was PHITS level 2 term

UF: Ill health

Well being

BT: HEALTH

NT: DISABILITY MEASURES

FITNESS

HEALTHY LIFE EXPECTANCY

INFANT MORTALITY

PERINATAL MORTALITY

SELF RATED HEALTH

SPECIFIC HEALTH MEASURES

SUMMARY HEALTH

WELLBEING

RT: DEMOGRAPHY

QUALITY OF LIFE

HEALTH TARGETS

SN: 'Health targets stage, for a given population, the amount of change (using a health indicator) which could be reasonable expected within a defined time period. Targets are generally based on specific and measurable changes in health outcomes, or intermediate health outcomes.' (Health promotion

glossary, 1998)
UF: Targets
BT: HEALTH PROMOTION
UK HEALTH POLICIES
RT: HEALTH INDICATORS

Health trusts
USE: NHS TRUSTS

Health visiting
USE: HEALTH VISITORS

HEALTH VISITORS
UF: Health visiting
BT: HEALTH PROFESSIONALS
NURSES
RT: COMMUNITY NURSING

HEALTH, PUBLIC HEALTH, HEALTH PROMOTION
SN: covers the central topics of health and quality of
life, public health, and the promotion of health
NT: HEALTH
HEALTH PROMOTION
ORGANISATIONS
PREVENTION
PUBLIC HEALTH
QUALITY OF LIFE
TARGET GROUPS

Healthcare
USE: HEALTHCARE AND HEALTH SERVICES

Healthcare (policy)
SN: was PHITS level 3 term
USE: HEALTHCARE AND HEALTH SERVICES
POLICY

HEALTHCARE AND HEALTH SERVICES
UF: Healthcare
Healthcare (policy)
BT: HEALTH SERVICES AND THEIR MANAGEMENT
NT: ALLIED HEALTH PROFESSIONALS
CARE
HEALTH SERVICES
MEDICAL TREATMENT
MEDICINE
MEDICINES
MEDICINES MANAGEMENT
NURSING
PHARMACIES
PROFESSIONAL PRACTICE
THERAPY

HEALTHY EATING
BT: EATING HABITS
NUTRITION

HEALTHY LIFE EXPECTANCY

SN: was PHITS level 3 term
BT: HEALTH STATUS
RT: DEMOGRAPHY

HEALTHY LIVING CENTRES

SN: Healthy Living Centres are community based health promotion activities. Their emphasis is on community involvement and responsiveness to expressed needs of the community.

BT: HEALTH PROMOTION
RT: COMMUNITY DEVELOPMENT
COMMUNITY HEALTH
HEALTH CENTRES
PRIMARY CARE SERVICES

HEALTHY SCHOOLS

BT: SCHOOLS

Hearing disorders

USE: EAR DISORDERS

Heart attack

USE: MYOCARDIAL INFARCTION

HEART FAILURE

SN: was PHITS level 3 term
UF: Cardiac failure
Left ventricular failure
Pump failure
Right ventricular failure
BT: CIRCULATORY DISEASES

HEAVY METALS

UF: Toxic metals
BT: POLLUTANTS
RT: VEHICLE RELATED AIR POLLUTION

HELPLINES

UF: Telephone hotlines
BT: HEALTH INFORMATION SERVICES

HEPATITIS

BT: LIVER DISORDERS
NT: HEPATITIS A
HEPATITIS B
HEPATITIS C
HEPATITIS D
HEPATITIS E

HEPATITIS A

UF: Infectious hepatitis
Infective hepatitis
BT: HEPATITIS

HEPATITIS B

UF: Homologous serum

Homologous serum hepatitis

Homologous serum jaundice

Human serum jaundice

Serum hepatitis

BT: HEPATITIS

RT: SEXUALLY TRANSMITTED INFECTIONS

HEPATITIS C

BT: HEPATITIS

RT: SEXUALLY TRANSMITTED INFECTIONS

HEPATITIS D

BT: HEPATITIS

HEPATITIS E

BT: HEPATITIS

Herbalism

USE: COMPLEMENTARY MEDICINE

Heredity

USE: GENETICS

HEROIN

UF: Diamorphine

BT: ANALGESICS

RT: METHADONE

HERPES

BT: GENITOURINARY DISEASES

NT: GENITAL HERPES

HERPES SIMPLEX

HERPES SIMPLEX

BT: HERPES

RT: GENITAL HERPES

HETEROSEXUALS

BT: SEXUALITY

HIA

USE: HEALTH IMPACT ASSESSMENT

High blood pressure

USE: HYPERTENSION

HIGH DENSITY LIPOPROTEINS

SN: HDL's protect against heart disease. i.e. the higher the HDL level, the lower the risk because HDL removes cholesterol from artery walls. (The Nutrition and health dictionary)

UF: HDLs

BT: LIPIDS

RT: CHOLESTEROL

LOW DENSITY LIPOPROTEINS

Higher education

USE: COLLEGES
UNIVERSITIES

Highschool students

USE: PUPILS

Hindu religions

USE: HINDUISM

HINDUISM

UF: Hindu religions
Hindus
BT: RELIGION

Hindus

USE: HINDUISM

HIP FRACTURES

BT: FRACTURES

HISTORY

BT: TIME FACTORS

HIV INFECTION

BT: COMMUNICABLE DISEASES

RT: AIDS

BLOOD AND IMMUNE DISORDERS

HIV TESTING

PEOPLE WITH HIV OR AIDS

SEXUALLY TRANSMITTED INFECTIONS

HIV TESTING

BT: TESTING

RT: HIV INFECTION

SCREENING

HIV-positive people

USE: PEOPLE WITH HIV OR AIDS

HODGKIN'S DISEASE

BT: CANCER

RT: IMMUNE DISORDERS

LYMPHATIC SYSTEM DISORDERS

HOLISTIC APPROACH

BT: HEALTH

HOME ACCIDENTS

SN: Use this term specifically for accounts or
statistics of accidents that happen in the home.
Use Home safety for the prevention of accidents in
the home.

UF: Domestic accidents

BT: ACCIDENTS
RT: FALLS
HOME SAFETY

HOME CARE

SN: Being cared for either medically or socially in your home
UF: Caring at home
Domiciliary care
BT: CARE
RT: COMMUNITY CARE
DOMICILIARY SERVICES
HOSPITAL DISCHARGE
RESIDENTIAL CARE
SELF CARE

HOME SAFETY

SN: Use this term for the prevention of accidents in the home. For accounts or statistics of accidents that happen in the home use Home accidents
BT: SAFETY
RT: HOME ACCIDENTS

Home violence

USE: DOMESTIC VIOLENCE

Homeless

SN: was PHITS level 3 term
USE: HOMELESS PEOPLE

HOMELESS PEOPLE

UF: Homeless
BT: VULNERABLE GROUPS
RT: SOCIAL EXCLUSION

HOMELESSNESS

BT: SOCIAL ISSUES
RT: SOCIAL EXCLUSION

HOMEOPATHY

BT: COMPLEMENTARY MEDICINE

HOMES

BT: POINTS
RT: HOUSING

Homologous serum

USE: HEPATITIS B

Homologous serum hepatitis

USE: HEPATITIS B

Homologous serum jaundice

USE: HEPATITIS B

HOMOPHOBIA

BT: DISCRIMINATION

Homosexuals

USE: GAY MEN

HORMONE REPLACEMENT THERAPY

UF: HRT

BT: THERAPY

RT: MENOPAUSE

OESTROGEN

HORMONES

UF: Endocrinological substances

BT: PHYSIOLOGY

NT: OESTROGEN

TESTOSTERONE

HOSPICES

SN: was "hospice" PHITS level 3 term

BT: POINTS

TERMINAL CARE

RT: PALLIATIVE CARE

HOSPITAL ADMISSION

BT: HOSPITALS

Hospital ambulance services

USE: AMBULANCE SERVICES

HOSPITAL DISCHARGE

BT: HOSPITALS

RT: AFTERCARE

HOME CARE

REHABILITATION

Hospital episode statistics

USE: ACTIVITY DATA

Hospital trusts

USE: NHS TRUSTS

HOSPITALS

SN: was "hospital" PHITS level 3 term

UF: Childrens hospitals

Psychiatric hospitals

BT: AREAS

HEALTH SERVICES

POINTS

NT: HOSPITAL ADMISSION

HOSPITAL DISCHARGE

OUTPATIENT CARE

RT: NHS TRUSTS

HOTEL AND RESTAURANT INDUSTRY

BT: CATERING INDUSTRY

NT: RESTAURANTS

RT: FOOD AND DRINK INDUSTRY
FOOD PREPARATION
LEISURE INDUSTRY

HOUSEHOLD WASTE
BT: WASTE

HOUSEHOLDS
SN: was "household" PHITS level 2 term
BT: PEOPLE AND POPULATIONS
RT: FAMILIES

HOUSING
SN: use for physical dwelling places
BT: ENVIRONMENT
NT: DISABILITY HOUSING
HOUSING STANDARDS
RT: HOMES

Housing quality
USE: HOUSING STANDARDS

HOUSING STANDARDS
UF: Housing quality
BT: HOUSING
STANDARDS
RT: LIVING CONDITIONS

HRT
USE: HORMONE REPLACEMENT THERAPY

HSC REGIONS
SN: Health and Social Care regions 2002
BT: AREAS

Human behaviour
USE: BEHAVIOUR

Human engineering
USE: ERGONOMICS

Human factor engineering
USE: ERGONOMICS

Human genetics
USE: GENETICS

Human heredity
USE: GENETICS

HUMAN RESOURCES MANAGEMENT
UF: Personnel management
BT: MANAGEMENT

HUMAN RIGHTS
UF: Rights

BT: LEGISLATION
RT: EQUAL OPPORTUNITIES

Human serum jaundice
USE: HEPATITIS B

HYGIENE

UF: Clinical hygiene
BT: ENVIRONMENT
INDIVIDUAL BEHAVIOUR
NT: FOOD HYGIENE
PERSONAL HYGIENE
RT: ENVIRONMENTAL HEALTH

HYPERACTIVITY

UF: Hyperkinetic reaction
BT: BEHAVIOUR

Hyperkinetic reaction

USE: HYPERACTIVITY

Hypersensitivity

USE: ALLERGIES

HYPERTENSION

UF: Blood pressure (high)
High blood pressure
BT: CIRCULATORY DISEASES
RT: BLOOD PRESSURE
HYPOTENSION

HYPERTHERMIA

SN: Where a high body temperature is induced by
external influences
BT: OTHER DISORDERS

Hyperthyroidism

USE: THYROID DISORDERS

Hypnosis

USE: HYPNOTHERAPY

HYPNOTHERAPY

UF: Hypnosis
BT: COMPLEMENTARY MEDICINE
THERAPY

HYPOTENSION

UF: Blood pressure (low)
Low blood pressure
BT: CIRCULATORY DISEASES
RT: BLOOD PRESSURE
HYPERTENSION

HYPOTHERMIA

SN: A body temperature significantly lower than 98.6

UF: Chill
BT: OTHER DISORDERS
RT: FUEL POVERTY

IBS
USE: IRRITABLE BOWEL SYNDROME

Ill health
USE: HEALTH STATUS

ILLEGAL SALES
BT: TOBACCO CONTROL POLICIES

Illiteracy
USE: LITERACY

Immigrants
USE: MIGRANTS

Immigration
USE: MIGRATION

IMMUNE DISORDERS
UF: Immunologic diseases
BT: IMMUNE SYSTEM
NT: ALLERGIES
IMMUNODEFICIENCY
RT: HODGKIN'S DISEASE

IMMUNE SYSTEM
BT: ORGAN SYSTEMS
NT: IMMUNE DISORDERS
IMMUNISATION

IMMUNISATION
UF: Immunisation and vaccination
Inoculation
Vaccination
BT: IMMUNE SYSTEM
RT: CHICKENPOX
COMMUNICABLE DISEASES
MEASLES
RUBELLA

Immunisation and vaccination
SN: was PHITS level 3 term
USE: IMMUNISATION

IMMUNODEFICIENCY
BT: IMMUNE DISORDERS
NT: AIDS

Immunologic diseases
USE: IMMUNE DISORDERS

IMPACT ASSESSMENT

SN: The identification of future consequences of a current or proposed action (International Association for Impact Assessment)

BT: METHODS

NT: ENVIRONMENTAL IMPACT ASSESSMENT
HEALTH IMPACT ASSESSMENT

RT: ENVIRONMENT
HEALTH

IMPLEMENTATION

BT: MANAGEMENT

IMPOTENCE

BT: SEXUAL PROBLEMS

In vitro fertilization

USE: ASSISTED CONCEPTION

Inadequate personality

USE: PERSONALITY DISORDERS

INCAPACITATED FOR WORK

BT: OCCUPATIONAL DISEASES

INCEST

BT: SOCIAL ISSUES

RT: CHILD SEXUAL ABUSE

PAEDOPHILES

INCIDENCE

BT: EPIDEMIOLOGY

RT: PREVALENCE

INCOME

BT: FINANCE

NT: INCOME INEQUALITIES

LOW INCOME

RT: AFFLUENCE

INCOME INEQUALITIES

BT: INCOME

INEQUALITIES

Indian people

USE: ASIAN PEOPLE

Indians

USE: ASIAN PEOPLE

INDICATORS

SN: Use for references, which talk about developing indicators. Do not use for references which state what their indicators are. For performance, see Performance indicators.

BT: METHODS

NT: ECONOMIC INDICATORS

HEALTH INDICATORS
PERFORMANCE INDICATORS
SERVICE UTILISATION
SOCIAL INDICATORS
RT: MONITORING

Indifference
USE: APATHY

INDIVIDUAL BEHAVIOUR
BT: DETERMINANTS OF HEALTH
NT: ACTIVITIES
ALCOHOL CONSUMPTION
BODY PIERCING
BREASTFEEDING
EATING HABITS
FOOD PREPARATION
HYGIENE
LIFTING
PHYSICAL ACTIVITY
SEXUAL HEALTH
SMOKING
SUBSTANCE MISUSE
TOBACCO USE
TRUANCY
RT: LIFESTYLE

INDOOR AIR POLLUTION
BT: AIR QUALITY
RT: OUTDOOR AIR POLLUTION

Induced abortion
USE: ABORTION

Industrial diseases
USE: OCCUPATIONAL DISEASES

Industrial health
USE: OCCUPATIONAL HEALTH AND SAFETY

Industrial hygiene
USE: OCCUPATIONAL HEALTH AND SAFETY

INDUSTRIAL POLLUTION
SN: Pollution by anyone involved in commercial
activity
BT: POLLUTION

INDUSTRY
BT: ECONOMICS, FINANCE AND INDUSTRY
NT: AGRICULTURAL INDUSTRY
CATERING INDUSTRY
FOOD AND DRINK INDUSTRY
LEISURE INDUSTRY
MANUFACTURING INDUSTRY
PHARMACEUTICAL INDUSTRY

INEQUALITIES

BT: SOCIAL FACTORS
NT: HEALTH INEQUALITIES
INCOME INEQUALITIES
SOCIAL INEQUALITIES

Inequalities in health

USE: HEALTH INEQUALITIES

Infancy

USE: INFANTS

INFANT MORTALITY

SN: was PHITS level 3 term
BT: HEALTH STATUS

INFANT NUTRITION

BT: NUTRITION
NT: BOTTLE FEEDING
BREASTFEEDING
WEANING
RT: CHILD NUTRITION

INFANTS

SN: Young children 0-2 years
was "infant" PHITS level 3 term
UF: Babies
Infancy
BT: CHILDREN
RT: PRE SCHOOL CHILDREN

INFECTION CONTROL

BT: HEALTH SERVICES
POPULATION BASED AND PREVENTIVE SERVICES
NT: NEEDLESTICK INJURY
TRANSMISSION
RT: COMMUNICABLE DISEASES

Infectious diseases

USE: COMMUNICABLE DISEASES

Infectious hepatitis

USE: HEPATITIS A

Infective hepatitis

USE: HEPATITIS A

Infertility

USE: FERTILITY

INFLUENZA

UF: Flu
BT: RESPIRATORY DISORDERS
RT: PNEUMONIA

Informal carers
USE: CARERS

INFORMATICS
BT: INFORMATION
RT: INFORMATION SYSTEMS

INFORMATION
UF: Information and knowledge
BT: COMMUNICATION AND KNOWLEDGE
MANAGEMENT AND POLICY
NT: COMMUNITY INFORMATION AND ADVICE SERVICES
CONSUMER INFORMATION
DATA
DATABASES
INFORMATICS
INFORMATION DISSEMINATION AND EXCHANGE
INFORMATION MANAGEMENT
INFORMATION MEDIA
INFORMATION NEEDS
INFORMATION SOURCES
INFORMATION SYSTEMS
MATERIAL DEVELOPMENT
MEDICAL RECORDS
PERSONALISED INFORMATION
PUBLIC INFORMATION

Information and knowledge
SN: was PHITS level 3 term
USE: INFORMATION
KNOWLEDGE

Information centres
USE: LIBRARY AND INFORMATION CENTRES

INFORMATION DISSEMINATION AND EXCHANGE
UF: Data Exchange
Information exchange
Oral information
BT: INFORMATION
NT: CONFERENCES
EXHIBITIONS
LIBRARY AND INFORMATION CENTRES
RT: INFORMATION MEDIA

Information exchange
USE: INFORMATION DISSEMINATION AND EXCHANGE

Information gathering
USE: DATA COLLECTION

INFORMATION MANAGEMENT
BT: INFORMATION
MANAGEMENT

INFORMATION MEDIA

BT: INFORMATION
NT: MASS MEDIA
RT: INFORMATION DISSEMINATION AND EXCHANGE
INFORMATION NEEDS

INFORMATION NEEDS

UF: Information user needs
User demand (information)
BT: INFORMATION
RT: INFORMATION MEDIA

INFORMATION SOURCES

UF: Data sources
Sources of information
BT: INFORMATION

INFORMATION SYSTEMS

UF: Documentation systems
Integrated information systems
BT: INFORMATION
NT: CODING SYSTEMS
GEOGRAPHICAL INFORMATION SYSTEMS
RT: INFORMATICS

INFORMATION TECHNOLOGY

BT: TECHNOLOGY
NT: COMPUTER NETWORKS
RT: COMPUTERS

Information user needs

USE: INFORMATION NEEDS

INFORMED CONSENT

BT: ETHICS
RT: EMPOWERMENT
PATIENT EDUCATION

INHIBITION

BT: BEHAVIOUR

INJECTING DRUG USERS

BT: DRUG USERS

INJURIES

UF: Occupational injuries
BT: DEATH, DISEASE AND DISABILITY
NT: BURNS
HEAD INJURIES
POISONING
SELF HARM
SPORTS INJURIES
RT: FRACTURES
SUICIDE

INNER CITIES

UF: Town centres

BT: CITIES

Inoculation

USE: IMMUNISATION

INPATIENT SERVICES

SN: was PHITS level 3 term

BT: SECONDARY AND TERTIARY SERVICES

In-service training

USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

INSTALLATIONS

BT: POINTS

Institutional care

USE: RESIDENTIAL CARE

Instructional materials

USE: TEACHING MATERIALS

INSULATION

BT: BUILT ENVIRONMENT

RT: FUEL POVERTY

Insurance

USE: HEALTH INSURANCE

Integrated information systems

USE: INFORMATION SYSTEMS

Intellectual handicap

USE: LEARNING DISABILITIES

INTELLIGENCE

UF: Understanding

BT: PSYCHOLOGY

Intentional self harm

SN: was PHITS level 3 term

USE: SELF HARM

INTERAGENCY WORKING

SN: Partnership working between different organisations, agencies or services.

BT: PARTNERSHIP WORKING

RT: PARTNERSHIPS

Interest groups

USE: PRESSURE GROUPS

INTERMEDIATE SERVICES

SN: was PHITS level 3 term

BT: SECONDARY AND TERTIARY SERVICES

INTERNATIONAL ISSUES

UF: Global issues
BT: GEOGRAPHY
RT: INTERNATIONAL POLICY
SUPRANATIONAL ISSUES

INTERNATIONAL LAW
BT: LAW

INTERNATIONAL ORGANISATIONS
BT: ORGANISATIONS
NT: EUROPEAN ORGANISATIONS

INTERNATIONAL POLICY
SN: was PHITS level 2 term
BT: HEALTH POLICY
RT: INTERNATIONAL ISSUES

INTERNET
UF: Websites
World Wide Web
BT: COMPUTER NETWORKS
NT: EMAIL

INTERPERSONAL RELATIONSHIPS
BT: RELATIONSHIPS
NT: DOCTOR PATIENT RELATIONSHIPS
RT: PARTNERS

INTERPERSONAL SKILLS
UF: Communication skills
BT: SKILLS
RT: LIFESKILLS
PERSONAL AND SOCIAL EDUCATION
PERSONAL DEVELOPMENT
PERSONAL RELATIONSHIPS
SOCIALISATION

INTERPROFESSIONAL WORKING
SN: Partnership working between different professional
groups.
BT: PARTNERSHIP WORKING

Interventions
USE: HEALTH INTERVENTIONS

INTERVIEWS
SN: Formal meeting where questions are asked.
Questions can be in depth, very open,
semi-structured, structured (filling in a
questionnaire)
BT: RESEARCH METHODS

INTESTINAL CANCER
UF: Bowel cancer
BT: CANCER
NT: COLORECTAL CANCER

RT: DIGESTIVE TRACT DISEASES

INTOXICATION

UF: Drunkenness
BT: ALCOHOL MISUSE
RT: ALCOHOL
BINGE DRINKING

Irish people

USE: WHITE PEOPLE

Irish travellers

USE: GYPSIES AND TRAVELLERS

IRON

BT: MINERALS

IRRITABLE BOWEL SYNDROME

UF: IBS
BT: DIGESTIVE TRACT DISEASES

ISLAM

UF: Muslims
BT: RELIGION

Isolation

USE: SOCIAL EXCLUSION

IVF

USE: ASSISTED CONCEPTION

Jakob Creutzfeldt syndrome

USE: CREUTZFELDT JAKOB DISEASE

JET LAG

BT: OTHER DISORDERS

Jewish religion

USE: JUDAISM

JOB DESCRIPTIONS

UF: Job specification
BT: EMPLOYMENT

JOB EVALUATIONS

UF: Job rating
BT: EMPLOYMENT

Job rating

USE: JOB EVALUATIONS

Job specification

USE: JOB DESCRIPTIONS

Jobs

USE: EMPLOYMENT

JOGGING

BT: PHYSICAL ACTIVITY

JUDAISM

SN:

UF: Jewish religion

BT: RELIGION

Juvenile delinquency

USE: ANTISOCIAL BEHAVIOUR

YOUNG PEOPLE

Juveniles

USE: YOUNG PEOPLE

KAPOSI'S SARCOMA

BT: SKIN CANCER

Key Stage 1

SN: Specific age groups at schools. Key stage 1 is used for children who are 5-7 years old.

USE: KEY STAGES

Key Stage 2

SN: Specific age groups at schools. Key stage 2 is used for children who are 8-11 years old.

USE: KEY STAGES

Key Stage 3

SN: Specific age groups at schools. Key stage 3 is used for children who are 12-14 years old.

USE: KEY STAGES

Key Stage 4

SN: Specific age groups at schools. Key stage 4 is for adolescents who are 14-16 years old.

USE: KEY STAGES

KEY STAGES

UF: Key Stage 1

Key Stage 2

Key Stage 3

Key Stage 4

BT: EDUCATION

KIDNEY DISEASES

UF: Nephropathy

Renal diseases

BT: DEATH, DISEASE AND DISABILITY

KNOWLEDGE

UF: Awareness

Information and knowledge

BT: COMMUNICATION AND KNOWLEDGE

LABORATORY SERVICES

SN: was PHITS level 3 term

BT: SECONDARY AND TERTIARY SERVICES

Labour (pregnancy)

USE: CHILDBIRTH

LAND USE AND FERTILITY

BT: ENVIRONMENT

LANGUAGE

BT: COMMUNICATION

CULTURAL IDENTITY

LANGUAGE DISORDERS

SN: Problems in acquiring language/speech

UF: Speech disorders

BT: COMMUNICATION DISORDERS

NT: DYSLEXIA

RT: LEARNING DISABILITIES

LANS

SN: Local area networks.

USE: COMPUTER NETWORKS

LAW

UF: Legal aspects

BT: GOVERNMENT AND LAW

NT: INTERNATIONAL LAW

LEGISLATION

Laws

USE: LEGISLATION

LDLs

USE: LOW DENSITY LIPOPROTEINS

LEARNING DISABILITIES

SN: was "Learning disability" PHITS Level 3 term

UF: Backwardness

Developmental retardation

Intellectual handicap

Mental deficiency

Mental handicap

BT: DISABILITIES

SECONDARY AND TERTIARY SERVICES

RT: COMMUNICATION DISORDERS

LANGUAGE DISORDERS

PEOPLE WITH LEARNING DISABILITIES

SPECIAL EDUCATION

Learning disabled

SN: was PHITS level 3 term

USE: PEOPLE WITH LEARNING DISABILITIES

LEAs

USE: LOCAL EDUCATION AUTHORITIES

Left ventricular failure

USE: HEART FAILURE

Legal aspects

USE: LAW

LEGISLATION

UF: Laws

Statutes

BT: LAW

NT: EMPLOYMENT LEGISLATION

EQUAL OPPORTUNITIES

HEALTH LEGISLATION

HUMAN RIGHTS

REGULATIONS

Legislation (health)

USE: HEALTH LEGISLATION

Leisure

SN: was PHITS level 3 term

USE: LEISURE ACTIVITIES

LEISURE FACILITIES

LEISURE ACTIVITIES

UF: Leisure

Recreation

Recreational activities

Recreations

BT: ACTIVITIES

RT: CLUBS

LEISURE TIME

PHYSICAL ACTIVITY

RELAXATION

LEISURE FACILITIES

UF: Leisure

Recreational facilities

BT: BUILDINGS, CONSTRUCTIONS AND POINTS

POINTS

NT: SPORTS FACILITIES

RT: CLUBS

PUBS

LEISURE INDUSTRY

UF: Tourist industry

BT: INDUSTRY

RT: CATERING INDUSTRY

HOTEL AND RESTAURANT INDUSTRY

LEISURE TIME

BT: TIME FACTORS

RT: LEISURE ACTIVITIES

PHYSICAL ACTIVITY

Lens opacities
USE: CATARACTS

LESBIANS
BT: SEXUALITY

LEUKAEMIA
UF: Leukemia
BT: CANCER
RT: BLOOD AND IMMUNE DISORDERS

Leukemia
USE: LEUKAEMIA

LIBRARY AND INFORMATION CENTRES
UF: Information centres
BT: INFORMATION DISSEMINATION AND EXCHANGE
RT: COMMUNITY INFORMATION AND ADVICE SERVICES

LIFE EVENTS
BT: PEOPLE AND POPULATIONS
RT: QUALITY OF LIFE

LIFE EXPECTANCY
SN: was PHITS level 3 term
UF: Life expectancy (human)
BT: DEMOGRAPHY

Life expectancy (human)
USE: LIFE EXPECTANCY

Life style
USE: LIFESTYLE

LIFELONG LEARNING
BT: EDUCATION
RT: ADULT EDUCATION

LIFESKILLS
SN: Life skills are abilities for adaptive and positive behaviour, that enable individuals to deal effectively with the demands and challenges of everyday life. (Health promotion glossary, 1998)
BT: SKILLS
NT: PARENTING
SOCIALISATION
RT: HEALTH EDUCATION
INTERPERSONAL SKILLS
PERSONAL DEVELOPMENT
PERSONAL SAFETY

LIFESTYLE
SN: 'Lifestyle is a way of living based on identifiable patterns of behaviour which are

determined by the interplay between an individual's personal characteristics, social interactions, and socioeconomic and environmental living conditions.' (Health promotion glossary, 1998)

UF: Life style
BT: SOCIAL DETERMINANTS
RT: HEALTH BEHAVIOUR
INDIVIDUAL BEHAVIOUR
LIVING CONDITIONS

LIFTING

BT: INDIVIDUAL BEHAVIOUR
RT: BACK PAIN
POSTURE

LINES

SN: Any geographic linear feature - a line on a map,
e.g. a boundary.
BT: PLACES
NT: BOUNDARY DATA
RAIL TRANSPORT
RIVERS
ROADS
TRAFFIC FREE ROUTES
RT: GEOGRAPHY

LIPIDS

UF: Cholesterol and lipids
Dietary fats
Fats
Saturated fats
Unsaturated fats
BT: NUTRITION COMPONENTS
NT: CHOLESTEROL
HIGH DENSITY LIPOPROTEINS
LOW DENSITY LIPOPROTEINS

LITERACY

UF: Illiteracy
BT: SKILLS

LITERATURE REVIEWS

BT: REVIEWS
NT: META ANALYSIS

Littles disease

USE: CEREBRAL PALSY

LIVER CANCER

UF: Liver neoplasms
BT: CANCER

LIVER DISORDERS

BT: DEATH, DISEASE AND DISABILITY
NT: HEPATITIS

Liver neoplasms
USE: LIVER CANCER

LIVING CONDITIONS

SN: 'Living conditions are the everyday environment of people, where they live, play and work. These living conditions are a product of social and economic circumstances and the physical environment – all of which can impact upon health – and are largely outside of the immediate control of the individual.' (Health promotion glossary, 1998)

BT: ENVIRONMENT
RT: FUEL POVERTY
HOUSING STANDARDS
LIFESTYLE

Living together
USE: COHABITATION

LOBBYING

BT: COMMUNICATION
RT: PRESSURE GROUPS

Local area networks
USE: COMPUTER NETWORKS

LOCAL AUTHORITIES

BT: LOCAL GOVERNMENT
NT: LOCAL EDUCATION AUTHORITIES
RT: LOCAL STRATEGIC PARTNERSHIPS

LOCAL AUTHORITY AREAS

SN: 1998 local authority districts
BT: AREAS
RT: LOCAL EDUCATION AUTHORITIES

LOCAL COMMUNITIES

BT: COMMUNITIES
NT: NEIGHBOURHOODS

LOCAL EDUCATION AUTHORITIES

SN: Local Education Authorities areas as at 1998
UF: LEAs
BT: LOCAL AUTHORITIES
RT: EDUCATIONAL SETTINGS
LOCAL AUTHORITY AREAS

LOCAL GOVERNMENT

UF: Municipal government
BT: GOVERNMENT
NT: LOCAL AUTHORITIES
SOCIAL SERVICES
RT: CENTRAL GOVERNMENT
ENVIRONMENTAL HEALTH OFFICERS

REGIONAL GOVERNMENT

LOCAL POLICY

SN: was PHITS level 2 term
BT: HEALTH POLICY
NT: DH OR NHS LOCAL POLICY
VOLUNTARY AGENCIES LOCAL POLICIES

LOCAL STRATEGIC PARTNERSHIPS

BT: PARTNERSHIPS
RT: LOCAL AUTHORITIES

Locomotor system

USE: MUSCULOSKELETAL SYSTEM

Lone parents

SN: was PHITS level 3 term
USE: SINGLE PARENTS

LONG TERM CONDITIONS

BT: DEATH, DISEASE AND DISABILITY
RT: CHRONIC DISEASE

Long term illness

USE: CHRONIC DISEASE

Long term unemployed people

USE: LONG TERM UNEMPLOYMENT

LONG TERM UNEMPLOYMENT

UF: Long term unemployed people
BT: UNEMPLOYMENT
RT: UNEMPLOYED PEOPLE

Longitudinal research

USE: COHORT STUDIES

LOOKED AFTER CHILDREN

BT: CHILD CARE
CHILDREN
VULNERABLE GROUPS
RT: CHILDMINDING

LOW BIRTH WEIGHT

UF: Low birthweight
BT: PREGNANCY AND CHILDBIRTH DISORDERS
RT: CHILDBIRTH

Low birthweight

USE: LOW BIRTH WEIGHT

Low blood pressure

USE: HYPOTENSION

LOW DENSITY LIPOPROTEINS

SN: The greater the level of LDL in the blood, the

greater the level at which cholesterol is deposited on the walls of the arteries. This in turn raises the risk of cardiovascular disease. (The Nutrition and Health dictionary)

UF: LDLs
BT: LIPIDS
RT: CHOLESTEROL
HIGH DENSITY LIPOPROTEINS

LOW INCOME

UF: Low pay
BT: INCOME
RT: POVERTY

Low pay

USE: LOW INCOME

LSD

UF: Lysergic acid diethylamide
BT: HALLUCINOGENS

Lues

USE: SYPHILIS

LUNG CANCER

UF: Lung neoplasms
BT: CANCER
RT: RESPIRATORY DISORDERS
SMOKING

Lung diseases

USE: RESPIRATORY DISORDERS

Lung neoplasms

USE: LUNG CANCER

LYMPHATIC SYSTEM DISORDERS

BT: DEATH, DISEASE AND DISABILITY
RT: HODGKIN'S DISEASE

Lysergic acid diethylamide

USE: LSD

Mailshots

USE: MARKETING

Major incident planning

USE: EMERGENCY PLANNING

Major incidents

USE: EMERGENCIES

Major incidents planning

USE: EMERGENCY PLANNING

Major incidents plans

USE: EMERGENCY PLANS

MALARIA

BT: TROPICAL DISEASES

MALE

BT: GENDER

RT: MEN

Male circumcision

USE: CIRCUMCISION

Males (boys)

USE: BOYS

Malicious damage

USE: VANDALISM

Malignant melanoma

USE: SKIN CANCER

MALNUTRITION

BT: CAUSES OF HARM

NUTRITIONAL DEFICIENCY

MANAGEMENT

BT: MANAGEMENT AND POLICY

NT: CLINICAL GOVERNANCE

COMMISSIONING

COOPERATION

DEVELOPMENT

EMERGENCY PLANS

HEALTH REGIONS

HUMAN RESOURCES MANAGEMENT

IMPLEMENTATION

INFORMATION MANAGEMENT

PERFORMANCE MONITORING

PROJECT MANAGEMENT

QUALITY

RESOURCE MANAGEMENT

RISK ASSESSMENT

RISK MANAGEMENT

RT: DECISION MAKING

MANAGEMENT AND POLICY

BT: HEALTH SERVICES AND THEIR MANAGEMENT

NT: DECISION MAKING

FRAMES OF REFERENCE

FRAMEWORKS

INFORMATION

MANAGEMENT

PARTNERSHIPS

POLICY

PROJECTS

SERVICE PROVISION

SERVICE UTILISATION

STRATEGY
TEAMWORK

Managerial staff
USE: MANAGERS

MANAGERS
UF: Executives
Managerial staff
BT: OCCUPATIONAL GROUPS

MANUFACTURING INDUSTRY
BT: INDUSTRY
NT: TOBACCO INDUSTRY

Marihuana
USE: CANNABIS

Marijuana
USE: CANNABIS

Marital violence
USE: DOMESTIC VIOLENCE

MARKETING
UF: Mailshots
Sales management
BT: COMMUNICATION
NT: SOCIAL MARKETING

MARRIAGE
BT: PERSONAL RELATIONSHIPS
RT: COHABITATION
SINGLE PEOPLE

MASS COMMUNICATION
BT: COMMUNICATION
NT: ADVERTISING
RT: MASS MEDIA

MASS MEDIA
UF: Media
News media
BT: INFORMATION MEDIA
RT: MASS COMMUNICATION

MASS MEDIA CAMPAIGNS
BT: CAMPAIGNS

MASTECTOMY
BT: MEDICAL TREATMENT
RT: BREAST CANCER

MASTITIS
BT: BREAST DISEASES
RT: BREASTFEEDING

MATERIAL DEVELOPMENT

UF: Teaching material development

BT: INFORMATION

NT: DESIGN

RT: TEACHING MATERIALS

Maternal health services

USE: MATERNITY SERVICES

Maternity health services

USE: MATERNITY SERVICES

MATERNITY SERVICES

SN: was PHITS level 3 term

UF: Maternal health services

Maternity health services

BT: SECONDARY AND TERTIARY SERVICES

RT: CHILDBIRTH

MDMA

USE: ECSTASY

ME

UF: Myalgic encephalopathy myelitis

BT: OTHER DISORDERS

MEASLES

UF: Rubeola

BT: COMMUNICABLE DISEASES

RT: IMMUNISATION

MEASUREMENT

SN: Use when a reference discusses the methodology of how to measure or if the measurement is a significant feature of the study.

UF: Benchmarking

Metrology

BT: METHODS

NT: MEASUREMENT TECHNIQUES

MEASUREMENT TECHNIQUES

UF: Measurement tools

BT: MEASUREMENT

RT: RESEARCH METHODS

Measurement tools

USE: MEASUREMENT TECHNIQUES

MEAT

BT: FOOD

Media

USE: MASS MEDIA

Medical anthropology

USE: ANTHROPOLOGY

Medical centres

USE: HEALTH CENTRES

Medical devices

USE: MEDICAL EQUIPMENT

Medical economics

USE: HEALTH ECONOMICS

MEDICAL EQUIPMENT

UF: Biomedical equipment

Medical devices

Medical machinery

BT: EQUIPMENT

RT: MEDICINES

Medical ethics

USE: HEALTH ETHICS

MEDICAL EXAMINATIONS

BT: MEDICAL TREATMENT

Medical insurance

USE: HEALTH INSURANCE

Medical machinery

USE: MEDICAL EQUIPMENT

MEDICAL RECORDS

UF: Patient records

BT: INFORMATION

MEDICAL RESEARCH

UF: Biomedical research

Clinical research

BT: RESEARCH

Medical screening

USE: SCREENING

Medical services

USE: HEALTH SERVICES

MEDICAL STAFF

UF: Doctors

Physicians

BT: HEALTH PROFESSIONALS

NT: GENERAL PRACTITIONERS

OBSTETRICIANS

RT: DOCTOR PATIENT RELATIONSHIPS

MEDICAL TREATMENT

UF: Therapeutics

BT: HEALTHCARE AND HEALTH SERVICES

NT: BLOOD TRANSFUSIONS
CHEMOTHERAPY
DETOXIFICATION
EMERGENCY MEDICAL CARE
MASTECTOMY
MEDICAL EXAMINATIONS
PROPHYLACTIC TREATMENT
PSYCHIATRIC CARE
SURGERY
TRANSPLANTATION
RT: AFTERCARE
COMPLEMENTARY MEDICINE
GENERAL AND ACUTE SERVICES, MEDICINE
GENERAL MEDICAL
MEDICINE
THERAPY

Medical trials

USE: CLINICAL TRIALS

Medications

USE: DRUGS

MEDICINE

SN: The science or practice of the diagnosis, treatment, and prevention of disease, esp. as distinct from surgical methods. (Concise Oxford English Dictionary)
BT: HEALTHCARE AND HEALTH SERVICES
NT: EVIDENCE BASED MEDICINE
GERIATRICS
GYNAECOLOGY
PAEDIATRICS
PSYCHIATRY
SPORTS MEDICINE
RT: COMPLEMENTARY MEDICINE
MEDICAL TREATMENT

MEDICINES

SN: Any drug or preparation used for the treatment or prevention of disease. (Concise Oxford English Dictionary)
BT: HEALTHCARE AND HEALTH SERVICES
NT: DRUGS
MICROBICIDES
PLACEBOS
PRESCRIPTIONS
SELF MEDICATION
RT: MEDICAL EQUIPMENT
PHARMACEUTICAL SERVICES

MEDICINES MANAGEMENT

BT: HEALTHCARE AND HEALTH SERVICES
NT: PRESCRIBING

Melanoma

USE: SKIN CANCER

MEN

BT: GROUPS
RT: MALE
MEN'S HEALTH

MENINGITIS

BT: NEUROLOGICAL DISEASES AND DISORDERS

MENOPAUSE

BT: PHYSIOLOGY
RT: HORMONE REPLACEMENT THERAPY

MEN'S HEALTH

BT: HEALTH
RT: MEN

MENTAL AND BEHAVIOURAL DISORDERS

SN: was PHITS level 2 term
UF: Mental illness
BT: DEATH, DISEASE AND DISABILITY
NT: DEMENTIA
DEPRESSION
EATING DISORDERS
PERSONALITY DISORDERS
POST TRAUMATIC STRESS

Mental deficiency

USE: LEARNING DISABILITIES

Mental handicap

USE: LEARNING DISABILITIES

MENTAL HEALTH

BT: HEALTH
NT: RELAXATION
STRESS
RT: PEOPLE WITH MENTAL HEALTH PROBLEMS

MENTAL HEALTH PROMOTION

BT: HEALTH PROMOTION

MENTAL HEALTH SERVICES

UF: Psychiatric health services
Psychiatric services
BT: HEALTH SERVICES
SECONDARY AND TERTIARY SERVICES
NT: COMMUNITY MENTAL HEALTH SERVICES
RT: PSYCHIATRIC CARE

Mental illness

USE: MENTAL AND BEHAVIOURAL DISORDERS

Mentally ill

SN: was PHITS level 3 term

USE: PEOPLE WITH MENTAL HEALTH PROBLEMS

Mercy killing

USE: EUTHANASIA

META ANALYSIS

SN: Method for combining the results of individual pieces of research to enable stronger conclusions to be drawn.

BT: LITERATURE REVIEWS

METHADONE

BT: ANALGESICS

RT: HEROIN

METHODS

BT: PUBLIC HEALTH METHODS, THEORY AND RESEARCH

NT: ANALYSIS

CLINICAL AUDIT

COSTING

DIAGNOSIS

HEALTH EQUITY AUDIT

IMPACT ASSESSMENT

INDICATORS

MEASUREMENT

MODELS

RESEARCH METHODS

TEACHING METHODS

RT: EPIDEMIOLOGICAL MEASURES

Metrology

USE: MEASUREMENT

MI

USE: MYOCARDIAL INFARCTION

MICROBICIDES

BT: MEDICINES

RT: CONTRACEPTION

MIDDLE AGED PEOPLE

BT: ADULTS

MIDWIVES

BT: NURSES

RT: ANTENATAL CARE

PREGNANCY

MIGRANT WORKERS

BT: MIGRANTS

MIGRANTS

UF: Immigrants

BT: VULNERABLE GROUPS

NT: MIGRANT WORKERS

MIGRATION

UF: Emigration
Immigration
Migration and population change
Population migration
BT: POPULATION CHANGE
SOCIAL ISSUES

Migration and population change
SN: was PHITS level 3 term
USE: MIGRATION
POPULATION CHANGE

Military forces
USE: ARMED FORCES

Military personnel
USE: ARMED FORCES

Military services
USE: ARMED FORCES

MILK PRODUCTS

UF: Dairy products
BT: FOOD

MINERALS

BT: NUTRITION
NUTRITION COMPONENTS
NT: CALCIUM
IRON
SODIUM
RT: TRACE ELEMENTS

Minor tranquillisers
USE: BENZODIAZEPINES

Minority ethnic groups
USE: ETHNIC GROUPS

Minors
USE: CHILDREN

MIXED RACE PEOPLE

SN: Includes White and Black Caribbean, White and Black African, White and Asian and any other mixed background.
Derived from National Statistics (2003) Ethnic statistics: a guide for the collection and classification of ethnicity data.
UF: British people (Mixed Race)
BT: ETHNIC GROUPS

MOBILE PHONES
BT: TELECOMMUNICATIONS

MODELS

BT: METHODS
NT: HEALTH BELIEF MODELS
HEALTH PROMOTION MODELS
RT: THEORY

MONITORING

UF: Surveillance (progress control)
BT: EVALUATION
NT: PERFORMANCE MONITORING
RT: INDICATORS

Moods

USE: EMOTIONS

MORALITY

BT: SOCIAL FACTORS
RT: BELIEFS
ETHICS

MORBIDITY

BT: EPIDEMIOLOGICAL MEASURES

Morning after pill

USE: EMERGENCY CONTRACEPTION

MORTALITY

UF: Death
BT: DEATH, DISEASE AND DISABILITY
EPIDEMIOLOGICAL MEASURES
NT: SURVIVAL RATE
RT: BEREAVEMENT
EUTHANASIA

MOTHERS

BT: PARENTS

MOTIVATION

BT: BEHAVIOUR
RT: APATHY
HABITUAL BEHAVIOUR
SELF CONTROL

MSM

USE: GAY MEN

Multicultural education

USE: EDUCATIONAL SYSTEMS

MULTIPLE BIRTHS

UF: Twins
BT: CHILDBIRTH
RT: ASSISTED CONCEPTION

MULTIPLE SCLEROSIS

BT: NEUROLOGICAL DISEASES AND DISORDERS

MUMPS

UF: Epidemic parotitis
BT: COMMUNICABLE DISEASES

Municipal government

USE: LOCAL GOVERNMENT

MUSCULAR DYSTROPHY

BT: NEUROLOGICAL DISEASES AND DISORDERS

MUSCULOSKELETAL DISORDERS

SN: was PHITS level 2 term
UF: Bone disorders
BT: DEATH, DISEASE AND DISABILITY
NT: ARTHRITIS
BACK PAIN
FRACTURES
GROWTH DISORDERS
OSTEOPOROSIS
RHEUMATIC DISORDERS
SPINAL CORD DISEASES AND DISORDERS

MUSCULOSKELETAL SYSTEM

UF: Locomotor system
BT: ORGAN SYSTEMS

MUSIC

BT: ARTS
RT: THERAPY

Muslims

USE: ISLAM

MUTUAL AID

BT: CARE
RT: PEER GROUPS
SELF HELP

Myalgic encephalopathy myelitis

USE: ME

MYOCARDIAL INFARCTION

UF: Heart attack
MI
BT: CIRCULATORY DISEASES

NATIONAL

BT: GEOGRAPHY
NT: REGIONAL

NATIONAL CURRICULUM

BT: EDUCATION
RT: EDUCATIONAL STANDARDS

National government

USE: CENTRAL GOVERNMENT

National Health Service
USE: NHS

National Health Service trusts
USE: NHS TRUSTS

NATIONAL ORGANISATIONS
BT: ORGANISATIONS

NATIONAL POLICY
SN: was PHITS level 2 term
BT: HEALTH POLICY
NT: DH OR NHS NATIONAL POLICY
VOLUNTARY AGENCIES NATIONAL POLICIES

NATIONAL SERVICE FRAMEWORKS
SN: National Service Frameworks will bring together the best evidence of clinical and cost-effectiveness with the views of service users to determine the best ways of providing particular services. (The new NHS: modern, dependable)
UF: NSFS
BT: FRAMEWORKS
GOVERNMENT POLICY

National vocational qualifications
USE: NVQs

NATURAL ENVIRONMENT
BT: ENVIRONMENT
NT: AIR
CLIMATE
OZONE
SUN
WEATHER

NATURE RESERVES
BT: AREAS

Navy
USE: ARMED FORCES

NEEDLE EXCHANGE
BT: NEEDLE USE
RT: DRUGS MISUSE
HARM REDUCTION

NEEDLE USE
BT: DRUGS MISUSE
NT: NEEDLE EXCHANGE

NEEDLESTICK INJURY
BT: INFECTION CONTROL

NEEDS ASSESSMENT
SN: Covers a range of approaches which attempt to

identify strategy. (In health services this is often epidemiologically based but also some participatory approaches e.g., focus groups)

UF: Assessment (social work)

Client assessment

Community analysis

Diagnosis (social work)

Health needs assessment

BT: RESEARCH

NEIGHBOURHOOD RENEWAL

SN: was PHITS level 3 terms

BT: NEIGHBOURHOODS

RT: REGENERATION

NEIGHBOURHOODS

SN: was "Neighbourhood" PHITS Level 3 term

BT: AREAS

LOCAL COMMUNITIES

NT: NEIGHBOURHOOD RENEWAL

NEONATES

BT: AGE GROUPS

Neoplasms

USE: CANCER

Nephropathy

USE: KIDNEY DISEASES

NETWORKS

BT: ORGANISATIONS

NT: SOCIAL NETWORKS

RT: COOPERATION

Neural tube defects

USE: SPINA BIFIDA

NEUROLOGICAL DISEASES AND DISORDERS

BT: DEATH, DISEASE AND DISABILITY

NT: CEREBRAL PALSY

CREUTZFELDT JAKOB DISEASE

EPILEPSY

MENINGITIS

MULTIPLE SCLEROSIS

MUSCULAR DYSTROPHY

NEUROMUSCULAR DISEASES

TETANUS

NEUROMUSCULAR DISEASES

BT: NEUROLOGICAL DISEASES AND DISORDERS

NEUROTIC DISORDERS

BT: PERSONALITY DISORDERS

NT: COMPULSIVE BEHAVIOUR

RT: PHOBIC DISORDERS

PSYCHOTIC DISORDERS

News media

USE: MASS MEDIA

NGOs

USE: VOLUNTARY ORGANISATIONS

NHS

UF: National Health Service
United Kingdom National Health Service
BT: HEALTH SERVICES
PUBLIC HEALTH ORGANISATIONS
NT: NHS TRUSTS
PROVIDERS
PURCHASERS
RT: DH OR NHS LOCAL POLICY
DH OR NHS NATIONAL POLICY
DH OR NHS REGIONAL POLICY

NHS TRUSTS

UF: Health service trusts
Health trusts
Hospital trusts
National Health Service trusts
Opted out hospitals
Self governing hospitals
Self governing trusts
BT: NHS
RT: HOSPITALS

NICE

UF: Health Development Agency

NICOTINE DEPENDENCY

BT: SMOKING
TOBACCO

NICOTINE REPLACEMENT THERAPY

UF: NRT
BT: SMOKING CESSATION

NOISE POLLUTION

BT: POLLUTION

Non governmental agencies

USE: VOLUNTARY ORGANISATIONS

Non institutional care

USE: COMMUNITY CARE

Non profit making organisations

USE: NON PROFIT ORGANISATIONS

NON PROFIT ORGANISATIONS

UF: Non profit making organisations

BT: ORGANISATIONS
RT: CHARITIES
VOLUNTARY ORGANISATIONS

Non resident care
USE: COMMUNITY CARE

NON SPECIFIC URETHRITIS
UF: NSU
BT: SEXUALLY TRANSMITTED INFECTIONS

NONVERBAL COMMUNICATION
UF: Body language
BT: COMMUNICATION

NOTIFIABLE DISEASES
BT: DEATH, DISEASE AND DISABILITY
RT: COMMUNICABLE DISEASES
CONTACT TRACING

NRT
USE: NICOTINE REPLACEMENT THERAPY

NS SEC
BT: SOCIOECONOMIC STATUS

NSFS
USE: NATIONAL SERVICE FRAMEWORKS

NSU
USE: NON SPECIFIC URETHRITIS

NUCLEAR ENERGY
BT: ENVIRONMENT
RT: RADIATION

Nuclear power stations
USE: RADIATION

Numerical data
USE: STATISTICAL DATA

NURSERY SCHOOLS
SN: Schools for children between the ages of 3 and 5
BT: PRE SCHOOL SETTINGS
SCHOOLS
RT: PRE SCHOOL CHILDREN

NURSES
UF: Nursing staff
BT: HEALTH PROFESSIONALS
NT: DISTRICT NURSES
HEALTH VISITORS
MIDWIVES
NURSING AUXILIARIES
PSYCHIATRIC NURSES

RT: NURSING

Nurses aids

USE: NURSING AUXILIARIES

NURSING

BT: HEALTHCARE AND HEALTH SERVICES

NT: COMMUNITY NURSING

RT: NURSES

Nursing assistants

USE: NURSING AUXILIARIES

NURSING AUXILIARIES

UF: Nurses aids

Nursing assistants

BT: NURSES

NURSING HOMES

BT: RESIDENTIAL CARE

Nursing staff

USE: NURSES

NUTRITION

BT: FOOD AND NUTRITION

NT: CALORIES

CHILD NUTRITION

FOOD POISONING

FOOD REGULATIONS

HEALTHY EATING

INFANT NUTRITION

MINERALS

NUTRITION COMPONENTS

NUTRITIONAL DEFICIENCY

NUTRITIONAL STATUS

ORGANIC NUTRITION

VEGETARIAN NUTRITION

RT: EATING HABITS

SCHOOL MEALS

Nutrition behaviour

USE: EATING HABITS

NUTRITION COMPONENTS

BT: NUTRITION

NT: ANTIOXIDANTS

CARBOHYDRATES

FIBRE

LIPIDS

MINERALS

PROTEINS

TRACE ELEMENTS

VITAMINS

RT: FOOD

NUTRITIONAL DEFICIENCY

NUTRITION EDUCATION
BT: HEALTH EDUCATION

NUTRITIONAL DEFICIENCY
BT: NUTRITION
NT: MALNUTRITION
RT: FOOD POVERTY
NUTRITION COMPONENTS

NUTRITIONAL STATUS
BT: NUTRITION

NUTS
BT: FOOD
RT: HEALTH REGIONS

NUTS1
BT: AREAS
RT: HEALTH REGIONS

NUTS2
BT: AREAS
RT: HEALTH REGIONS

NUTS3
BT: AREAS
RT: HEALTH REGIONS

NUTS4
BT: AREAS
RT: HEALTH REGIONS

NUTS5
BT: AREAS
RT: HEALTH REGIONS

NVQs
UF: National vocational qualifications
BT: QUALIFICATIONS

OBESITY
SN: A condition of abnormal or excessive fat accumulation in the adipose tissue to the extent that health may be impaired. In practice, the consensus is that obesity is equal to a body mass index of 30 and above. Over 40 is very obese
BT: BIOLOGICAL COMPOSITION
CAUSES OF HARM
OVERWEIGHT

OBSTETRICIANS
BT: MEDICAL STAFF

Occupation
USE: OCCUPATIONAL GROUPS

Occupational development
USE: CAREER DEVELOPMENT

OCCUPATIONAL DISEASES
UF: Industrial diseases
BT: DEATH, DISEASE AND DISABILITY
NT: INCAPACITATED FOR WORK
RT: SICKNESS ABSENCE

OCCUPATIONAL GROUPS
UF: Occupation
BT: GROUPS
NT: CARE WORKERS
COMMUNITY DEVELOPMENT WORKERS
EDUCATION PROFESSIONALS
EMPLOYEES
EMPLOYERS
HEALTH PROFESSIONALS
MANAGERS
POLICY MAKERS
PUPILS
RESEARCHERS
RETIRED PEOPLE
SEX WORKERS
SOCIAL WORKERS
STUDENTS
UNEMPLOYED PEOPLE
VOLUNTEERS
YOUNG WORKERS

Occupational health
USE: OCCUPATIONAL HEALTH AND SAFETY

OCCUPATIONAL HEALTH AND SAFETY
UF: Health and safety
Health at work
Industrial health
Industrial hygiene
Occupational health
Occupational safety
Safety at work
Workplace health and safety
BT: HEALTH
SAFETY

Occupational health promotion
USE: WORKPLACE HEALTH PROMOTION

Occupational injuries
USE: INJURIES

Occupational safety
USE: OCCUPATIONAL HEALTH AND SAFETY

Occupational therapy

USE: REHABILITATION

OESOPHAGEAL CANCER

BT: CANCER

RT: DIGESTIVE TRACT DISEASES

OESTROGEN

BT: HORMONES

RT: HORMONE REPLACEMENT THERAPY

TESTOSTERONE

OFFENDERS

UF: Delinquents

BT: VULNERABLE GROUPS

RT: CUSTODIAL CENTRES

PAROLE WORK

PRISONERS

PRISONS

Old age pensioners

USE: OLDER PEOPLE

Old people

USE: OLDER PEOPLE

OLDER PEOPLE

SN: Adults aged 50-75 years

UF: Aged

Aged people

Elderly people

Old age pensioners

Old people

Pensioners

Senior citizens

Vulnerable road users

BT: ADULTS

RT: AGEING

AGEING POPULATIONS

DEMENTIA

GERIATRICS

RETIRED PEOPLE

VERY OLD PEOPLE

One parent families

USE: SINGLE PARENT FAMILIES

ONS AREA CLASSIFICATIONS

BT: AREAS

OPEN LEARNING

BT: EDUCATIONAL SYSTEMS

RT: DISTANCE LEARNING

OPHTHALMIC SERVICES

SN: was PHITS level 3 term

BT: PRIMARY CARE SERVICES

RT: EYE CARE

Opinion polls

USE: SURVEYS

Opted out hospitals

USE: NHS TRUSTS

ORAL CANCER

BT: CANCER

RT: ORAL HEALTH DISORDERS

ORAL CONTRACEPTION

UF: Contraceptive pills
Pill

BT: CONTRACEPTION

NT: EMERGENCY CONTRACEPTION

ORAL HEALTH

UF: Oral hygiene

BT: HEALTH

NT: DENTAL HEALTH

RT: FLUORIDATION

ORAL HEALTH PROMOTION

ORAL HEALTH DISORDERS

BT: DEATH, DISEASE AND DISABILITY

RT: ORAL CANCER

ORAL HEALTH PROMOTION

BT: HEALTH PROMOTION

RT: ORAL HEALTH

Oral hygiene

USE: ORAL HEALTH

Oral information

USE: INFORMATION DISSEMINATION AND EXCHANGE

ORAL SEX

BT: SEXUAL PRACTICES

ORGAN SYSTEMS

BT: BIOMEDICAL SCIENCE

NT: CARDIOVASCULAR SYSTEM

CENTRAL NERVOUS SYSTEM

COGNITIVE FUNCTIONS

DIGESTIVE SYSTEM

IMMUNE SYSTEM

MUSCULOSKELETAL SYSTEM

ORGANIC NUTRITION

BT: NUTRITION

RT: GENETIC MODIFICATION

ORGANISATIONAL CHANGE

UF: Administrative changes
Change
Change (organisational)
BT: ORGANISATIONAL PSYCHOLOGY
RT: BEHAVIOURAL CHANGE

ORGANISATIONAL PSYCHOLOGY
BT: PSYCHOLOGY
NT: ORGANISATIONAL CHANGE

ORGANISATIONS
UF: Associations
BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION
PEOPLE AND POPULATIONS
NT: INTERNATIONAL ORGANISATIONS
NATIONAL ORGANISATIONS
NETWORKS
NON PROFIT ORGANISATIONS
PATIENTS' ASSOCIATIONS
PROFESSIONAL ORGANISATIONS
PUBLIC HEALTH ORGANISATIONS
SPECIAL HEALTH AUTHORITIES
TRADE UNIONS
VOLUNTARY ORGANISATIONS
RT: COOPERATION

OSTEOPATHY
SN: The science of human mechanics. " A school of medicine based upon the concept of the normal body as a vital machine capable, when in correct adjustment, of making its own remedies against infections and other toxic conditions; practitioners use the diagnostic and therapeutic measures of conventional medicine in addition to manipulative measures." (Stedman's concise medical and allied health dictionary)
BT: COMPLEMENTARY MEDICINE
RT: CHIROPRACTIC

OSTEOPOROSIS
BT: MUSCULOSKELETAL DISORDERS

OTHER DISORDERS
BT: DEATH, DISEASE AND DISABILITY
NT: HYPERTHERMIA
HYPOTHERMIA
JET LAG
ME

OUT OF SCHOOL ACTIVITIES
BT: SCHOOLS
NT: BREAKFAST CLUBS
RT: AFTER SCHOOL CLUBS

OUTDOOR AIR POLLUTION
UF: Volatile organic compounds

BT: AIR QUALITY
NT: CARBON MONOXIDE
VEHICLE RELATED AIR POLLUTION
RT: INDOOR AIR POLLUTION
OZONE

Outpatient
USE: OUTPATIENT CARE

OUTPATIENT CARE
UF: Outpatient
BT: HOSPITALS
SECONDARY AND TERTIARY SERVICES
RT: DAY CARE

OUTREACH WORK
UF: Street work
BT: SOCIAL WORK
RT: HARD TO REACH GROUPS

OVARIAN CANCER
BT: CANCER
RT: GYNAECOLOGICAL DISORDERS

OVERWEIGHT
SN: Overweight is equal to a body mass index of
25-25.9.
BT: WEIGHT
NT: OBESITY
RT: BODY IMAGE
BODY MASS INDEX
EATING DISORDERS

OZONE
BT: ENVIRONMENT
NATURAL ENVIRONMENT
POLLUTANTS
RT: AIR
CARBON MONOXIDE
CLIMATE CHANGE
OUTDOOR AIR POLLUTION
SUN

PAEDIATRICS
UF: Pediatrics
BT: MEDICINE

PAEDOPHILES
BT: SEXUALITY
RT: CHILD SEXUAL ABUSE
INCEST

Pakistani people
USE: ASIAN PEOPLE

Pakistanis

USE: ASIAN PEOPLE

PALLIATIVE CARE

UF: Palliative treatment
BT: CARE
NT: TERMINAL CARE
RT: HOSPICES

Palliative treatment

USE: PALLIATIVE CARE

PAMS

USE: ALLIED HEALTH PROFESSIONALS

PANCREATIC CANCER

BT: CANCER

Parentcraft

USE: PARENTING

PARENTING

UF: Parentcraft
Parenting problems
BT: LIFESKILLS

Parenting problems

USE: PARENTING

PARENTS

BT: FAMILIES
NT: EXPECTANT PARENTS
FATHERS
MOTHERS
SINGLE PARENTS
TEENAGE PARENTS
WORKING PARENTS

PARISHES

BT: AREAS

PAROLE WORK

BT: SOCIAL WORK
RT: CUSTODIAL CENTRES
OFFENDERS
PRISONS

PART TIME EMPLOYMENT

BT: EMPLOYMENT
RT: CASUAL EMPLOYMENT
FULL TIME EMPLOYMENT
SHIFT WORKING

Participant observation

USE: QUALITATIVE RESEARCH

Participatory research

USE: ACTION RESEARCH

PARTICULATES

BT: POLLUTANTS

PARTNER ABUSE

UF: Spouse abuse

Wife battering

BT: ABUSE

Partner notification

USE: CONTACT TRACING

PARTNERS

SN: In the context of relationships.

UF: Couples

Spouses

BT: FAMILIES

RT: INTERPERSONAL RELATIONSHIPS

PARTNERSHIP WORKING

BT: PARTNERSHIPS

NT: INTERAGENCY WORKING

INTERPROFESSIONAL WORKING

PARTNERSHIPS

SN: In the context of partnerships between different agencies, organisations or professional groups.

BT: MANAGEMENT AND POLICY

NT: LOCAL STRATEGIC PARTNERSHIPS

PARTNERSHIP WORKING

PUBLIC, PRIVATE PARTNERSHIPS

RT: INTERAGENCY WORKING

Parturition

USE: CHILDBIRTH

PASSIVE SMOKING

BT: SMOKING

RT: ENVIRONMENTAL TOBACCO SMOKE

TOBACCO SMOKE

Pastoral care

USE: SCHOOL COUNSELLING

PATIENT ADVICE

BT: ADVICE

Patient advocates

USE: ADVOCACY

PATIENT CHOICE

BT: EMPOWERMENT

PATIENTS

RT: DECISION MAKING

PATIENT SATISFACTION

USER CHOICE

PATIENT EDUCATION

UF: Patient instruction
BT: HEALTH EDUCATION
NT: PATIENT INFORMATION
RT: INFORMED CONSENT
PERSONALISED INFORMATION

PATIENT INFORMATION

BT: PATIENT EDUCATION
RT: CONSUMER INFORMATION
PERSONALISED INFORMATION

Patient instruction

USE: PATIENT EDUCATION

Patient insurance schemes

USE: HEALTH INSURANCE

PATIENT PARTICIPATION

BT: PATIENTS
RT: DOCTOR PATIENT RELATIONSHIPS
EMPOWERMENT
PATIENTS' ASSOCIATIONS

Patient records

USE: MEDICAL RECORDS

PATIENT SAFETY

UF: Safety (of patients)
BT: QUALITY

PATIENT SATISFACTION

BT: PATIENTS
RT: PATIENT CHOICE

PATIENTS

UF: Service users
Users
BT: GROUPS
NT: PATIENT CHOICE
PATIENT PARTICIPATION
PATIENT SATISFACTION
PATIENTS' CHARTERS
PATIENTS' RIGHTS
RT: CONSUMERS
DOCTOR PATIENT RELATIONSHIPS

PATIENTS' ASSOCIATIONS

BT: ORGANISATIONS
RT: PATIENT PARTICIPATION

PATIENTS' CHARTERS

BT: EMPOWERMENT
PATIENTS

RT: PATIENTS' RIGHTS

PATIENTS' RIGHTS

UF: Rights

BT: EMPOWERMENT

PATIENTS

NT: COMPLAINTS

RT: ADVOCACY

PATIENTS' CHARTERS

PCTs

USE: PRIMARY CARE TRUSTS

PEDESTRIANS

UF: Vulnerable road users

BT: VULNERABLE GROUPS

RT: ROAD SAFETY

WALKING

Pediatrics

USE: PAEDIATRICS

PEER EDUCATION

BT: TEACHING METHODS

RT: GROUP EDUCATION

PEER GROUPS

PEER GROUPS

BT: GROUPS

RT: MUTUAL AID

PEER EDUCATION

Pension schemes

USE: PENSIONS

Pensioners

USE: OLDER PEOPLE

PENSIONS

UF: Pension schemes

BT: FINANCE

RT: RETIREMENT

PEOPLE AND POPULATIONS

SN: covers aspects and attributes of individual
persons and groups of people

UF: Person

NT: BELIEFS

COMMUNITIES

CULTURAL IDENTITY

GENDER

GROUPS

HOUSEHOLDS

LIFE EVENTS

ORGANISATIONS

RACE

RELATIONSHIPS
SEXUALITY

PEOPLE WITH DEMENTIA
BT: PEOPLE WITH MENTAL HEALTH PROBLEMS
RT: DEMENTIA

PEOPLE WITH DISABILITIES
BT: GROUPS
NT: PEOPLE WITH LEARNING DISABILITIES
PEOPLE WITH PHYSICAL DISABILITIES
RT: DISABILITIES

PEOPLE WITH HEARING DISABILITIES
BT: PEOPLE WITH PHYSICAL DISABILITIES
RT: DEAFNESS

PEOPLE WITH HIV OR AIDS
UF: HIV-positive people
BT: GROUPS
RT: AIDS
HIV INFECTION

PEOPLE WITH LEARNING DISABILITIES
UF: Learning disabled
BT: PEOPLE WITH DISABILITIES
RT: LEARNING DISABILITIES

PEOPLE WITH MENTAL HEALTH PROBLEMS
UF: Mentally ill
BT: VULNERABLE GROUPS
NT: PEOPLE WITH DEMENTIA
RT: MENTAL HEALTH

PEOPLE WITH PHYSICAL DISABILITIES
BT: PEOPLE WITH DISABILITIES
NT: PEOPLE WITH HEARING DISABILITIES
PEOPLE WITH VISUAL DISABILITIES
RT: PHYSICAL DISABILITIES

PEOPLE WITH VISUAL DISABILITIES
BT: PEOPLE WITH PHYSICAL DISABILITIES
NT: BLIND PEOPLE

PERFORMANCE
SN: meaning performance of health care
BT: QUALITY
RT: PERFORMANCE INDICATORS
PERFORMANCE MONITORING

PERFORMANCE & ASSESSMENT FRAMEWORKS
BT: FRAMEWORKS

PERFORMANCE INDICATORS
UF: Performance measures
BT: INDICATORS

RT: PERFORMANCE

Performance measures

USE: PERFORMANCE INDICATORS

PERFORMANCE MONITORING

BT: MANAGEMENT
MONITORING

NT: CLINICAL AUDIT
FINANCIAL AUDIT

RT: EFFECTIVENESS
EVALUATION
PERFORMANCE
QUALITY CONTROL

PERINATAL CONDITIONS

SN: was PHITS level 3 term

BT: PREGNANCY

PERINATAL MORTALITY

SN: was PHITS level 3 term

BT: HEALTH STATUS

Person

SN: was PHITS level 1 term

USE: PEOPLE AND POPULATIONS

PERSONAL AND SOCIAL EDUCATION

BT: EDUCATION

RT: INTERPERSONAL SKILLS
SEX EDUCATION
SOCIAL STUDIES

Personal cleanliness

USE: PERSONAL HYGIENE

PERSONAL DEVELOPMENT

UF: Self development

BT: DEVELOPMENT

RT: INTERPERSONAL SKILLS
LIFESKILLS

Personal health

USE: HEALTH

PERSONAL HYGIENE

UF: Personal cleanliness

BT: HYGIENE

Personal networks

USE: SOCIAL NETWORKS

PERSONAL RELATIONSHIPS

BT: RELATIONSHIPS

NT: COHABITATION
FAMILIES

MARRIAGE
SINGLE PEOPLE
RT: INTERPERSONAL SKILLS

PERSONAL SAFETY
BT: SAFETY
RT: LIFESKILLS
VIOLENCE

Personal social services
USE: SOCIAL SERVICES

PERSONALISED INFORMATION
SN: Information about identifiable data subjects, eg patients
or survey respondents.
BT: INFORMATION
RT: PATIENT EDUCATION
PATIENT INFORMATION

PERSONALITY
UF: Character
Personality traits
Temperament
BT: PSYCHOLOGICAL DETERMINANTS
NT: ATTITUDES
EMOTIONS

PERSONALITY DISORDERS
UF: Inadequate personality
BT: MENTAL AND BEHAVIOURAL DISORDERS
NT: NEUROTIC DISORDERS
PHOBIC DISORDERS
PSYCHOTIC DISORDERS
SCHIZOPHRENIA

Personality traits
USE: PERSONALITY

Personnel management
USE: HUMAN RESOURCES MANAGEMENT

PESTICIDES
BT: POLLUTANTS
RT: AGRICULTURAL POLLUTION

PFI
USE: PRIVATE FINANCE INITIATIVES

PHARMACEUTICAL INDUSTRY
BT: INDUSTRY
RT: PHARMACIES

Pharmaceutical products
USE: DRUGS

PHARMACEUTICAL SERVICES

SN: WAS PHITS level 3 TERM
BT: PRIMARY CARE SERVICES
RT: MEDICINES
PHARMACIES
PHARMACISTS

Pharmaceuticals
USE: DRUGS

PHARMACIES
UF: Chemists
Dispensaries
BT: HEALTHCARE AND HEALTH SERVICES
RT: PHARMACEUTICAL INDUSTRY
PHARMACEUTICAL SERVICES
PHARMACISTS

PHARMACISTS
BT: HEALTH PROFESSIONALS
RT: PHARMACEUTICAL SERVICES
PHARMACIES
PRESCRIPTIONS

PHOBIC DISORDERS
UF: Agoraphobia
BT: PERSONALITY DISORDERS
RT: NEUROTIC DISORDERS
PSYCHOTIC DISORDERS

Physical abuse
USE: DOMESTIC VIOLENCE

PHYSICAL ACTIVITY
UF: Exercise
BT: INDIVIDUAL BEHAVIOUR
NT: CYCLING
DANCING
EXERCISE REFERRAL SCHEMES
EXERCISES
GAMES
JOGGING
PLAY
SPORTS
SWIMMING
WALKING
WEIGHT TRAINING
RT: ACTIVITIES
FITNESS
LEISURE ACTIVITIES
LEISURE TIME
PHYSICAL EDUCATION

PHYSICAL DEVELOPMENT
BT: PHYSIOLOGY
NT: CHILDBIRTH
GROWTH

PREGNANCY
PUBERTY
RT: DEVELOPMENTAL DISORDERS

PHYSICAL DISABILITIES
UF: Physical disadvantage
Physical handicap
BT: DISABILITIES
RT: PEOPLE WITH PHYSICAL DISABILITIES

Physical disadvantage
USE: PHYSICAL DISABILITIES

PHYSICAL EDUCATION
BT: EDUCATION
RT: PHYSICAL ACTIVITY
SPORTS

Physical handicap
USE: PHYSICAL DISABILITIES

Physical therapy
USE: PHYSIOTHERAPY

Physicians
USE: MEDICAL STAFF

PHYSIOLOGY
BT: SCIENCES
NT: AGEING
BIORHYTHMS
BODY MEASUREMENTS
FATIGUE
FERTILITY
HORMONES
MENOPAUSE
PHYSICAL DEVELOPMENT
SLEEP
RT: ANATOMY

PHYSIOTHERAPY
UF: Physical therapy
BT: THERAPY

PIGMENTATION DISORDERS
BT: SKIN DISORDERS

Pill
USE: ORAL CONTRACEPTION

PLACEBOS
BT: MEDICINES

PLACES
SN: was PHITS level 1 heading
BT: SETTINGS AND PLACES

NT: AREAS
HEALTH REGIONS
LINES
POINTS

PLANNING

UF: Planning procedures
BT: POLICY
NT: EMERGENCY PLANNING
HEALTH PLANNING
SERVICE PLANNING
SOCIAL PLANNING
STRATEGIC PLANNING

Planning procedures
USE: PLANNING

PLASTIC SURGERY
BT: SURGERY

PLAY

UF: Childrens play
BT: PHYSICAL ACTIVITY
RT: GAMES

PLAYGROUNDS
BT: BUILDINGS, CONSTRUCTIONS AND POINTS
RT: GAMES

PNEUMONIA
BT: RESPIRATORY DISORDERS
RT: INFLUENZA

Podiatry
USE: FOOT HEALTH

POINTS

SN: Any specific place - a point on a map
BT: PLACES
NT: CLUSTERS
COMMUNAL ESTABLISHMENTS
FULL POSTCODES
GENERAL PRACTICE
GRID REFERENCES
HOMES
HOSPICES
HOSPITALS
INSTALLATIONS
LEISURE FACILITIES
RETAIL OUTLETS
SCHOOLS
WORKPLACE
RT: BUILDINGS, CONSTRUCTIONS AND POINTS

POISONING
BT: CAUSES OF HARM

INJURIES
RT: ACCIDENTS
SELF HARM
SUICIDE

POISONOUS SUBSTANCES
BT: CAUSES OF HARM

POLICE
BT: PUBLIC SERVICES

POLICY
UF: Healthcare (policy)
Regeneration (policy)
Research policy
Social exclusion (policy)
Sustainable development (policy)
Wider health (policy)
BT: MANAGEMENT AND POLICY
NT: ECONOMIC POLICY
EMPLOYMENT POLICY
GOVERNMENT POLICY
HEALTH POLICY
PLANNING
POLICY FORMULATION
SOCIAL POLICY
RT: POLICY EVALUATION
POLICY MAKERS
STRATEGY

Policy appraisal
USE: POLICY EVALUATION

POLICY EVALUATION
UF: Policy appraisal
BT: EVALUATION
RT: POLICY

POLICY FORMULATION
UF: Formulation of policy
Policy making
BT: POLICY

POLICY MAKERS
BT: OCCUPATIONAL GROUPS
RT: POLICY

Policy making
USE: POLICY FORMULATION

POLIO
BT: COMMUNICABLE DISEASES

POLITICS
BT: GOVERNMENT AND LAW

POLLUTANTS

BT: CAUSES OF HARM
NT: ASBESTOS
CARBON MONOXIDE
HEAVY METALS
OZONE
PARTICULATES
PESTICIDES
RADIATION
TOBACCO SMOKE
RT: CHEMICALS
POLLUTION

POLLUTION

UF: Environmental pollution
BT: ENVIRONMENT
NT: AGRICULTURAL POLLUTION
AIR QUALITY
INDUSTRIAL POLLUTION
NOISE POLLUTION
SOIL CONTAMINATION
WATER POLLUTION
RT: POLLUTANTS

Polypeptides

USE: PROTEINS

POPULATION BASED AND PREVENTIVE SERVICES

SN: was PHITS level 2 term
BT: SERVICES
NT: COMMUNITY DEVELOPMENT
ENVIRONMENTAL HEALTH
FAMILY PLANNING
HEALTH PROTECTION
INFECTION CONTROL
REGENERATION
SCREENING
SMOKING CESSATION

POPULATION CHANGE

UF: Migration and population change
BT: SOCIAL ISSUES
NT: MIGRATION

Population data

USE: DEMOGRAPHIC DATA

Population migration

USE: MIGRATION

POPULATION SIZE AND DENSITY

BT: DEMOGRAPHY

POPULATION STRUCTURE

BT: DEMOGRAPHY
SOCIODEMOGRAPHIC FACTORS

Population studies

USE: DEMOGRAPHY

POST CODE DISTRICTS

SN: Refers to UK postcodes (ZIP codes) as identifiers
of place

BT: AREAS

POST CODE SECTORS

SN: Refers to UK postcodes (ZIP codes) as identifiers
of place

BT: AREAS

POST TRAUMATIC STRESS

BT: MENTAL AND BEHAVIOURAL DISORDERS

POSTNATAL CARE

BT: CARE

RT: PREGNANCY

WELL NEONATES

POSTNATAL DEPRESSION

BT: DEPRESSION

PREGNANCY AND CHILDBIRTH DISORDERS

POSTURE

BT: ERGONOMICS

RT: ANATOMY

LIFTING

WRULDS

POULTRY

BT: FOOD

POVERTY

UF: Deprivation

Deprivation and poverty

BT: SOCIOECONOMIC STATUS

NT: CHILD POVERTY

FOOD POVERTY

FUEL POVERTY

RT: DEPRIVED AREAS

LOW INCOME

PR

UF: Public relations

BT: COMMUNICATION

PRE CONCEPTION

BT: FERTILITY

RT: ANTENATAL CARE

CONCEPTION

FERTILITY TESTS

FOLIC ACID

Pre natal care
USE: ANTENATAL CARE

PRE RETIREMENT
UF: Preparation for retirement
BT: RETIREMENT

PRE SCHOOL CHILDREN
SN: Young children between 3-5 years before they start
primary school
UF: Under fives
BT: CHILDREN
RT: BOYS
GIRLS
INFANTS
NURSERY SCHOOLS

PRE SCHOOL SETTINGS
BT: EDUCATIONAL SETTINGS
NT: NURSERY SCHOOLS

Predictors
USE: RISK FACTORS

PREGNANCY
UF: Pregnancy and childbirth
BT: PHYSICAL DEVELOPMENT
NT: PERINATAL CONDITIONS
TEENAGE PREGNANCY
UNWANTED PREGNANCY
RT: ANTENATAL CARE
CHILDBIRTH
CONCEPTION
EXPECTANT PARENTS
FOETAL ALCOHOL SYNDROME
MIDWIVES
POSTNATAL CARE
PREGNANT WOMEN

Pregnancy and childbirth
SN: was PHITS level 2 term
USE: CHILDBIRTH
PREGNANCY

PREGNANCY AND CHILDBIRTH DISORDERS
BT: DEATH, DISEASE AND DISABILITY
NT: LOW BIRTH WEIGHT
POSTNATAL DEPRESSION
SUDDEN INFANT DEATH SYNDROME
RT: FOETAL ALCOHOL SYNDROME

Pregnancy termination
USE: ABORTION

PREGNANT WOMEN
BT: EXPECTANT PARENTS

RT: PREGNANCY
WOMEN

PREMATURE BIRTH
BT: CHILDBIRTH

Preparation for retirement
USE: PRE RETIREMENT

PRESCRIBING
UF: Drug prescribing
Prescribing practices
Prescription writing
BT: MEDICINES MANAGEMENT

Prescribing practices
USE: PRESCRIBING

Prescription writing
USE: PRESCRIBING

PRESCRIPTIONS
BT: MEDICINES
RT: PHARMACISTS

Press officers

PRESSURE GROUPS
UF: Interest groups
BT: GROUPS
RT: LOBBYING

PRETESTING
SN: Tries out a message or materials with a target audience to gain reactions, assess appropriateness. Usually qualitatively through interviews with individuals or focus groups. Use when the study is about pretesting or discusses how to do it.
BT: RESEARCH

PREVALENCE
BT: EPIDEMIOLOGY
RT: INCIDENCE

PREVENTION
BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION
NT: ACCIDENT PREVENTION
RT: HARM REDUCTION
HEALTH PROMOTION
PUBLIC HEALTH

Prevention of crime
USE: CRIME PREVENTION

Price

USE: PRICING

Price determination

USE: PRICING

PRICING

UF: Price

Price determination

BT: COSTING

PRIMARY CARE ORGANISATIONS

BT: AREAS

RT: PRIMARY CARE SERVICES

PRIMARY CARE SERVICES

BT: HEALTH SERVICES

SERVICES

NT: CLINICS

COMMUNITY NURSING

DENTAL HEALTH CARE

GENERAL MEDICAL

GENERAL PRACTICE

HEALTH CENTRES

OPHTHALMIC SERVICES

PHARMACEUTICAL SERVICES

PRIMARY CARE TRUSTS

RT: DENTISTS

HEALTHY LIVING CENTRES

PRIMARY CARE ORGANISATIONS

PRIMARY CARE TRUSTS

UF: PCTs

BT: PRIMARY CARE SERVICES

PRIMARY SCHOOLS

BT: SCHOOLS

Principles

USE: THEORY

Prison population

SN: was PHITS level 3 term

USE: PRISONERS

PRISONERS

UF: Prison population

BT: VULNERABLE GROUPS

RT: OFFENDERS

PRISONS

PRISONS

BT: BUILDINGS, CONSTRUCTIONS AND POINTS

RT: CUSTODIAL CENTRES

OFFENDERS

PAROLE WORK

PRISONERS

Privacy

USE: CONFIDENTIALITY

PRIVATE FINANCE INITIATIVES

UF: PFI

BT: HEALTH ECONOMICS

PRIVATE HEALTH CARE

BT: HEALTH SERVICES

RT: HEALTH INSURANCE

PRIVATE SECTOR

BT: ECONOMIC SYSTEMS

PRIVATE TRANSPORT

BT: TRANSPORT

PROBATION WORK

BT: SOCIAL WORK

Professional associations

USE: PROFESSIONAL ORGANISATIONS

Professional care

USE: PROFESSIONAL PRACTICE

PROFESSIONAL COMPETENCE

UF: Competence (professional)

Fitness to practice

Professional competency

BT: PROFESSIONAL PRACTICE

Professional competency

USE: PROFESSIONAL COMPETENCE

Professional education

USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

PROFESSIONAL EDUCATION AND DEVELOPMENT

UF: Continuing professional development

In-service training

Professional education

Professional training

Vocational education

Vocational training

BT: EDUCATIONAL SYSTEMS

NT: RETRAINING

RT: CAREER DEVELOPMENT

PROFESSIONAL ORGANISATIONS

UF: Professional associations

BT: ORGANISATIONS

PROFESSIONAL PRACTICE

UF: Professional care

BT: HEALTHCARE AND HEALTH SERVICES
NT: PROFESSIONAL COMPETENCE
PROFESSIONAL ROLE
RT: EVIDENCE BASED PRACTICE

PROFESSIONAL ROLE
BT: PROFESSIONAL PRACTICE

Professional training
USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

Professions Allied to Medicine
USE: ALLIED HEALTH PROFESSIONALS

Programmes
USE: PROJECTS

PROJECT MANAGEMENT
BT: MANAGEMENT
PROJECTS

Project plans
USE: PROJECTS

Project reports
USE: PROJECTS

PROJECTIONS
BT: TIME

PROJECTS
UF: Programmes
Project plans
Project reports
BT: MANAGEMENT AND POLICY
NT: COMMUNITY PROJECTS
PROJECT MANAGEMENT
RESEARCH PROJECTS

PROPHYLACTIC TREATMENT
SN: Medical treatment to prevent a condition or
disease progression. e.g. aspirin to prevent
heart disease
BT: MEDICAL TREATMENT

Prospective studies
USE: COHORT STUDIES

PROSTATE CANCER
BT: CANCER

Prostitutes
USE: SEX WORKERS

PROSTITUTION
BT: SOCIAL ISSUES

RT: SEX TOURISM
SEX WORKERS

Protective devices
USE: SAFETY EQUIPMENT

PROTEINS
UF: Polypeptides
BT: NUTRITION COMPONENTS
NT: GLUTEN

PROTESTANTISM
BT: CHRISTIANITY

PROTOCOLS
BT: FRAMES OF REFERENCE

PROVIDERS
BT: NHS
RT: COMMISSIONING
PURCHASERS

Provision of services
USE: SERVICE PROVISION

Psychedelic agents
USE: HALLUCINOGENS

PSYCHIATRIC CARE
BT: MEDICAL TREATMENT
NT: PSYCHOTHERAPY
RT: MENTAL HEALTH SERVICES

Psychiatric health services
USE: MENTAL HEALTH SERVICES

Psychiatric hospitals
USE: HOSPITALS

PSYCHIATRIC NURSES
BT: NURSES

Psychiatric services
USE: MENTAL HEALTH SERVICES

PSYCHIATRISTS
BT: HEALTH PROFESSIONALS
NT: PSYCHOTHERAPISTS

PSYCHIATRY
BT: MEDICINE

PSYCHOLOGICAL DETERMINANTS
SN: was PHITS level 3 term
BT: DETERMINANTS OF HEALTH
NT: HEALTH BELIEFS

PERSONALITY
RT: PSYCHOLOGY

Psychological stress
USE: STRESS

Psychological therapy
USE: PSYCHOTHERAPY

PSYCHOLOGISTS
BT: HEALTH PROFESSIONALS
RT: PSYCHOLOGY

PSYCHOLOGY
UF: Behavioural psychology
BT: BEHAVIOURAL SCIENCES
NT: BEHAVIOUR
INTELLIGENCE
ORGANISATIONAL PSYCHOLOGY
SELF ESTEEM
RT: PSYCHOLOGICAL DETERMINANTS
PSYCHOLOGISTS
PSYCHOTHERAPY

Psychosexual problems
USE: SEXUAL PROBLEMS

PSYCHOSOCIAL FACTORS
UF: Psychosocial problems
BT: SOCIAL FACTORS
NT: ADDICTION
BEREAVEMENT

Psychosocial problems
USE: PSYCHOSOCIAL FACTORS

Psychosocial work
USE: SOCIAL WORK

PSYCHOTHERAPISTS
BT: PSYCHIATRISTS

PSYCHOTHERAPY
UF: Psychological therapy
BT: PSYCHIATRIC CARE
THERAPY
RT: PSYCHOLOGY

PSYCHOTIC DISORDERS
BT: PERSONALITY DISORDERS
RT: NEUROTIC DISORDERS
PHOBIC DISORDERS

PUBERTY
UF: Adolescence
BT: PHYSICAL DEVELOPMENT

RT: YOUNG PEOPLE

Public (general public)

USE: GENERAL PUBLIC

PUBLIC HEALTH

SN: The science and art of promoting health, preventing disease, and prolonging life through the organized efforts of society. (Health promotion glossary, 1998)

BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION

NT: ENVIRONMENTAL HEALTH

RT: PREVENTION

PUBLIC HEALTH WORKERS

PUBLIC HEALTH METHODS, THEORY AND RESEARCH

SN: covers the sciences and technologies which underlie health promotion and healthcare, methods and metrics, and research

NT: EPIDEMIOLOGICAL MEASURES

METHODS

RESEARCH

SCIENCE AND TECHNOLOGY

THEORY

PUBLIC HEALTH OBSERVATORIES

BT: PUBLIC HEALTH ORGANISATIONS

PUBLIC HEALTH ORGANISATIONS

BT: ORGANISATIONS

NT: NHS

PUBLIC HEALTH OBSERVATORIES

RT: HEALTH SERVICES

PUBLIC HEALTH WORKERS

SN: was PHITS level 3, 'public health'

BT: HEALTH PROFESSIONALS

RT: PUBLIC HEALTH

Public houses

USE: PUBS

PUBLIC INFORMATION

BT: INFORMATION

RT: CONSUMER INFORMATION

PUBLIC PLACES

BT: BUILT ENVIRONMENT

Public relations

USE: PR

PUBLIC SECTOR

BT: ECONOMIC SYSTEMS

PUBLIC SERVICES

BT: GOVERNMENT AND LAW

NT: ARMED FORCES
POLICE
PUBLIC TRANSPORT
RT: HEALTH SERVICES
SOCIAL SERVICES

PUBLIC TRANSPORT
BT: PUBLIC SERVICES
TRANSPORT

PUBLIC, PRIVATE PARTNERSHIPS
BT: PARTNERSHIPS

Publicity
USE: ADVERTISING

PUBS
UF: Public houses
BT: BUILDINGS, CONSTRUCTIONS AND POINTS
RT: LEISURE FACILITIES

PULSES
BT: FOOD

Pump failure
USE: HEART FAILURE

PUPILS
SN: Age range from 4 to 16 in UK, 4 to 18 in USA. For
students of further or higher education use
STUDENTS
UF: Highschool students
Schoolchildren
BT: OCCUPATIONAL GROUPS
RT: SCHOOL EXCLUSIONS
STUDENTS
TRUANCY

PURCHASERS
BT: NHS
RT: COMMISSIONING
PROVIDERS

QUALIFICATION REQUIREMENTS
UF: Educational requirements
BT: QUALIFICATIONS

QUALIFICATIONS
UF: Academic qualifications
Educational qualifications
BT: EDUCATION
NT: NVQs
QUALIFICATION REQUIREMENTS

QUALITATIVE RESEARCH
SN: Looks at subjective meanings and interpretation

(i.e. not statistics). Ask “how” and “why” type questions. e.g. in depth interviews, focus groups, participant observation, action research
UF: Participant observation
BT: RESEARCH METHODS

QUALITY

SN: was PHITS level 2 term
BT: MANAGEMENT
SERVICES
NT: ACCESS TO SERVICES
ERRORS
GOVERNANCE
PATIENT SAFETY
PERFORMANCE
QUALITY CONTROL
QUALITY IMPROVEMENT
QUALITY STANDARDS

QUALITY CONTROL

BT: QUALITY
RT: PERFORMANCE MONITORING
QUALITY IMPROVEMENT
QUALITY STANDARDS

QUALITY IMPROVEMENT

BT: QUALITY
RT: QUALITY CONTROL

QUALITY OF LIFE

SN: 'Quality of life is defined as individual's perceptions of their position in life in the context of the culture and value system where they live, and in relation to their goals, expectations, standards and concerns. It is a broad ranging concept, incorporating in a complex way a person's physical health, psychological state, level of independence, social relationships, personal beliefs and relationship to salient features of the environment.' (Health promotion glossary, 1998)
BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION
RT: HEALTH STATUS
LIFE EVENTS

Quality of water

USE: WATER QUALITY

QUALITY STANDARDS

BT: QUALITY
STANDARDS
RT: CLINICAL GOVERNANCE
GOOD PRACTICE
QUALITY CONTROL

QUANTITATIVE RESEARCH

SN: Based on measuring and counting, samples of populations, analyses the interaction between variables. e.g. censuses, surveys, cohort studies, case control studies, RCTs
BT: RESEARCH METHODS

QUESTIONNAIRES
BT: RESEARCH METHODS

RACE
BT: PEOPLE AND POPULATIONS
RT: ETHNICITY
RACE RELATIONS

RACE RELATIONS
UF: Relations (race)
BT: SOCIAL ISSUES
RT: RACE

Racial groups
USE: ETHNIC GROUPS

RACISM
BT: DISCRIMINATION

RADIATION
UF: Nuclear power stations
BT: POLLUTANTS
NT: ELECTROMAGNETIC RADIATION
RADON
ULTRAVIOLET RADIATION
RT: NUCLEAR ENERGY

RADON
BT: RADIATION
RT: ELECTROMAGNETIC RADIATION
ULTRAVIOLET RADIATION

Rail
SN: was PHITS level 3 term
USE: RAIL TRANSPORT

RAIL TRANSPORT
UF: Rail
BT: LINES
TRANSPORT
RT: AIR TRANSPORT

Randomised clinical trials
USE: RANDOMISED CONTROLLED TRIALS

RANDOMISED CONTROLLED TRIALS
SN: Subjects randomly allocated to treatment and control (i.e. the researcher does not interact with the group.) The outcomes are measured to ascertain any difference between the two groups.

UF: Randomised clinical trials
RCTs
BT: RESEARCH METHODS
RT: CLINICAL TRIALS

RAPE
BT: SEXUAL VIOLENCE

RCTs
USE: RANDOMISED CONTROLLED TRIALS

Re cycling
USE: RECYCLING

Reading disability
USE: DYSLEXIA

Recipients
USE: CONSUMERS

Recreation
USE: LEISURE ACTIVITIES

Recreational activities
USE: LEISURE ACTIVITIES

Recreational facilities
USE: LEISURE FACILITIES

Recreations
USE: LEISURE ACTIVITIES

RECYCLING
UF: Re cycling
Waste recycling
BT: WASTE
RT: WASTE DISPOSAL

Redundancies
USE: REDUNDANCY

REDUNDANCY
UF: Redundancies
BT: EMPLOYMENT
RT: UNEMPLOYMENT

Refuge houses
USE: WOMEN'S REFUGES

Refuge work
USE: WOMEN'S REFUGES

REFUGEES
UF: Displaced people
Refugees and asylum seekers
War refugees

BT: VULNERABLE GROUPS
RT: ASYLUM SEEKERS

Refugees and asylum seekers
SN: was PHITS level 3 term
USE: ASYLUM SEEKERS
REFUGEES

REGENERATION
UF: Regeneration (policy)
BT: ENVIRONMENT
POPULATION BASED AND PREVENTIVE SERVICES
RT: CAPACITY BUILDING
NEIGHBOURHOOD RENEWAL
SUSTAINABLE DEVELOPMENT

Regeneration (policy)
SN: was PHITS level 3 term
USE: POLICY
REGENERATION

REGIONAL
BT: NATIONAL

REGIONAL DEVELOPMENT
BT: DEVELOPMENT
ECONOMIC DEVELOPMENT

REGIONAL GOVERNMENT
BT: GOVERNMENT
RT: CENTRAL GOVERNMENT
LOCAL GOVERNMENT

REGIONAL POLICY
SN: was PHITS level 2 term
BT: HEALTH POLICY
NT: DH OR NHS REGIONAL POLICY
VOLUNTARY AGENCIES REGIONAL POLICIES

REGIONAL VARIATIONS
BT: GEOGRAPHY

REGULATIONS
UF: Directives
BT: LEGISLATION
NT: TRAFFIC REGULATIONS
RT: FOOD REGULATIONS

REHABILITATION
SN: Therapeutic period of restoration to normal or near normal ability by patient following disease, illness, or injury.
UF: Occupational therapy
BT: CARE
SECONDARY AND TERTIARY SERVICES
RT: AFTERCARE

ALCOHOL MISUSE
HOSPITAL DISCHARGE
SUBSTANCE MISUSE

Relations (race)
USE: RACE RELATIONS

RELATIONSHIPS
BT: PEOPLE AND POPULATIONS
NT: INTERPERSONAL RELATIONSHIPS
PERSONAL RELATIONSHIPS

RELAXATION
BT: MENTAL HEALTH
RT: EXERCISES
LEISURE ACTIVITIES

RELIGION
UF: Faith
Religion or faith
BT: BELIEFS
CULTURAL IDENTITY
NT: CHRISTIANITY
HINDUISM
ISLAM
JUDAISM
RT: CULTURE

Religion or faith
SN: was PHITS level 3
USE: RELIGION

RELIGIOUS GROUPS
UF: Religious people
BT: GROUPS

Religious people
USE: RELIGIOUS GROUPS

Renal diseases
USE: KIDNEY DISEASES

Rent boys
USE: SEX WORKERS

Repetitive strain injury
USE: WRULDS

RESEARCH
SN: Try to use more specific terms
UF: Social research
BT: PUBLIC HEALTH METHODS, THEORY AND RESEARCH
NT: AETIOLOGY
EPIDEMIOLOGY
MEDICAL RESEARCH
NEEDS ASSESSMENT

PRETESTING
RESEARCH GROUPS
RESEARCH METHODS
RT: ANALYSIS

RESEARCH DESIGN
BT: RESEARCH METHODS

RESEARCH GROUPS
BT: RESEARCH
RT: CONTROL GROUPS

Research methodologies
USE: RESEARCH METHODS

RESEARCH METHODS
UF: Research methodologies
Research techniques
BT: METHODS
RESEARCH
NT: ACTION RESEARCH
CASE CONTROL STUDIES
CASE STUDIES
CLINICAL TRIALS
COHORT STUDIES
COMPARATIVE STUDIES
CONTROL GROUPS
DATA COLLECTION
DELPHI METHOD
DEMOGRAPHY
EVALUATION
FOCUS GROUP METHODOLOGY
INTERVIEWS
QUALITATIVE RESEARCH
QUANTITATIVE RESEARCH
QUESTIONNAIRES
RANDOMISED CONTROLLED TRIALS
RESEARCH DESIGN
REVIEWS
SURVEYS
RT: FOCUS GROUPS
MEASUREMENT TECHNIQUES

Research policy
SN: Use POLICY and appropriate terms
USE: POLICY

Research programmes
USE: RESEARCH PROJECTS

RESEARCH PROJECTS
UF: Research programmes
BT: PROJECTS

Research techniques
USE: RESEARCH METHODS

RESEARCHERS
BT: OCCUPATIONAL GROUPS

RESIDENTIAL CARE
UF: Institutional care
BT: CARE
NT: NURSING HOMES
RT: DOMICILIARY SERVICES
HOME CARE
SHELTERED ACCOMMODATION

Resin
USE: CANNABIS

RESOURCE MANAGEMENT
BT: MANAGEMENT

RESPIRATORY DISORDERS
UF: Lung diseases
Respiratory tract diseases
BT: DEATH, DISEASE AND DISABILITY
NT: ASTHMA
BRONCHITIS
CHRONIC AIRWAYS DISEASES
EMPHYSEMA
INFLUENZA
PNEUMONIA
RT: LUNG CANCER

Respiratory tract diseases
USE: RESPIRATORY DISORDERS

RESTAURANTS
UF: Cafes
BT: HOTEL AND RESTAURANT INDUSTRY
RT: CANTEENS

RETAIL OUTLETS
BT: POINTS

RETIRED PEOPLE
BT: OCCUPATIONAL GROUPS
RT: OLDER PEOPLE

RETIREMENT
BT: EMPLOYMENT
NT: PRE RETIREMENT
RT: PENSIONS

RETRAINING
BT: PROFESSIONAL EDUCATION AND DEVELOPMENT
TRAINING

REVIEWS
BT: RESEARCH METHODS

NT: LITERATURE REVIEWS
SYSTEMATIC REVIEWS

RHEUMATIC DISORDERS
BT: MUSCULOSKELETAL DISORDERS
RT: ARTHRITIS

RHINITIS
BT: ALLERGIES

Right to confidentiality
USE: CONFIDENTIALITY

Right ventricular failure
USE: HEART FAILURE

Rights
USE: HUMAN RIGHTS
PATIENTS' RIGHTS

Risk analysis
USE: RISK ASSESSMENT

RISK ASSESSMENT
UF: Risk analysis
Risk evaluation
Risk measurement
BT: MANAGEMENT
RT: RISK MANAGEMENT

Risk evaluation
USE: RISK ASSESSMENT

RISK FACTORS
SN: 'Social, economic or biological status, behaviours
or environments which are associated with or cause
increased susceptibility to a specific disease,
ill health, or injury.' (Health promotion
glossary, 1998)
UF: Predictors
BT: ENVIRONMENTAL DETERMINANTS

RISK MANAGEMENT
BT: MANAGEMENT
NT: EMERGENCY PLANNING
RT: EMERGENCIES
RISK ASSESSMENT

Risk measurement
USE: RISK ASSESSMENT

RIVERS
BT: LINES

ROAD SAFETY
SN: Use this term for the prevention of accidents to

pedestrians, passengers and vehicles. For accounts
or statistics of road traffic accidents use

Traffic accidents

UF: Traffic safety (road)

BT: SAFETY

RT: DRIVING BEHAVIOUR

PEDESTRIANS

ROAD SAFETY EDUCATION

TRAFFIC ACCIDENTS

TRAFFIC REGULATIONS

VEHICLES

ROAD SAFETY EDUCATION

BT: SAFETY EDUCATION

RT: DRIVING BEHAVIOUR

ROAD SAFETY

ROADS

SN: was "road" PHITS level 3 term

UF: Streets

BT: LINES

TRANSPORT

NT: VEHICLES

RT: TRAFFIC REGULATIONS

ROLE PLAY

BT: GROUP EDUCATION

Roseola

USE: RUBELLA

RSI

USE: WRULDS

RUBELLA

UF: German measles

Roseola

BT: COMMUNICABLE DISEASES

RT: IMMUNISATION

Rubeola

USE: MEASLES

RURAL AREAS

SN: was "Rural" PHITS level 3 term

UF: Country areas

BT: AREAS

GEOGRAPHY

RURAL COMMUNITIES

BT: COMMUNITIES

RURAL DEVELOPMENT

BT: ECONOMIC DEVELOPMENT

Saccharides

USE: CARBOHYDRATES

SAFER SEX

BT: SEXUAL PRACTICES

SAFETY

UF: Safety measures

BT: ENVIRONMENTAL DETERMINANTS

NT: FIRE SAFETY

FOOD SAFETY

HOME SAFETY

OCCUPATIONAL HEALTH AND SAFETY

PERSONAL SAFETY

ROAD SAFETY

RT: ACCIDENTS

SAFETY EQUIPMENT

Safety (of patients)

USE: PATIENT SAFETY

Safety at work

USE: OCCUPATIONAL HEALTH AND SAFETY

Safety devices

USE: SAFETY EQUIPMENT

SAFETY EDUCATION

UF: Safety training

BT: EDUCATION

NT: ROAD SAFETY EDUCATION

SAFETY EQUIPMENT

UF: Protective devices

Safety devices

BT: EQUIPMENT

RT: SAFETY

Safety measures

USE: SAFETY

Safety training

USE: SAFETY EDUCATION

SALARIES

BT: EMPLOYMENT TERMS

Sales management

USE: MARKETING

Saturated fats

USE: LIPIDS

Scalds

USE: BURNS

SCENARIO PLANNING

BT: TIME

SCHIZOPHRENIA

BT: PERSONALITY DISORDERS

SCHOOL COUNSELLING

UF: Pastoral care

BT: COUNSELLING

SCHOOL EXCLUSIONS

BT: EDUCATION

RT: PUPILS

SOCIAL EXCLUSION

TRUANCY

School health

USE: SCHOOL HEALTH SERVICES

SCHOOL HEALTH PROMOTION

BT: HEALTH PROMOTION

SCHOOL HEALTH SERVICES

SN: Health services provided at a school by the school nurse, health authorities etc.

UF: School health

School nurses

BT: HEALTH SERVICES

SCHOOL MEALS

BT: FOOD SUPPLY

RT: NUTRITION

School nurses

USE: SCHOOL HEALTH SERVICES

SCHOOL TRAVEL PLANS

BT: TRAVEL PLANS

School truancy

USE: TRUANCY

Schoolchildren

USE: PUPILS

SCHOOLS

SN: was "school" PHITS level 3 term

BT: EDUCATIONAL SETTINGS

POINTS

NT: HEALTHY SCHOOLS

NURSERY SCHOOLS

OUT OF SCHOOL ACTIVITIES

PRIMARY SCHOOLS

SECONDARY SCHOOLS

RT: TRUANCY

SCIENCE AND TECHNOLOGY

BT: PUBLIC HEALTH METHODS, THEORY AND RESEARCH
NT: BIOMEDICAL SCIENCE
SCIENCES
TECHNOLOGY

SCIENCES

BT: SCIENCE AND TECHNOLOGY
NT: ANATOMY
BEHAVIOURAL SCIENCES
BIOTECHNOLOGY
ECOLOGY
ERGONOMICS
GENETICS
PHYSIOLOGY

SCREENING

UF: Health screening
Medical screening
BT: HEALTH SERVICES
POPULATION BASED AND PREVENTIVE SERVICES
NT: DEVELOPMENTAL SCREENING
TESTING
RT: HIV TESTING
SELF EXAMINATION

SEA TRANSPORT

BT: TRANSPORT

SEC OLD

BT: SOCIOECONOMIC STATUS

SECONDARY AND TERTIARY SERVICES

SN: was PHITS level 2 term
BT: SERVICES
NT: AMBULATORY SERVICES
COMMUNITY CARE
DAY CARE
DOMICILIARY SERVICES
ELECTIVE SERVICES
EMERGENCY SERVICES
GENERAL AND ACUTE SERVICES, ACCIDENT AND EMERGENCY
GENERAL AND ACUTE SERVICES, MEDICINE
GENERAL AND ACUTE SERVICES, SURGERY
INPATIENT SERVICES
INTERMEDIATE SERVICES
LABORATORY SERVICES
LEARNING DISABILITIES
MATERNITY SERVICES
MENTAL HEALTH SERVICES
OUTPATIENT CARE
REHABILITATION
UNPLANNED SERVICES
WELL NEONATES
RT: HEALTH SERVICES

SECONDARY SCHOOLS

BT: SCHOOLS

SELF ADVOCACY

BT: ADVOCACY

SELF CARE

BT: CARE

NT: SELF EXAMINATION

SELF HELP

RT: FIRST AID

HOME CARE

Self concept

USE: SELF ESTEEM

SELF CONTROL

UF: Self discipline

BT: BEHAVIOUR

RT: MOTIVATION

Self development

USE: PERSONAL DEVELOPMENT

Self discipline

USE: SELF CONTROL

SELF EMPLOYMENT

BT: EMPLOYMENT

SELF ESTEEM

UF: Self concept

Self-image

BT: PSYCHOLOGY

NT: BODY IMAGE

RT: ANOREXIA NERVOSA

BULIMIA NERVOSA

EATING DISORDERS

SELF HARM

SELF EXAMINATION

BT: SELF CARE

RT: SCREENING

Self governing hospitals

USE: NHS TRUSTS

Self governing trusts

USE: NHS TRUSTS

SELF HARM

UF: Intentional self harm

Self injury

Self mutilation

BT: BEHAVIOUR

INJURIES

NT: SUICIDE

RT: POISONING
SELF ESTEEM

SELF HELP
BT: SELF CARE
RT: MUTUAL AID

SELF HELP GROUPS
BT: GROUPS

Self injury
USE: SELF HARM

SELF MEDICATION
BT: MEDICINES

Self mutilation
USE: SELF HARM

SELF RATED HEALTH
UF: Self reported health
BT: HEALTH STATUS

Self reported health
SN: self-reported health measures, e.g.census
USE: SELF RATED HEALTH

Self-image
USE: SELF ESTEEM

Senior citizens
USE: OLDER PEOPLE

SENSORY FUNCTIONS
BT: CENTRAL NERVOUS SYSTEM

Serum hepatitis
USE: HEPATITIS B

SERVICE DEVELOPMENT
BT: DEVELOPMENT

SERVICE EVALUATION
BT: EVALUATION

SERVICE PLANNING
BT: PLANNING

SERVICE PROVISION
UF: Provision of services
BT: MANAGEMENT AND POLICY
RT: SERVICE UTILISATION

Service users
USE: CONSUMERS
PATIENTS

SERVICE UTILISATION

BT: INDICATORS
MANAGEMENT AND POLICY
RT: ACCESS TO SERVICES
SERVICE PROVISION

SERVICES

SN: was PHITS level 1 term
BT: HEALTH SERVICES AND THEIR MANAGEMENT
NT: POPULATION BASED AND PREVENTIVE SERVICES
PRIMARY CARE SERVICES
QUALITY
SECONDARY AND TERTIARY SERVICES
RT: HEALTH SERVICES

Settings

USE: BUILDINGS, CONSTRUCTIONS AND POINTS

SETTINGS AND PLACES

SN: covers all aspects of place, including geographic
areas, locations, buildings and facilities
NT: BUILDINGS, CONSTRUCTIONS AND POINTS
GEOGRAPHY
PLACES

Sex

SN: was PHITS level 2 term
USE: GENDER

SEX EDUCATION

BT: HEALTH EDUCATION
RT: PERSONAL AND SOCIAL EDUCATION

Sex hygiene

USE: SEXUAL HEALTH

Sex problems

USE: SEXUAL PROBLEMS

SEX TOURISM

BT: SOCIAL ISSUES
RT: PROSTITUTION
SEX WORKERS

SEX WORKERS

UF: Prostitutes
Rent boys
BT: OCCUPATIONAL GROUPS
RT: PROSTITUTION
SEX TOURISM

SEXUAL ABUSE

BT: ABUSE
NT: CHILD SEXUAL ABUSE

SEXUAL BEHAVIOUR

BT: BEHAVIOUR
NT: SEXUAL PRACTICES
SEXUAL PROBLEMS
RT: SEXUALITY

SEXUAL COUNSELLING

BT: COUNSELLING

SEXUAL HARASSMENT

BT: SOCIAL ISSUES
RT: SEXUAL VIOLENCE

SEXUAL HEALTH

UF: Sex hygiene
BT: HEALTH
INDIVIDUAL BEHAVIOUR
UK HEALTH POLICIES

SEXUAL HEALTH PROMOTION

BT: HEALTH PROMOTION

SEXUAL PRACTICES

BT: SEXUAL BEHAVIOUR
NT: ANAL SEX
ORAL SEX
SAFER SEX

SEXUAL PROBLEMS

UF: Psychosexual problems
Sex problems
BT: SEXUAL BEHAVIOUR
NT: IMPOTENCE

SEXUAL VIOLENCE

BT: VIOLENCE
NT: RAPE
RT: DOMESTIC VIOLENCE
SEXUAL HARASSMENT

SEXUALITY

BT: PEOPLE AND POPULATIONS
NT: BISEXUALS
GAY MEN
HETEROSEXUALS
LESBIANS
PAEDOPHILES
TRANSSEXUALS
RT: SEXUAL BEHAVIOUR

SEXUALLY TRANSMITTED INFECTIONS

UF: STDs
STIs
Venereal diseases
BT: GENITOURINARY DISEASES
NT: CHLAMYDIA

GENITAL WARTS
GONORRHOEA
NON SPECIFIC URETHRITIS
SYPHILIS
RT: COMMUNICABLE DISEASES
GENITAL DISEASES
GENITAL HERPES
HEPATITIS B
HEPATITIS C
HIV INFECTION

SHELTERED ACCOMMODATION
BT: BUILDINGS, CONSTRUCTIONS AND POINTS
RT: RESIDENTIAL CARE

SHIFT WORKING
BT: EMPLOYMENT
RT: CASUAL EMPLOYMENT
FULL TIME EMPLOYMENT
PART TIME EMPLOYMENT

SICK BUILDING SYNDROME
BT: BUILT ENVIRONMENT
RT: SICKNESS ABSENCE
WORK ENVIRONMENT

Sick leave
USE: SICKNESS ABSENCE

SICKLE CELL ANAEMIA
BT: ANAEMIA

SICKNESS ABSENCE
UF: Sick leave
BT: WORK ENVIRONMENT
NT: SICKNESS ABSENCE POLICIES
RT: OCCUPATIONAL DISEASES
SICK BUILDING SYNDROME

SICKNESS ABSENCE POLICIES
BT: SICKNESS ABSENCE

SIDS
USE: SUDDEN INFANT DEATH SYNDROME

Sight disorders
USE: EYE DISORDERS

SINGLE PARENT FAMILIES
UF: One parent families
BT: FAMILIES
RT: SINGLE PARENTS

SINGLE PARENTS
UF: Lone parents
BT: PARENTS

RT: SINGLE PARENT FAMILIES
TEENAGE PARENTS

SINGLE PEOPLE

UF: Singles
Unmarried people
BT: PERSONAL RELATIONSHIPS
RT: COHABITATION
MARRIAGE

Singles

USE: SINGLE PEOPLE

SITES OF SPECIAL SCIENTIFIC INTEREST

UF: SSSIs
BT: AREAS

Skill

USE: SKILLS

SKILLS

UF: Skill
BT: EDUCATION, EMPLOYMENT AND SKILLS
NT: INTERPERSONAL SKILLS
LIFESKILLS
LITERACY

SKIN CANCER

UF: Malignant melanoma
Melanoma
Skin neoplasms
BT: CANCER
NT: KAPOSII'S SARCOMA
RT: SKIN DISORDERS
SUN
SUNBURN

SKIN DISORDERS

UF: Dermatitis
Vitiligo
BT: DEATH, DISEASE AND DISABILITY
NT: ECZEMA
PIGMENTATION DISORDERS
RT: SKIN CANCER

Skin neoplasms

USE: SKIN CANCER

SLEEP

BT: PHYSIOLOGY
NT: SLEEP DEPRIVATION
SLEEP DISORDERS

SLEEP DEPRIVATION

BT: SLEEP
RT: SLEEP DISORDERS

SLEEP DISORDERS

BT: SLEEP

RT: SLEEP DEPRIVATION

SMALL and MEDIUM SIZED ENTERPRISES (SMEs)

BT: BUSINESSES

SMALL BUSINESSES

BT: BUSINESSES

SMALL GROUP WORK

BT: GROUPS

Smokers

USE: SMOKING

SMOKING

UF: Cigarette smoking

Smokers

Tobacco smoking

BT: CAUSES OF HARM

INDIVIDUAL BEHAVIOUR

NT: ENVIRONMENTAL TOBACCO SMOKE

NICOTINE DEPENDENCY

PASSIVE SMOKING

SMOKING CESSATION

RT: LUNG CANCER

TOBACCO

SMOKING CESSATION

BT: POPULATION BASED AND PREVENTIVE SERVICES

SMOKING

NT: NICOTINE REPLACEMENT THERAPY

SMOKING CESSATION COUNSELLING

BT: COUNSELLING

SMOKING POLICIES

BT: HEALTH POLICY

Social aspects

USE: SOCIAL FACTORS

SOCIAL CAPITAL

SN: 'Social capital represents the degree of social cohesion which exists in communities. It refers to the processes between people which establish networks, norms, and social trust, and facilitate co-ordination and co-operation for mutual benefit.' (Health promotion glossary, 1998)

BT: COMMUNITIES

RT: COMMUNITY HEALTH

SOCIAL NETWORKS

SOCIAL CLASS

BT: SOCIETY

SOCIAL CONDITIONS

UF: Social environment

BT: SOCIETY

NT: DEPRIVED AREAS

SOCIAL DATA

BT: DATA

SOCIAL DETERMINANTS

BT: DETERMINANTS OF HEALTH

NT: LIFESTYLE

SOCIETY

SOCIOECONOMIC FACTORS

Social environment

USE: SOCIAL CONDITIONS

SOCIAL EXCLUSION

UF: Isolation

Social exclusion (policy)

Social isolation

BT: SOCIAL FACTORS

RT: DISADVANTAGED GROUPS

EXCLUDED PEOPLE

HOMELESS PEOPLE

HOMELESSNESS

SCHOOL EXCLUSIONS

SOCIOECONOMIC STATUS

Social exclusion (policy)

SN: was PHITS level 3 term

USE: POLICY

SOCIAL EXCLUSION

SOCIAL FACTORS

UF: Social aspects

BT: SOCIOECONOMIC FACTORS

NT: ACCESS

DISCRIMINATION

EMPOWERMENT

ETHICS

INEQUALITIES

MORALITY

PSYCHOSOCIAL FACTORS

SOCIAL EXCLUSION

SOCIODEMOGRAPHIC FACTORS

SOCIOENVIRONMENTAL FACTORS

Social groups

USE: GROUPS

SOCIAL INDICATORS

BT: HEALTH INDICATORS

INDICATORS

SOCIAL INEQUALITIES
BT: INEQUALITIES
RT: HEALTH INEQUALITIES

Social isolation
USE: SOCIAL EXCLUSION

SOCIAL ISSUES
BT: SOCIETY
NT: ABUSE
ANTISOCIAL BEHAVIOUR
CRIME
EUTHANASIA
FEMINISM
HOMELESSNESS
INCEST
MIGRATION
POPULATION CHANGE
PROSTITUTION
RACE RELATIONS
SEX TOURISM
SEXUAL HARASSMENT
SOCIAL MOBILITY
RT: ETHICS

SOCIAL MARKETING
BT: MARKETING

SOCIAL MOBILITY
SN: Was MOBILITY
UF: Class mobility
BT: SOCIAL ISSUES

SOCIAL NETWORKS
SN: 'Social relations and links between individuals which may provide access to or mobilization of social support for health.' (Health promotion glossary, 1998)
UF: Personal networks
BT: NETWORKS
RT: SOCIAL CAPITAL
SOCIAL SUPPORT

SOCIAL PLANNING
UF: Social welfare planning
BT: PLANNING
SOCIAL POLICY
RT: HEALTH PLANNING

SOCIAL POLICY
UF: Social welfare policy
Welfare policy
BT: POLICY
NT: SOCIAL PLANNING
RT: ECONOMIC POLICY

GOVERNMENT POLICY
HEALTH POLICY

Social research

SN: Use RESEARCH and appropriate term
USE: RESEARCH

SOCIAL SERVICE DISTRICTS

BT: AREAS
RT: SOCIAL SERVICES

Social service users

USE: CLIENTS

SOCIAL SERVICES

SN: Services provided by local authorities for vulnerable people including those with special needs because of old age, or physical or mental disabilities, and children in need of care and protection

UF: Personal social services
Welfare services

BT: LOCAL GOVERNMENT

NT: SOCIAL WORK

RT: PUBLIC SERVICES
SOCIAL SERVICE DISTRICTS

SOCIAL STUDIES

BT: SOCIETY
RT: PERSONAL AND SOCIAL EDUCATION

SOCIAL SUPPORT

SN: 'That assistance available to individuals and groups from within communities which can provide a buffer against adverse life events and living conditions, and can provide a positive resource for enhancing the quality of life.' (Health promotion glossary, 1998)

BT: COMMUNITIES
RT: SOCIAL NETWORKS

Social system

USE: SOCIETY

Social welfare planning

USE: SOCIAL PLANNING

Social welfare policy

USE: SOCIAL POLICY

SOCIAL WORK

UF: Adult work
Psychosocial work
BT: SOCIAL SERVICES
NT: COMMUNITY SOCIAL WORK
DISABILITY CARE

FAMILY SUPPORT
OUTREACH WORK
PAROLE WORK
PROBATION WORK
WOMEN'S REFUGES
YOUTH WORK
RT: SOCIAL WORKERS
VOLUNTARY WORK

Social work clients
USE: CLIENTS

Social worker clients
USE: CLIENTS

SOCIAL WORKERS
BT: OCCUPATIONAL GROUPS
RT: CARE WORKERS
SOCIAL WORK

SOCIALISATION
BT: LIFESKILLS
RT: INTERPERSONAL SKILLS

SOCIETY
UF: Social system
BT: SOCIAL DETERMINANTS
NT: COMMUNITIES
CULTURE
SOCIAL CLASS
SOCIAL CONDITIONS
SOCIAL ISSUES
SOCIAL STUDIES

SOCIODEMOGRAPHIC FACTORS
BT: SOCIAL FACTORS
NT: POPULATION STRUCTURE

Socioeconomic characteristics
USE: SOCIOECONOMIC FACTORS

SOCIOECONOMIC FACTORS
UF: Socioeconomic characteristics
BT: SOCIAL DETERMINANTS
NT: ECONOMIC FACTORS
SOCIAL FACTORS
SOCIOECONOMIC STATUS
RT: SOCIOECONOMIC POLICY

SOCIOECONOMIC POLICY
SN: was PHITS level 3 term
BT: UK HEALTH POLICIES
RT: SOCIOECONOMIC FACTORS

SOCIOECONOMIC STATUS
BT: SOCIOECONOMIC FACTORS

NT: AFFLUENCE
NS SEC
POVERTY
SEC OLD
RT: DISADVANTAGED GROUPS
SOCIAL EXCLUSION

SOCIOENVIRONMENTAL FACTORS
BT: SOCIAL FACTORS

SOCIOLOGY
BT: BEHAVIOURAL SCIENCES

SODIUM
BT: MINERALS

SOIL CONTAMINATION
BT: POLLUTION
RT: AGRICULTURAL POLLUTION

SOLVENT ABUSE
UF: Glue sniffing
BT: SUBSTANCE MISUSE

Sources of information
USE: INFORMATION SOURCES

Spastic pseudo sclerosis
USE: CREUTZFELDT JAKOB DISEASE

Spastic spinal paralysis
USE: CEREBRAL PALSY

SPECIAL DIETS
BT: DIETS
NT: VEGAN DIETS
VEGETARIAN DIETS

SPECIAL EDUCATION
BT: EDUCATIONAL SYSTEMS
RT: EDUCATIONAL SETTINGS
LEARNING DISABILITIES

SPECIAL HEALTH AUTHORITIES
BT: ORGANISATIONS

SPECIFIC HEALTH MEASURES
SN: was PHITS level 3 term
BT: HEALTH STATUS

Speech disorders
USE: LANGUAGE DISORDERS

SPINA BIFIDA
UF: Neural tube defects
BT: SPINAL CORD DISEASES AND DISORDERS

RT: FOLIC ACID

SPINAL CORD DISEASES AND DISORDERS
BT: MUSCULOSKELETAL DISORDERS
NT: SPINA BIFIDA

SPIRITS
UF: Distilled alcohols
BT: ALCOHOL
RT: ALCOPOPS

SPORTS
BT: PHYSICAL ACTIVITY
RT: PHYSICAL EDUCATION
SPORTS FACILITIES
SPORTS INJURIES
SPORTS MEDICINE

SPORTS FACILITIES
BT: LEISURE FACILITIES
RT: SPORTS

SPORTS INJURIES
BT: INJURIES
RT: SPORTS

SPORTS MEDICINE
BT: MEDICINE
RT: SPORTS

Spouse abuse
USE: PARTNER ABUSE

Spouses
USE: PARTNERS

SSSIs
USE: SITES OF SPECIAL SCIENTIFIC INTEREST

STANDARD REGIONS
BT: AREAS

STANDARDS
BT: FRAMES OF REFERENCE
NT: EDUCATIONAL STANDARDS
HOUSING STANDARDS
QUALITY STANDARDS

STARCH
BT: CARBOHYDRATES
RT: COMPLEX CARBOHYDRATES
SUGARS

STATISTICAL DATA
UF: Numerical data
Statistical information

BT: DATA

Statistical information

USE: STATISTICAL DATA

Statutes

USE: LEGISLATION

STD clinics

USE: GUM CLINICS

STDs

USE: SEXUALLY TRANSMITTED INFECTIONS

STERILISATION

UF: Vasectomy

BT: FAMILY PLANNING

Steroids

USE: ANABOLIC STEROIDS

STIMULANTS

SN: A drug that speeds up or stimulates the brain or
body systems.

BT: SUBSTANCE MISUSE

NT: AMPHETAMINES

ANABOLIC STEROIDS

CAFFEINE

COCAINE

STIs

USE: SEXUALLY TRANSMITTED INFECTIONS

STOMACH CANCER

UF: Stomach neoplasms

BT: CANCER

RT: DIGESTIVE TRACT DISEASES

Stomach neoplasms

USE: STOMACH CANCER

STRATEGIC HEALTH AUTHORITIES

SN: Strategic Health Authority areas as at 2002

BT: AREAS

STRATEGIC PLANNING

BT: PLANNING

STRATEGIC PLANS

BT: STRATEGY

STRATEGY

BT: MANAGEMENT AND POLICY

NT: STRATEGIC PLANS

RT: POLICY

Street work

SN: Youth or social work, physically on the streets,
rather than in a centre in the community.
USE: OUTREACH WORK

Streets

USE: ROADS

STRESS

UF: Psychological stress
BT: MENTAL HEALTH

STROKE AND TIA

SN: was PHITS level 3 term
UF: Transient ischaemic attack
BT: CIRCULATORY DISEASES

STUDENTS

SN: Use for students in further and higher education
from 16 years in the UK and 18 years in USA.
BT: OCCUPATIONAL GROUPS
RT: PUPILS
TRUANCY

SUBSTANCE MISUSE

BT: CAUSES OF HARM
INDIVIDUAL BEHAVIOUR
NT: DRUGS MISUSE
HALLUCINOGENS
SOLVENT ABUSE
STIMULANTS
RT: DRUGS
REHABILITATION
SUBSTANCE MISUSERS

SUBSTANCE MISUSERS

BT: VULNERABLE GROUPS
RT: DRUG USERS
SUBSTANCE MISUSE

SUDDEN INFANT DEATH SYNDROME

UF: Cot death
SIDS
BT: PREGNANCY AND CHILDBIRTH DISORDERS

SUGARS

BT: CARBOHYDRATES
RT: COMPLEX CARBOHYDRATES
STARCH

SUICIDE

BT: SELF HARM
RT: INJURIES
POISONING

SUMMARY HEALTH

SN: was PHITS level 3 term
BT: HEALTH STATUS

SUN

BT: NATURAL ENVIRONMENT
NT: SUN PROTECTION
SUN SAFE POLICIES
SUNBURN
RT: AIR
CLIMATE CHANGE
OZONE
SKIN CANCER

SUN PROTECTION

BT: SUN

SUN SAFE POLICIES

BT: SUN

SUNBEDS

BT: CAUSES OF HARM

SUNBURN

BT: CAUSES OF HARM
SUN
RT: SKIN CANCER

SUPRANATIONAL ISSUES

UF: Global issues
BT: GEOGRAPHY
RT: INTERNATIONAL ISSUES

SURGERY

UF: Surgical treatment
BT: MEDICAL TREATMENT
NT: CIRCUMCISION
PLASTIC SURGERY
RT: GENERAL AND ACUTE SERVICES, SURGERY

Surgical treatment

USE: SURGERY

Surveillance (progress control)

USE: MONITORING

SURVEYS

UF: Opinion polls
BT: RESEARCH METHODS
NT: COHORT STUDIES
CROSS SECTIONAL SURVEYS

SURVIVAL RATE

BT: EPIDEMIOLOGICAL MEASURES
MORTALITY

SUSTAINABLE DEVELOPMENT

SN: Sustainable development is defined as development that meets the needs of the present without compromising the ability of future generations to meet their own needs (WCED 1987).

UF: Sustainable development (policy)

BT: ECONOMIC DEVELOPMENT

RT: REGENERATION

Sustainable development (policy)

SN: was PHITS level 3 term

USE: POLICY

SUSTAINABLE DEVELOPMENT

SWIMMING

BT: PHYSICAL ACTIVITY

Symposia

USE: CONFERENCES

SYPHILIS

UF: Lues

BT: SEXUALLY TRANSMITTED INFECTIONS

SYSTEMATIC REVIEWS

BT: REVIEWS

TARGET GROUPS

BT: HEALTH, PUBLIC HEALTH, HEALTH PROMOTION

Targets

USE: HEALTH TARGETS

TASK FORCES

BT: HEALTH POLICY

TAXATION

BT: ECONOMICS

TB

USE: TUBERCULOSIS

TEACHERS

BT: EDUCATION PROFESSIONALS

Teaching aids

USE: TEACHING MATERIALS

Teaching material development

USE: MATERIAL DEVELOPMENT

TEACHING MATERIALS

UF: Instructional materials

Teaching aids

Teaching packs

BT: EDUCATION

RT: MATERIAL DEVELOPMENT

TEACHING METHODS

UF: Training methods
BT: METHODS
NT: DISTANCE LEARNING
EXPERIENTIAL LEARNING
GROUP EDUCATION
PEER EDUCATION
RT: EDUCATIONAL SYSTEMS

Teaching packs

USE: TEACHING MATERIALS

Team work

USE: TEAMWORK

TEAMWORK

UF: Team work
BT: MANAGEMENT AND POLICY
RT: GROUP EDUCATION

TECHNOLOGY

BT: SCIENCE AND TECHNOLOGY
NT: COMPUTERS
INFORMATION TECHNOLOGY

TECs

USE: TRAINING ENTERPRISE COUNCILS

TEENAGE PARENTS

BT: PARENTS
RT: SINGLE PARENTS

TEENAGE PREGNANCY

BT: PREGNANCY

Teenagers

USE: YOUNG PEOPLE

TELECOMMUNICATIONS

BT: EQUIPMENT
NT: MOBILE PHONES

Telephone hotlines

USE: HELPLINES

Temperament

USE: PERSONALITY

TERMINAL CARE

BT: CARE
PALLIATIVE CARE
NT: HOSPICES

Termination of pregnancy

USE: ABORTION

TERRORISM

BT: CAUSES OF HARM
NT: BIOTERRORISM
RT: EMERGENCIES

TESTICULAR CANCER

BT: CANCER

TESTING

SN: Medical tests
BT: SCREENING
NT: FERTILITY TESTS
HIV TESTING
WEIGHT MEASUREMENT
RT: DIAGNOSIS

TESTOSTERONE

BT: HORMONES
RT: OESTROGEN

TETANUS

BT: NEUROLOGICAL DISEASES AND DISORDERS

THALASSAEMIA

UF: Cooleys anaemia
Thalassemia
BT: ANAEMIA

Thalassemia

USE: THALASSAEMIA

THEATRE

BT: ARTS
RT: DRAMA

THEORY

UF: Principles
BT: PUBLIC HEALTH METHODS, THEORY AND RESEARCH
RT: MODELS

Therapeutics

USE: MEDICAL TREATMENT

THERAPY

BT: HEALTHCARE AND HEALTH SERVICES
NT: HORMONE REPLACEMENT THERAPY
HYPNOTHERAPY
PHYSIOTHERAPY
PSYCHOTHERAPY
RT: ART
ARTS
DANCE
DRAMA
MEDICAL TREATMENT
MUSIC

Third World countries
USE: DEVELOPING COUNTRIES

THROAT CANCER
BT: CANCER

THROMBOSIS
BT: CIRCULATORY DISEASES
NT: DEEP VEIN THROMBOSIS

THYROID CANCER
BT: CANCER
RT: THYROID DISORDERS

THYROID DISORDERS
UF: Hyperthyroidism
BT: DEATH, DISEASE AND DISABILITY
RT: THYROID CANCER

TIME
SN: was PHITS level 1 heading
BT: TIME FACTORS
NT: PROJECTIONS
SCENARIO PLANNING
TRENDS
WAITING TIME

TIME FACTORS
SN: covers all aspects of time, including historical
periods and development
NT: HISTORY
LEISURE TIME
TIME

TOBACCO
BT: CAUSES OF HARM
NT: NICOTINE DEPENDENCY
TOBACCO SMOKE
TOBACCO USE
RT: SMOKING
TOBACCO INDUSTRY

TOBACCO CONTROL POLICIES
BT: HEALTH POLICY
NT: ILLEGAL SALES

TOBACCO INDUSTRY
BT: MANUFACTURING INDUSTRY
RT: TOBACCO

TOBACCO SMOKE
BT: POLLUTANTS
TOBACCO
RT: CARBON MONOXIDE
PASSIVE SMOKING

Tobacco smoking
USE: SMOKING

TOBACCO USE
BT: INDIVIDUAL BEHAVIOUR
TOBACCO

TOLERANCE
BT: BEHAVIOUR

Tourist industry
USE: LEISURE INDUSTRY

Town centres
USE: INNER CITIES

Towns
USE: URBAN AREAS

Toxic metals
USE: HEAVY METALS

TRACE ELEMENTS
BT: NUTRITION COMPONENTS
RT: MINERALS

TRADE UNIONS
UF: Trades unions
BT: ORGANISATIONS

Trades unions
USE: TRADE UNIONS

TRAFFIC ACCIDENTS
SN: Use this term specifically for accounts or statistics of road traffic accidents. Use Road safety for the prevention of accidents to pedestrians, passengers and vehicles.
BT: ACCIDENTS
RT: ROAD SAFETY
VEHICLES

TRAFFIC FREE ROUTES
BT: LINES

Traffic fumes
USE: VEHICLE RELATED AIR POLLUTION

TRAFFIC REGULATIONS
BT: REGULATIONS
RT: ROAD SAFETY
ROADS

Traffic safety (road)
USE: ROAD SAFETY

TRAINERS

BT: EDUCATION PROFESSIONALS

TRAINING

BT: EDUCATION
NT: RETRAINING

TRAINING ENTERPRISE COUNCILS

SN: Training Enterprise Council/Local Enterprise
Companies areas as at 1999
UF: TECs
BT: AREAS

Training methods

USE: TEACHING METHODS

TRANQUILLIZERS

BT: BENZODIAZEPINES

Transient ischaemic attack

USE: STROKE AND TIA

TRANSMISSION

SN: Disease transmission
BT: INFECTION CONTROL
NT: BLOODBORNE TRANSMISSION
VERTICAL TRANSMISSION

TRANSPLANTATION

BT: MEDICAL TREATMENT
RT: DONORS

TRANSPORT

BT: ENVIRONMENTAL DETERMINANTS
NT: AIR TRANSPORT
PRIVATE TRANSPORT
PUBLIC TRANSPORT
RAIL TRANSPORT
ROADS
SEA TRANSPORT
TRANSPORT PLANS
TRAVEL PLANS

TRANSPORT PLANS

BT: TRANSPORT
RT: TRAVEL PLANS

TRANSSEXUALS

BT: SEXUALITY

TRAVEL PLANS

BT: TRANSPORT
NT: SCHOOL TRAVEL PLANS
RT: TRANSPORT PLANS

TRAVEL TO WORK AREAS

SN: was PHITS 'Travel to Work'
BT: AREAS

Travellers

SN: was PHITS level 3 term
USE: GYPSIES AND TRAVELLERS

TRAVELLING

BT: ACTIVITIES

Travelling communities

USE: GYPSIES AND TRAVELLERS

TRENDS

SN: relating to historical time series
BT: TIME

TROPICAL DISEASES

BT: DEATH, DISEASE AND DISABILITY
NT: MALARIA

TRUANCY

UF: School truancy
BT: INDIVIDUAL BEHAVIOUR
RT: PUPILS
SCHOOL EXCLUSIONS
SCHOOLS
STUDENTS

TUBERCULOSIS

UF: TB
BT: COMMUNICABLE DISEASES

Tumours

USE: CANCER

Twins

USE: MULTIPLE BIRTHS

TYPE A BEHAVIOUR

SN: A behaviour pattern characterised by aggressiveness, ambitiousness, restlessness, and a strong sense of time urgency; associated with increased risk of coronary heart disease.
BT: BEHAVIOUR
RT: CORONARY HEART DISEASES
TYPE B BEHAVIOUR

TYPE B BEHAVIOUR

SN: A behaviour pattern characterised by the absence or obverse of type A behaviour.
BT: BEHAVIOUR
RT: CORONARY HEART DISEASES
TYPE A BEHAVIOUR

UK HEALTH POLICIES

SN: was PHITS level 2 term

BT: HEALTH POLICY

NT: CALDICOTT

ENVIRONMENTAL POLICY

HEALTH DEVELOPMENT

HEALTH PROTECTION

HEALTH TARGETS

SEXUAL HEALTH

SOCIOECONOMIC POLICY

ULTRAVIOLET RADIATION

BT: RADIATION

RT: ELECTROMAGNETIC RADIATION

RADON

Under fives

USE: PRE SCHOOL CHILDREN

Understanding

USE: INTELLIGENCE

UNDERWEIGHT

BT: WEIGHT

UNEMPLOYED PEOPLE

BT: OCCUPATIONAL GROUPS

RT: LONG TERM UNEMPLOYMENT

UNEMPLOYMENT

UNEMPLOYMENT

BT: EDUCATION, EMPLOYMENT AND SKILLS

NT: LONG TERM UNEMPLOYMENT

YOUTH UNEMPLOYMENT

RT: CASUAL EMPLOYMENT

EMPLOYMENT

FULL TIME EMPLOYMENT

REDUNDANCY

UNEMPLOYED PEOPLE

UNITARY AUTHORITIES

BT: AREAS

United Kingdom National Health Service

USE: NHS

UNIVERSITIES

UF: Higher education

BT: EDUCATIONAL SETTINGS

Unmarried people

USE: SINGLE PEOPLE

Unorthodox medicine

USE: COMPLEMENTARY MEDICINE

Unpaid work
USE: VOLUNTARY WORK

UNPLANNED SERVICES
SN: unplanned or emergency care
BT: SECONDARY AND TERTIARY SERVICES
RT: EMERGENCY MEDICAL CARE

Unsaturated fats
USE: LIPIDS

UNWANTED PREGNANCY
BT: PREGNANCY
RT: ABORTION

URBAN AREAS
SN: was "urban" PHITS level 3 term
UF: Towns
BT: AREAS
GEOGRAPHY
NT: CITIES
URBAN DEVELOPMENT

URBAN COMMUNITIES
BT: COMMUNITIES

URBAN DEVELOPMENT
UF: Urbanisation
BT: URBAN AREAS

Urbanisation
USE: URBAN DEVELOPMENT

URINARY INCONTINENCE
BT: URINARY TRACT DISEASES

URINARY TRACT DISEASES
UF: Urinary tract infection
BT: GENITOURINARY DISEASES
NT: URINARY INCONTINENCE

Urinary tract infection
USE: URINARY TRACT DISEASES

USER CHOICE
RT: PATIENT CHOICE

User demand (information)
USE: INFORMATION NEEDS

Users
USE: PATIENTS

Vaccination
USE: IMMUNISATION

Value for money
USE: COST EFFECTIVENESS

VANDALISM
UF: Malicious damage
BT: ANTISOCIAL BEHAVIOUR

Varicella
USE: CHICKENPOX

Vasectomy
USE: STERILISATION

VEGAN DIETS
UF: Veganism
BT: SPECIAL DIETS

Veganism
USE: VEGAN DIETS

VEGETABLES
BT: FOOD

VEGETARIAN DIETS
UF: Vegetarianism
BT: SPECIAL DIETS

VEGETARIAN NUTRITION
UF: Vegetarianism
BT: NUTRITION

Vegetarianism
USE: VEGETARIAN DIETS
VEGETARIAN NUTRITION

VEHICLE RELATED AIR POLLUTION
UF: Benzene
Black smoke
Traffic fumes
BT: OUTDOOR AIR POLLUTION
RT: ASTHMA
CARBON MONOXIDE
HEAVY METALS
VEHICLES

VEHICLES
BT: ROADS
RT: ROAD SAFETY
TRAFFIC ACCIDENTS
VEHICLE RELATED AIR POLLUTION

Venereal diseases
USE: SEXUALLY TRANSMITTED INFECTIONS

Venous thrombosis
USE: DEEP VEIN THROMBOSIS

VENTILATION

BT: BUILT ENVIRONMENT

VERTICAL TRANSMISSION

BT: TRANSMISSION

VERY OLD PEOPLE

SN: Adults aged 75 years and above

UF: Aged

BT: ADULTS

RT: AGEING

AGEING POPULATIONS

GERIATRICS

OLDER PEOPLE

VIOLENCE

BT: CAUSES OF HARM

NT: DOMESTIC VIOLENCE

SEXUAL VIOLENCE

RT: PERSONAL SAFETY

Violence in the home

USE: DOMESTIC VIOLENCE

Vision disorders

USE: EYE DISORDERS

Vitamin B10

USE: FOLIC ACID

Vitamin B11

USE: FOLIC ACID

VITAMIN DEFICIENCY

BT: VITAMINS

RT: DIETS

VITAMIN SUPPLEMENTS

BT: DIETARY SUPPLEMENTS

VITAMINS

BT: NUTRITION COMPONENTS

NT: VITAMIN DEFICIENCY

Vitiligo

USE: SKIN DISORDERS

Vocational education

USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

Vocational training

USE: PROFESSIONAL EDUCATION AND DEVELOPMENT

Volatile organic compounds

USE: OUTDOOR AIR POLLUTION

Voluntary agencies

USE: VOLUNTARY ORGANISATIONS

VOLUNTARY AGENCIES LOCAL POLICIES

SN: was PHITS level 3 term

BT: LOCAL POLICY

VOLUNTARY AGENCIES NATIONAL POLICIES

SN: was PHITS level 3 term

BT: NATIONAL POLICY

VOLUNTARY AGENCIES REGIONAL POLICIES

SN: was PHITS level 3 term

BT: REGIONAL POLICY

VOLUNTARY ORGANISATIONS

UF: NGOs

Non governmental agencies

Voluntary agencies

BT: ORGANISATIONS

VOLUNTARY SECTOR

RT: CHARITIES

NON PROFIT ORGANISATIONS

VOLUNTARY WORK

VOLUNTARY SECTOR

BT: ECONOMIC SYSTEMS

NT: VOLUNTARY ORGANISATIONS

RT: VOLUNTEERS

VOLUNTARY WORK

UF: Unpaid work

BT: EDUCATION, EMPLOYMENT AND SKILLS

RT: SOCIAL WORK

VOLUNTARY ORGANISATIONS

VOLUNTEERS

Voluntary workers

USE: VOLUNTEERS

VOLUNTEERS

UF: Voluntary workers

BT: OCCUPATIONAL GROUPS

RT: VOLUNTARY SECTOR

VOLUNTARY WORK

VULNERABLE GROUPS

UF: Vulnerable people

BT: DISADVANTAGED GROUPS

NT: ASYLUM SEEKERS

CHILDREN IN CARE

CYCLISTS

DRUG USERS

EXCLUDED PEOPLE

GYPSIES AND TRAVELLERS

HOMELESS PEOPLE
LOOKED AFTER CHILDREN
MIGRANTS
OFFENDERS
PEDESTRIANS
PEOPLE WITH MENTAL HEALTH PROBLEMS
PRISONERS
REFUGEES
SUBSTANCE MISUSERS

Vulnerable people

SN: was PHITS level 2 term
USE: VULNERABLE GROUPS

Vulnerable road users

USE: CHILDREN
CYCLISTS
OLDER PEOPLE
PEDESTRIANS

Waiting

USE: WAITING TIME

WAITING AREAS

UF: Waiting rooms
BT: BUILT ENVIRONMENT

Waiting rooms

USE: WAITING AREAS

WAITING TIME

SN: was PHITS 'Waiting'
UF: Waiting
BT: TIME

WALKING

BT: PHYSICAL ACTIVITY
RT: PEDESTRIANS

War refugees

USE: REFUGEES

WARDS

SN: 1998 ward boundaries
BT: AREAS

WASTE

BT: ENVIRONMENT
NT: HOUSEHOLD WASTE
RECYCLING
WASTE DISPOSAL
WASTE MANAGEMENT

WASTE DISPOSAL

BT: WASTE
RT: RECYCLING

WASTE MANAGEMENT

SN: was PHITS level 3

BT: WASTE

Waste recycling

USE: RECYCLING

WATER

BT: ENVIRONMENT

NT: WATER QUALITY

WATER ACCIDENTS

BT: ACCIDENTS

WATER POLLUTION

BT: POLLUTION

RT: AGRICULTURAL POLLUTION

WATER QUALITY

WATER QUALITY

UF: Quality of water

BT: WATER

RT: WATER POLLUTION

WEANING

BT: INFANT NUTRITION

RT: BOTTLE FEEDING

BREASTFEEDING

CHILD NUTRITION

WEATHER

BT: NATURAL ENVIRONMENT

RT: CLIMATE

Websites

USE: INTERNET

WEIGHT

BT: BODY MEASUREMENTS

NT: OVERWEIGHT

UNDERWEIGHT

WEIGHT MANAGEMENT

RT: CALORIES

DIETING

WEIGHT MEASUREMENT

Weight gain

USE: WEIGHT MANAGEMENT

Weight loss

USE: WEIGHT MANAGEMENT

WEIGHT MANAGEMENT

UF: Weight gain

Weight loss

BT: WEIGHT

WEIGHT MEASUREMENT

BT: TESTING

RT: BODY MEASUREMENTS

WEIGHT

WEIGHT TRAINING

BT: PHYSICAL ACTIVITY

RT: ANABOLIC STEROIDS

Welfare of children

USE: CHILD WELFARE

Welfare policy

USE: SOCIAL POLICY

Welfare services

USE: SOCIAL SERVICES

Well being

USE: HEALTH STATUS

WELL NEONATES

SN: was PHITS level 3 term

BT: SECONDARY AND TERTIARY SERVICES

RT: POSTNATAL CARE

WELLBEING

UF: Wellness

BT: HEALTH STATUS

Wellness

USE: WELLBEING

WHITE PEOPLE

SN: Includes British, Irish and any other White backgrounds.

Derived from National Statistics (2003) Ethnic group statistics: a guide for the collection and classification of ethnicity data.

UF: British people (White)

Irish people

Whites

BT: ETHNIC GROUPS

Whites

USE: WHITE PEOPLE

WHO REGIONS

BT: AREAS

Wide area networks

USE: COMPUTER NETWORKS

Wider health (policy)

SN: was PHITS level 2 term

USE: POLICY

Wife battering

USE: PARTNER ABUSE

WINE

BT: ALCOHOL

WOMEN

BT: GROUPS

RT: FEMALE

PREGNANT WOMEN

WOMEN'S HEALTH

WOMEN'S HEALTH

BT: HEALTH

RT: WOMEN

Womens liberation movement

USE: FEMINISM

Womens movement

USE: FEMINISM

WOMEN'S REFUGES

UF: Refuge houses

Refuge work

BT: SOCIAL WORK

RT: DOMESTIC VIOLENCE

Work

USE: EMPLOYMENT

WORK ENVIRONMENT

UF: Working conditions

BT: ENVIRONMENTAL DETERMINANTS

NT: SICKNESS ABSENCE

RT: EMPLOYMENT TERMS

SICK BUILDING SYNDROME

WORKPLACE

Work related upper limb disorders

USE: WRULDS

Workers

USE: EMPLOYEES

Working age adult

SN: was PHITS level 3 term

USE: ADULTS

Working conditions

USE: WORK ENVIRONMENT

WORKING PARENTS

BT: PARENTS

WORKPLACE

BT: BUILDINGS, CONSTRUCTIONS AND POINTS
POINTS
RT: WORK ENVIRONMENT
WORKPLACE HEALTH PROMOTION

Workplace health and safety

USE: OCCUPATIONAL HEALTH AND SAFETY

WORKPLACE HEALTH PROMOTION

UF: Occupational health promotion
BT: HEALTH PROMOTION
RT: ALCOHOL POLICIES
DRUG POLICIES
WORKPLACE

WORKSHOPS

BT: CONFERENCES
EXHIBITIONS

World Wide Web

USE: INTERNET

WRULDS

SN: What previously was termed RSI.
UF: Repetitive strain injury
RSI
Work related upper limb disorders
BT: ERGONOMICS
RT: POSTURE

YOUNG ADULTS

SN: Adults age 20-35 years
was "Young Adult" PHITS level 3 term
BT: ADULTS
RT: YOUNG PEOPLE

YOUNG PEOPLE

SN: 12-19 year olds
UF: Adolescent
Adolescents
Juvenile delinquency
Juveniles
Teenagers
Youths
BT: AGE GROUPS
RT: BOYS
CHILDREN
GIRLS
PUBERTY
YOUNG ADULTS

YOUNG WORKERS

BT: OCCUPATIONAL GROUPS

YOUTH CLUBS
BT: YOUTH WORK

YOUTH UNEMPLOYMENT
BT: UNEMPLOYMENT

YOUTH WORK
BT: SOCIAL WORK
NT: YOUTH CLUBS

Youths
USE: YOUNG PEOPLE

ZOONOSES
BT: DEATH, DISEASE AND DISABILITY